

November 19, 2020

Paul Swieton
Rensselaer-Columbia-Greene Counties and
BOCES
10 Empire State Blvd.
Fl 2
Castleton On Hudson, NY 12033

RE: Project: BRUNSWICK CSD
Pace Project No.: 70151336

Dear Paul Swieton:

Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari
nicolette.lovari@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Whitney Colvin, Brunswick Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Pace Analytical Services Ormond Beach

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

Arizona Certification# AZ0819

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maryland Certification: #346

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Virginia Environmental Certification #: 460165

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BRUNSWICK CSD
Pace Project No.: 70151336

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70151336001	ELE-01-FS-P-01	EPA 200.8	SLG	1	PASI-O
70151336002	ELE-01-KS1-P-02	EPA 200.8	SLG	1	PASI-O
70151336003	ELE-01-KS2-P-03	EPA 200.8	SLG	1	PASI-O
70151336004	ELE-01-KS3-P-04	EPA 200.8	SLG	1	PASI-O
70151336005	ELE-01-KS4-P-05	EPA 200.8	SLG	1	PASI-O
70151336006	ELE-01-KS5-P-06	EPA 200.8	SLG	1	PASI-O
70151336007	ELE-01-KS6-P-07	EPA 200.8	SLG	1	PASI-O
70151336008	ELE-01-KPF-P-08	EPA 200.8	SLG	1	PASI-O
70151336009	ELE-01-KWF-P-09	EPA 200.8	SLG	1	PASI-O
70151336010	ELE-01-KWF-P-10	EPA 200.8	SLG	1	PASI-O
70151336011	ELE-01-DW-P-11	EPA 200.8	SLG	1	PASI-O
70151336012	ELE-01-DW-P-12	EPA 200.8	SLG	1	PASI-O
70151336013	ELE-01-BF-P-13	EPA 200.8	SLG	1	PASI-O
70151336014	ELE-01-BF-P-14	EPA 200.8	SLG	1	PASI-O
70151336015	ELE-01-BF-P-15	EPA 200.8	SLG	1	PASI-O
70151336016	ELE-01-BF-P-16	EPA 200.8	SLG	1	PASI-O
70151336017	ELE-01-BF-P-17	EPA 200.8	SLG	1	PASI-O
70151336018	ELE-01-NB-P-18	EPA 200.8	SLG	1	PASI-O
70151336019	ELE-01-NI-P-19	EPA 200.8	SLG	1	PASI-O
70151336020	ELE-01-NS1-P-20	EPA 200.8	SLG	1	PASI-O
70151336021	ELE-01-NS2-P-21	EPA 200.8	SLG	1	PASI-O
70151336022	ELE-01-BF-P-22	EPA 200.8	SLG	1	PASI-O
70151336023	ELE-01-LF-P-23	EPA 200.8	SLG	1	PASI-O
70151336024	ELE-01-LF-P-24	EPA 200.8	SLG	1	PASI-O
70151336025	ELE-01-CF-P-25	EPA 200.8	LEC	1	PASI-O
70151336026	ELE-01-CF-P-27	EPA 200.8	LEC	1	PASI-O
70151336027	ELE-01-CF-P-29	EPA 200.8	LEC	1	PASI-O
70151336028	ELE-01-CF-P-31	EPA 200.8	LEC	1	PASI-O
70151336029	ELE-01-DW-P-32	EPA 200.8	LEC	1	PASI-O
70151336030	ELE-01-CF-P-33	EPA 200.8	LEC	1	PASI-O
70151336031	ELE-01-DW-P-34	EPA 200.8	LEC	1	PASI-O
70151336032	ELE-01-CF-P-35	EPA 200.8	LEC	1	PASI-O
70151336033	ELE-01-DW-P-36	EPA 200.8	LEC	1	PASI-O
70151336034	ELE-01-CF-P-37	EPA 200.8	LEC	1	PASI-O
70151336035	ELE-01-DW-P-38	EPA 200.8	LEC	1	PASI-O
70151336036	ELE-01-CF-P-39	EPA 200.8	LEC	1	PASI-O
70151336037	ELE-01-DW-P-40	EPA 200.8	LEC	1	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70151336038	ELE-01-CF-P-41	EPA 200.8	LEC	1	PASI-O
70151336039	ELE-01-DW-P-42	EPA 200.8	LEC	1	PASI-O
70151336040	ELE-01-CF-P-43	EPA 200.8	LEC	1	PASI-O
70151336041	ELE-01-DW-P-44	EPA 200.8	LEC	1	PASI-O
70151336042	ELE-01-CF-P-45	EPA 200.8	LEC	1	PASI-O
70151336043	ELE-01-DW-P-46	EPA 200.8	LEC	1	PASI-O
70151336044	ELE-01-CF-P-47	EPA 200.8	LEC	1	PASI-O
70151336045	ELE-01-DW-P-48	EPA 200.8	LEC	1	PASI-O
70151336046	ELE-01-CF-P-49	EPA 200.8	LEC	1	PASI-O
70151336047	ELE-01-DW-P-50	EPA 200.8	LEC	1	PASI-O
70151336048	ELE-01-CF-P-51	EPA 200.8	LEC	1	PASI-O
70151336049	ELE-01-DW-P-52	EPA 200.8	LEC	1	PASI-O
70151336050	ELE-01-CF-P-53	EPA 200.8	LEC	1	PASI-O
70151336051	ELE-01-DW-P-54	EPA 200.8	LEC	1	PASI-O
70151336052	ELE-01-CF-P-55	EPA 200.8	SLG	1	PASI-O
70151336053	ELE-01-DW-P-56	EPA 200.8	SLG	1	PASI-O
70151336054	ELE-01-CF-P-57	EPA 200.8	SLG	1	PASI-O
70151336055	ELE-01-DW-P-58	EPA 200.8	SLG	1	PASI-O
70151336056	ELE-01-BF-P-59	EPA 200.8	SLG	1	PASI-O
70151336057	ELE-01-CF-P-60	EPA 200.8	SLG	1	PASI-O
70151336058	ELE-01-DW-P-61	EPA 200.8	SLG	1	PASI-O
70151336059	ELE-01-CF-P-62	EPA 200.8	SLG	1	PASI-O
70151336060	ELE-01-DW-P-63	EPA 200.8	SLG	1	PASI-O
70151336061	ELE-01-CF-P-64	EPA 200.8	SLG	1	PASI-O
70151336062	ELE-01-DW-P-65	EPA 200.8	SLG	1	PASI-O
70151336063	ELE-01-CF-P-66	EPA 200.8	SLG	1	PASI-O
70151336064	ELE-01-CF-P-68	EPA 200.8	SLG	1	PASI-O
70151336065	ELE-01-DW-P-69	EPA 200.8	SLG	1	PASI-O
70151336066	ELE-01-CF-P-70	EPA 200.8	SLG	1	PASI-O
70151336067	ELE-01-CF-P-72	EPA 200.8	SLG	1	PASI-O
70151336068	ELE-01-CF-P-74	EPA 200.8	SLG	1	PASI-O
70151336069	ELE-01-DW-P-75	EPA 200.8	SLG	1	PASI-O
70151336070	ELE-01-CF-P-76	EPA 200.8	SLG	1	PASI-O
70151336071	ELE-01-CF-P-78	EPA 200.8	SLG	1	PASI-O
70151336072	ELE-01-DW-P-79	EPA 200.8	SLG	1	PASI-O
70151336073	ELE-01-CF-P-80	EPA 200.8	SLG	1	PASI-O
70151336074	ELE-01-DW-P-81	EPA 200.8	SLG	1	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70151336075	ELE-01-CF-P-82	EPA 200.8	SLG	1	PASI-O
70151336076	ELE-01-DW-P-83	EPA 200.8	SLG	1	PASI-O
70151336077	ELE-01-CF-P-84	EPA 200.8	SLG	1	PASI-O
70151336078	ELE-01-DW-P-85	EPA 200.8	SLG	1	PASI-O
70151336079	ELE-01-CF-P-86	EPA 200.8	SLG	1	PASI-O
70151336080	ELE-01-DW-P-87	EPA 200.8	SLG	1	PASI-O
70151336081	ELE-01-BF1-P-88	EPA 200.8	SLG	1	PASI-O
70151336082	ELE-01-BF2-P-89	EPA 200.8	SLG	1	PASI-O
70151336083	ELE-01-BF3-P-90	EPA 200.8	SLG	1	PASI-O
70151336084	ELE-01-DW-P-91	EPA 200.8	SLG	1	PASI-O
70151336085	ELE-01-DW-P-92	EPA 200.8	SLG	1	PASI-O
70151336086	ELE-01-BF1-P-93	EPA 200.8	SLG	1	PASI-O
70151336087	ELE-01-BF2-P-94	EPA 200.8	SLG	1	PASI-O
70151336088	ELE-01-BF3-P-95	EPA 200.8	SLG	1	PASI-O
70151336089	ELE-01-CF-P-96	EPA 200.8	SLG	1	PASI-O
70151336090	ELE-01-DW-P-97	EPA 200.8	SLG	1	PASI-O
70151336091	ELE-01-CF-P-98	EPA 200.8	SLG	1	PASI-O
70151336092	ELE-01-BF-P-99	EPA 200.8	SLG	1	PASI-O
70151336093	ELE-01-BF1-P-101	EPA 200.8	SLG	1	PASI-O
70151336094	ELE-01-BF2-P-102	EPA 200.8	SLG	1	PASI-O
70151336095	ELE-01-BF3-P-103	EPA 200.8	SLG	1	PASI-O
70151336096	ELE-01-BF4-P-104	EPA 200.8	SLG	1	PASI-O
70151336097	ELE-01-BF5-P-105	EPA 200.8	SLG	1	PASI-O
70151336098	ELE-01-BF1-P-106	EPA 200.8	SLG	1	PASI-O
70151336099	ELE-01-BF2-P-107	EPA 200.8	SLG	1	PASI-O
70151336100	ELE-01-BF3-P-108	EPA 200.8	SLG	1	PASI-O
70151336101	ELE-01-BF4-P-109	EPA 200.8	SLG	1	PASI-O
70151336102	ELE-01-BF5-P-110	EPA 200.8	SLG	1	PASI-O
70151336103	ELE-01-CF-P-111	EPA 200.8	SLG	1	PASI-O
70151336104	ELE-01-CF-P-113	EPA 200.8	SLG	1	PASI-O
70151336105	ELE-01-DW-P-114	EPA 200.8	SLG	1	PASI-O
70151336106	ELE-01-CF-P-115	EPA 200.8	SLG	1	PASI-O
70151336107	ELE-01-DW-P-116	EPA 200.8	SLG	1	PASI-O
70151336108	ELE-01-CF-P-117	EPA 200.8	SLG	1	PASI-O
70151336109	ELE-01-DW-P-118	EPA 200.8	SLG	1	PASI-O
70151336110	ELE-01-CF-P-119	EPA 200.8	SLG	1	PASI-O
70151336111	ELE-01-BF-P-122	EPA 200.8	SLG	1	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70151336112	ELE-01-CF-P-123	EPA 200.8	SLG	1	PASI-O
70151336113	ELE-01-DW-P-124	EPA 200.8	SLG	1	PASI-O
70151336114	ELE-01-CF-P-125	EPA 200.8	SLG	1	PASI-O
70151336115	ELE-01-CF-P-126	EPA 200.8	SLG	1	PASI-O
70151336116	ELE-01-BF-P-127	EPA 200.8	SLG	1	PASI-O

PASI-O = Pace Analytical Services - Ormond Beach

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-FS-P-01		Lab ID: 70151336001	Collected: 10/20/20 05:19	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS1-P-02		Lab ID: 70151336002	Collected: 10/20/20 05:20	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.4	ug/L	1.0	1		11/04/20 22:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS2-P-03		Lab ID: 70151336003	Collected: 10/20/20 05:20	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS3-P-04		Lab ID: 70151336004	Collected: 10/20/20 05:20	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.0	ug/L	1.0	1		11/04/20 22:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS4-P-05		Lab ID: 70151336005	Collected: 10/20/20 05:23	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS5-P-06		Lab ID: 70151336006	Collected: 10/20/20 05:23	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	40.2	ug/L	1.0	1	11/05/20 00:14	11/05/20 08:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KS6-P-07		Lab ID: 70151336007	Collected: 10/20/20 05:25	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KPF-P-08		Lab ID: 70151336008	Collected: 10/20/20 05:26	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.0	ug/L	1.0	1		11/04/20 22:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KWF-P-09		Lab ID: 70151336009	Collected: 10/20/20 05:27	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	10.2	ug/L	1.0	1		11/04/20 22:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-KWF-P-10		Lab ID: 70151336010	Collected: 10/20/20 05:27	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.8	ug/L	1.0	1		11/04/20 22:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-11		Lab ID: 70151336011	Collected: 10/20/20 05:30	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-12		Lab ID: 70151336012	Collected: 10/20/20 05:30	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 22:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-13		Lab ID: 70151336013	Collected: 10/20/20 05:31	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.6	ug/L	1.0	1		11/04/20 22:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-14		Lab ID: 70151336014		Collected: 10/20/20 05:31		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	1.3	ug/L	1.0	1		11/04/20 23:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-15		Lab ID: 70151336015		Collected: 10/20/20 05:33		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	2.0	ug/L	1.0	1		11/04/20 23:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-16		Lab ID: 70151336016	Collected: 10/20/20 05:34	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 23:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-17		Lab ID: 70151336017	Collected: 10/20/20 05:34	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.5	ug/L	1.0	1		11/04/20 23:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-NB-P-18		Lab ID: 70151336018		Collected: 10/20/20 05:36		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/04/20 23:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-NI-P-19		Lab ID: 70151336019		Collected: 10/20/20 05:36		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/04/20 23:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-NS1-P-20		Lab ID: 70151336020	Collected: 10/20/20 05:37	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.1	ug/L	1.0	1		11/04/20 23:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-NS2-P-21		Lab ID: 70151336021	Collected: 10/20/20 05:37	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	9.7	ug/L	1.0	1		11/04/20 23:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-22		Lab ID: 70151336022	Collected: 10/20/20 05:38	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/04/20 23:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-LF-P-23		Lab ID: 70151336023		Collected: 10/20/20 05:39		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	1.5	ug/L	1.0	1		11/04/20 23:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-LF-P-24		Lab ID: 70151336024	Collected: 10/20/20 05:39	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.1	ug/L	1.0	1		11/04/20 23:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-25		Lab ID: 70151336025		Collected: 10/20/20 05:41		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	3.2	ug/L	1.0	1		11/05/20 13:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-27		Lab ID: 70151336026		Collected: 10/20/20 05:42		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	2.2	ug/L	1.0	1		11/05/20 13:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-29		Lab ID: 70151336027	Collected: 10/20/20 05:44	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	4.3	ug/L	1.0	1		11/05/20 13:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-31		Lab ID: 70151336028		Collected: 10/20/20 05:45		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	1.7	ug/L	1.0	1		11/05/20 13:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-32		Lab ID: 70151336029	Collected: 10/20/20 05:45	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	7.1	ug/L	1.0	1		11/05/20 13:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-33		Lab ID: 70151336030	Collected: 10/20/20 05:46	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	3.9	ug/L	1.0	1		11/05/20 13:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-34		Lab ID: 70151336031	Collected: 10/20/20 05:46	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.8	ug/L	1.0	1		11/05/20 13:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-35		Lab ID: 70151336032	Collected: 10/20/20 05:47	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.9	ug/L	1.0	1		11/05/20 13:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-36		Lab ID: 70151336033	Collected: 10/20/20 05:47	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	3.6	ug/L	1.0	1		11/05/20 13:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-37		Lab ID: 70151336034	Collected: 10/20/20 05:48	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.7	ug/L	1.0	1		11/05/20 13:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-38		Lab ID: 70151336035	Collected: 10/20/20 05:48	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.4	ug/L	1.0	1		11/05/20 13:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-39		Lab ID: 70151336036	Collected: 10/20/20 05:49	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-40		Lab ID: 70151336037	Collected: 10/20/20 05:49	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-41		Lab ID: 70151336038	Collected: 10/20/20 05:50	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-42		Lab ID: 70151336039		Collected: 10/20/20 05:50		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/05/20 13:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-43		Lab ID: 70151336040	Collected: 10/20/20 05:52	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.0	ug/L	1.0	1		11/05/20 13:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-44		Lab ID: 70151336041	Collected: 10/20/20 05:52	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-45		Lab ID: 70151336042		Collected: 10/20/20 05:54		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	1.7	ug/L	1.0	1		11/05/20 13:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-46		Lab ID: 70151336043		Collected: 10/20/20 05:54		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	2.2	ug/L	1.0	1		11/05/20 13:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-47		Lab ID: 70151336044	Collected: 10/20/20 05:55	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-48		Lab ID: 70151336045	Collected: 10/20/20 05:55	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.2	ug/L	1.0	1		11/05/20 13:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-49		Lab ID: 70151336046	Collected: 10/20/20 05:56	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.5	ug/L	1.0	1		11/05/20 13:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-50		Lab ID: 70151336047	Collected: 10/20/20 05:56	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.7	ug/L	1.0	1		11/05/20 13:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-51		Lab ID: 70151336048	Collected: 10/20/20 05:57	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.0	ug/L	1.0	1		11/05/20 13:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-52		Lab ID: 70151336049	Collected: 10/20/20 05:57	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.2	ug/L	1.0	1		11/05/20 13:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-53		Lab ID: 70151336050	Collected: 10/20/20 05:58	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-54		Lab ID: 70151336051	Collected: 10/20/20 05:58	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 13:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-55		Lab ID: 70151336052	Collected: 10/20/20 05:59	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-56		Lab ID: 70151336053	Collected: 10/20/20 05:59	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-57		Lab ID: 70151336054		Collected: 10/20/20 06:00		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	86.6	ug/L	1.0	1		11/05/20 18:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-58		Lab ID: 70151336055	Collected: 10/20/20 06:00	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-59		Lab ID: 70151336056	Collected: 10/20/20 06:01	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-60		Lab ID: 70151336057	Collected: 10/20/20 06:03	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-61		Lab ID: 70151336058	Collected: 10/20/20 06:03	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.6	ug/L	1.0	1		11/05/20 17:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-62		Lab ID: 70151336059	Collected: 10/20/20 06:03	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.5	ug/L	1.0	1		11/05/20 17:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-63		Lab ID: 70151336060	Collected: 10/20/20 06:03	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-64		Lab ID: 70151336061	Collected: 10/20/20 06:04	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-65		Lab ID: 70151336062	Collected: 10/20/20 06:04	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-66		Lab ID: 70151336063	Collected: 10/20/20 06:05	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-68		Lab ID: 70151336064	Collected: 10/20/20 06:06	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-69		Lab ID: 70151336065	Collected: 10/20/20 06:06	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	5.8	ug/L	1.0	1		11/05/20 17:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-70		Lab ID: 70151336066	Collected: 10/20/20 06:07	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.1	ug/L	1.0	1		11/05/20 17:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-72		Lab ID: 70151336067	Collected: 10/20/20 06:09	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.4	ug/L	1.0	1		11/05/20 17:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-74		Lab ID: 70151336068	Collected: 10/20/20 06:10	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-75		Lab ID: 70151336069	Collected: 10/20/20 06:10	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-76		Lab ID: 70151336070	Collected: 10/20/20 06:11	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-78		Lab ID: 70151336071	Collected: 10/20/20 06:13	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-79		Lab ID: 70151336072	Collected: 10/20/20 06:13	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-80		Lab ID: 70151336073	Collected: 10/20/20 06:14	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.8	ug/L	1.0	1		11/05/20 17:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-81		Lab ID: 70151336074	Collected: 10/20/20 06:14	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	4.8	ug/L	1.0	1		11/05/20 17:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-82		Lab ID: 70151336075	Collected: 10/20/20 06:16	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-83		Lab ID: 70151336076		Collected: 10/20/20 06:16		Received: 10/28/20 10:40		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/05/20 17:38	7439-92-1	R1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-84		Lab ID: 70151336077	Collected: 10/20/20 06:16	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-85		Lab ID: 70151336078	Collected: 10/20/20 06:16	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-86		Lab ID: 70151336079	Collected: 10/20/20 06:18	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-87		Lab ID: 70151336080	Collected: 10/20/20 06:18	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF1-P-88		Lab ID: 70151336081	Collected: 10/20/20 06:23	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	35.1	ug/L	1.0	1		11/05/20 17:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF2-P-89		Lab ID: 70151336082	Collected: 10/20/20 06:23	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	644	ug/L	5.0	5	11/06/20 07:21	11/06/20 20:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF3-P-90		Lab ID: 70151336083	Collected: 10/20/20 06:19	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-91		Lab ID: 70151336084	Collected: 10/20/20 06:21	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-92		Lab ID: 70151336085	Collected: 10/20/20 06:21	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF1-P-93		Lab ID: 70151336086	Collected: 10/20/20 06:24	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF2-P-94		Lab ID: 70151336087	Collected: 10/20/20 06:24	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF3-P-95		Lab ID: 70151336088	Collected: 10/20/20 06:24	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-96		Lab ID: 70151336089	Collected: 10/20/20 06:26	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-97		Lab ID: 70151336090	Collected: 10/20/20 06:26	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 17:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-98		Lab ID: 70151336091	Collected: 10/20/20 06:29	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.8	ug/L	1.0	1		11/05/20 17:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-99		Lab ID: 70151336092	Collected: 10/20/20 06:31	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	4.3	ug/L	1.0	1		11/05/20 18:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF1-P-101		Lab ID: 70151336093	Collected: 10/20/20 06:33	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	5.9	ug/L	1.0	1		11/05/20 18:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF2-P-102		Lab ID: 70151336094	Collected: 10/20/20 06:33	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.4	ug/L	1.0	1		11/05/20 18:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF3-P-103		Lab ID: 70151336095	Collected: 10/20/20 06:33	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	3.6	ug/L	1.0	1		11/05/20 18:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF4-P-104		Lab ID: 70151336096	Collected: 10/20/20 06:33	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF5-P-105		Lab ID: 70151336097	Collected: 10/20/20 06:33	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	4.8	ug/L	1.0	1		11/05/20 18:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF1-P-106		Lab ID: 70151336098	Collected: 10/20/20 06:35	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.3	ug/L	1.0	1		11/05/20 18:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF2-P-107		Lab ID: 70151336099	Collected: 10/20/20 06:35	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	12.6	ug/L	1.0	1		11/05/20 18:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF3-P-108		Lab ID: 70151336100	Collected: 10/20/20 06:35	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF4-P-109		Lab ID: 70151336101	Collected: 10/20/20 06:35	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.0	ug/L	1.0	1		11/05/20 18:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF5-P-110		Lab ID: 70151336102	Collected: 10/20/20 06:35	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	17.9	ug/L	1.0	1		11/05/20 18:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-111		Lab ID: 70151336103	Collected: 10/20/20 06:37	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	3.1	ug/L	1.0	1		11/05/20 18:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-113		Lab ID: 70151336104	Collected: 10/20/20 06:39	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	10.6	ug/L	1.0	1		11/05/20 18:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-114		Lab ID: 70151336105	Collected: 10/20/20 06:39	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	5.1	ug/L	1.0	1		11/05/20 18:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-115		Lab ID: 70151336106	Collected: 10/20/20 06:40	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	36.6	ug/L	1.0	1		11/05/20 18:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-116		Lab ID: 70151336107	Collected: 10/20/20 06:40	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	6.2	ug/L	1.0	1		11/05/20 18:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-117		Lab ID: 70151336108	Collected: 10/20/20 06:41	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	26.4	ug/L	1.0	1		11/05/20 18:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-118		Lab ID: 70151336109	Collected: 10/20/20 06:41	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	37.6	ug/L	1.0	1		11/05/20 18:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-119		Lab ID: 70151336110	Collected: 10/20/20 06:43	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	16.8	ug/L	1.0	1		11/05/20 18:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-122		Lab ID: 70151336111	Collected: 10/20/20 06:44	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-123		Lab ID: 70151336112	Collected: 10/20/20 06:45	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	3.8	ug/L	1.0	1		11/05/20 18:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-DW-P-124		Lab ID: 70151336113	Collected: 10/20/20 06:45	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/05/20 18:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-125		Lab ID: 70151336114	Collected: 10/20/20 06:46	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	5.8	ug/L	1.0	1		11/05/20 18:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-CF-P-126		Lab ID: 70151336115	Collected: 10/20/20 06:46	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	2.6	ug/L	1.0	1		11/05/20 18:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Sample: ELE-01-BF-P-127		Lab ID: 70151336116	Collected: 10/20/20 06:48	Received: 10/28/20 10:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	4.3	ug/L	1.0	1		11/06/20 20:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch: 679279

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 70151336001, 70151336002, 70151336003, 70151336004

METHOD BLANK: 3696538

Matrix: Water

Associated Lab Samples: 70151336001, 70151336002, 70151336003, 70151336004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/04/20 22:43	

LABORATORY CONTROL SAMPLE: 3696539

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.7	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3696534 3696535

Parameter	Units	70151333020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	4.0	50	50	37.3	40.8	67	74	70-130	9	M1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3696536 3696537

Parameter	Units	70151336004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	1.0	50	50	51.5	45.9	101	90	70-130	12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch:	679280	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336005, 70151336007, 70151336008, 70151336009, 70151336010, 70151336011, 70151336012, 70151336013, 70151336014, 70151336015, 70151336016, 70151336017, 70151336018, 70151336019, 70151336020, 70151336021, 70151336022, 70151336023, 70151336024		

METHOD BLANK:	3696544	Matrix:	Water
Associated Lab Samples:	70151336005, 70151336007, 70151336008, 70151336009, 70151336010, 70151336011, 70151336012, 70151336013, 70151336014, 70151336015, 70151336016, 70151336017, 70151336018, 70151336019, 70151336020, 70151336021, 70151336022, 70151336023, 70151336024		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/04/20 23:17	

LABORATORY CONTROL SAMPLE: 3696545						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:											
3696540				3696541							
		70151336005	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Parameter	Units	Result									
Lead	ug/L	<1.0	50	50	51.7	46.9	103	93	70-130	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:											
3696542				3696543							
		70151336024	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	2.1	50	50	53.4	55.0	102	106	70-130	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch:	679433	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336025, 70151336026, 70151336027, 70151336028, 70151336029, 70151336030, 70151336031, 70151336032, 70151336033, 70151336034, 70151336035		

METHOD BLANK:	3697352	Matrix:	Water
Associated Lab Samples:	70151336025, 70151336026, 70151336027, 70151336028, 70151336029, 70151336030, 70151336031, 70151336032, 70151336033, 70151336034, 70151336035		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/05/20 13:27	

LABORATORY CONTROL SAMPLE: 3697353						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.9	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:											
3697348				3697349							
Parameter	Units	35588928003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	0.0026 mg/L	50	50	50.7	50.9	96	96	70-130	0	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:											
3697350				3697351							
			MS	MSD							
	70151336035		Spike	Spike							
			Conc.	Conc.	MS	MSD	MS	MSD	% Rec		
Parameter	Units	Result			Result	Result	% Rec	% Rec	Limits	RPD	Qual
Lead	ug/L	2.4	50	50	52.5	49.7	100	95	70-130	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch:	679447	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336036, 70151336037, 70151336038, 70151336039, 70151336040, 70151336041, 70151336042, 70151336043, 70151336044, 70151336045, 70151336046, 70151336047, 70151336048, 70151336049, 70151336050, 70151336051, 70151336052, 70151336053, 70151336054, 70151336055		

METHOD BLANK: 3697429

Matrix: Water

Associated Lab Samples: 70151336036, 70151336037, 70151336038, 70151336039, 70151336040, 70151336041, 70151336042, 70151336043, 70151336044, 70151336045, 70151336046, 70151336047, 70151336048, 70151336049, 70151336050, 70151336051, 70151336052, 70151336053, 70151336054, 70151336055

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/05/20 18:46	

LABORATORY CONTROL SAMPLE: 3697430

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	46.6	93	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697425 3697426

Parameter	Units	70151336036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	47.4	48.2	94	96	70-130	2	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697427 3697428

Parameter	Units	70151336055 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	45.5	43.8	90	87	70-130	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch:	679448	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336056, 70151336057, 70151336058, 70151336059, 70151336060, 70151336061, 70151336062, 70151336063, 70151336064, 70151336065, 70151336066, 70151336067, 70151336068, 70151336069, 70151336070, 70151336071, 70151336072, 70151336073, 70151336074, 70151336075		

METHOD BLANK: 3697435

Matrix: Water

Associated Lab Samples: 70151336056, 70151336057, 70151336058, 70151336059, 70151336060, 70151336061, 70151336062, 70151336063, 70151336064, 70151336065, 70151336066, 70151336067, 70151336068, 70151336069, 70151336070, 70151336071, 70151336072, 70151336073, 70151336074, 70151336075

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/05/20 17:36	

LABORATORY CONTROL SAMPLE: 3697436

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697431 3697432

Parameter	Units	70151336056 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	47.3	45.1	94	90	70-130	5	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697433 3697434

Parameter	Units	70151336075 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	54.2	47.2	108	94	70-130	14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD
Pace Project No.: 70151336

QC Batch:	679473	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336076, 70151336077, 70151336078, 70151336079, 70151336080, 70151336081, 70151336083, 70151336084, 70151336085, 70151336086, 70151336087, 70151336088, 70151336089, 70151336090, 70151336091, 70151336092, 70151336093, 70151336094, 70151336095		

METHOD BLANK:	3697540	Matrix:	Water
Associated Lab Samples:	70151336076, 70151336077, 70151336078, 70151336079, 70151336080, 70151336081, 70151336083, 70151336084, 70151336085, 70151336086, 70151336087, 70151336088, 70151336089, 70151336090, 70151336091, 70151336092, 70151336093, 70151336094, 70151336095		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/05/20 18:06	

LABORATORY CONTROL SAMPLE: 3697541

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.1	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697536 3697537

Parameter	Units	70151336076 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	41.6	52.6	83	105	70-130	23	R1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697538 3697539

Parameter	Units	70151336095 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	3.6	50	50	48.4	48.1	90	89	70-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD
Pace Project No.: 70151336

QC Batch:	679474	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach
Associated Lab Samples:	70151336096, 70151336097, 70151336098, 70151336099, 70151336100, 70151336101, 70151336102, 70151336103, 70151336104, 70151336105, 70151336106, 70151336107, 70151336108, 70151336109, 70151336110, 70151336111, 70151336112, 70151336113, 70151336114, 70151336115		

METHOD BLANK:	3697546	Matrix:	Water
Associated Lab Samples:	70151336096, 70151336097, 70151336098, 70151336099, 70151336100, 70151336101, 70151336102, 70151336103, 70151336104, 70151336105, 70151336106, 70151336107, 70151336108, 70151336109, 70151336110, 70151336111, 70151336112, 70151336113, 70151336114, 70151336115		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/05/20 18:40	

LABORATORY CONTROL SAMPLE: 3697547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.0	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697542 3697543

Parameter	Units	70151336096 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	46.3	46.2	91	91	70-130	0	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3697544 3697545

Parameter	Units	70151336115 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	2.6	50	50	50.9	49.9	97	95	70-130	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch: 680016

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 70151336116

METHOD BLANK: 3700940

Matrix: Water

Associated Lab Samples: 70151336116

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/20 21:14	

LABORATORY CONTROL SAMPLE: 3700941

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	46.0	92	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3700936 3700937

Parameter	Units	70151336116 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	4.3	50	50	51.9	52.6	95	97	70-130	1	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3700938 3700939

Parameter	Units	35589626259 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	ND	50	50	48.7	50.1	96	99	70-130	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch: 679295

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET Drinking Water

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 70151336006

METHOD BLANK: 3696623

Matrix: Water

Associated Lab Samples: 70151336006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/20 10:45	

LABORATORY CONTROL SAMPLE: 3696624

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	46.4	93	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3696625 3696626

Parameter	Units	35588494001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	0.00022 U mg/L	50	50	46.2	46.6	92	93	70-130	1	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3696627 3696628

Parameter	Units	70151476039 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	69.4	50	50	114	117	90	95	70-130	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BRUNSWICK CSD

Pace Project No.: 70151336

QC Batch: 679754

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET Drinking Water

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 70151336082

METHOD BLANK: 3699208

Matrix: Water

Associated Lab Samples: 70151336082

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/20 16:06	

LABORATORY CONTROL SAMPLE: 3699209

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.4	95	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3699210 3699211

Parameter	Units	35588849001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	0.036 mg/L	50	50	80.1	87.8	88	104	70-130	9	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: BRUNSWICK CSD
Pace Project No.: 70151336

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70151336006	ELE-01-KS5-P-06	EPA 200.8	679295	EPA 200.8	679316
70151336082	ELE-01-BF2-P-89	EPA 200.8	679754	EPA 200.8	679913
70151336001	ELE-01-FS-P-01	EPA 200.8	679279		
70151336002	ELE-01-KS1-P-02	EPA 200.8	679279		
70151336003	ELE-01-KS2-P-03	EPA 200.8	679279		
70151336004	ELE-01-KS3-P-04	EPA 200.8	679279		
70151336005	ELE-01-KS4-P-05	EPA 200.8	679280		
70151336007	ELE-01-KS6-P-07	EPA 200.8	679280		
70151336008	ELE-01-KPF-P-08	EPA 200.8	679280		
70151336009	ELE-01-KWF-P-09	EPA 200.8	679280		
70151336010	ELE-01-KWF-P-10	EPA 200.8	679280		
70151336011	ELE-01-DW-P-11	EPA 200.8	679280		
70151336012	ELE-01-DW-P-12	EPA 200.8	679280		
70151336013	ELE-01-BF-P-13	EPA 200.8	679280		
70151336014	ELE-01-BF-P-14	EPA 200.8	679280		
70151336015	ELE-01-BF-P-15	EPA 200.8	679280		
70151336016	ELE-01-BF-P-16	EPA 200.8	679280		
70151336017	ELE-01-BF-P-17	EPA 200.8	679280		
70151336018	ELE-01-NB-P-18	EPA 200.8	679280		
70151336019	ELE-01-NI-P-19	EPA 200.8	679280		
70151336020	ELE-01-NS1-P-20	EPA 200.8	679280		
70151336021	ELE-01-NS2-P-21	EPA 200.8	679280		
70151336022	ELE-01-BF-P-22	EPA 200.8	679280		
70151336023	ELE-01-LF-P-23	EPA 200.8	679280		
70151336024	ELE-01-LF-P-24	EPA 200.8	679280		
70151336025	ELE-01-CF-P-25	EPA 200.8	679433		
70151336026	ELE-01-CF-P-27	EPA 200.8	679433		
70151336027	ELE-01-CF-P-29	EPA 200.8	679433		
70151336028	ELE-01-CF-P-31	EPA 200.8	679433		
70151336029	ELE-01-DW-P-32	EPA 200.8	679433		
70151336030	ELE-01-CF-P-33	EPA 200.8	679433		
70151336031	ELE-01-DW-P-34	EPA 200.8	679433		
70151336032	ELE-01-CF-P-35	EPA 200.8	679433		
70151336033	ELE-01-DW-P-36	EPA 200.8	679433		
70151336034	ELE-01-CF-P-37	EPA 200.8	679433		
70151336035	ELE-01-DW-P-38	EPA 200.8	679433		
70151336036	ELE-01-CF-P-39	EPA 200.8	679447		
70151336037	ELE-01-DW-P-40	EPA 200.8	679447		
70151336038	ELE-01-CF-P-41	EPA 200.8	679447		
70151336039	ELE-01-DW-P-42	EPA 200.8	679447		
70151336040	ELE-01-CF-P-43	EPA 200.8	679447		
70151336041	ELE-01-DW-P-44	EPA 200.8	679447		
70151336042	ELE-01-CF-P-45	EPA 200.8	679447		
70151336043	ELE-01-DW-P-46	EPA 200.8	679447		
70151336044	ELE-01-CF-P-47	EPA 200.8	679447		
70151336045	ELE-01-DW-P-48	EPA 200.8	679447		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70151336046	ELE-01-CF-P-49	EPA 200.8	679447		
70151336047	ELE-01-DW-P-50	EPA 200.8	679447		
70151336048	ELE-01-CF-P-51	EPA 200.8	679447		
70151336049	ELE-01-DW-P-52	EPA 200.8	679447		
70151336050	ELE-01-CF-P-53	EPA 200.8	679447		
70151336051	ELE-01-DW-P-54	EPA 200.8	679447		
70151336052	ELE-01-CF-P-55	EPA 200.8	679447		
70151336053	ELE-01-DW-P-56	EPA 200.8	679447		
70151336054	ELE-01-CF-P-57	EPA 200.8	679447		
70151336055	ELE-01-DW-P-58	EPA 200.8	679447		
70151336056	ELE-01-BF-P-59	EPA 200.8	679448		
70151336057	ELE-01-CF-P-60	EPA 200.8	679448		
70151336058	ELE-01-DW-P-61	EPA 200.8	679448		
70151336059	ELE-01-CF-P-62	EPA 200.8	679448		
70151336060	ELE-01-DW-P-63	EPA 200.8	679448		
70151336061	ELE-01-CF-P-64	EPA 200.8	679448		
70151336062	ELE-01-DW-P-65	EPA 200.8	679448		
70151336063	ELE-01-CF-P-66	EPA 200.8	679448		
70151336064	ELE-01-CF-P-68	EPA 200.8	679448		
70151336065	ELE-01-DW-P-69	EPA 200.8	679448		
70151336066	ELE-01-CF-P-70	EPA 200.8	679448		
70151336067	ELE-01-CF-P-72	EPA 200.8	679448		
70151336068	ELE-01-CF-P-74	EPA 200.8	679448		
70151336069	ELE-01-DW-P-75	EPA 200.8	679448		
70151336070	ELE-01-CF-P-76	EPA 200.8	679448		
70151336071	ELE-01-CF-P-78	EPA 200.8	679448		
70151336072	ELE-01-DW-P-79	EPA 200.8	679448		
70151336073	ELE-01-CF-P-80	EPA 200.8	679448		
70151336074	ELE-01-DW-P-81	EPA 200.8	679448		
70151336075	ELE-01-CF-P-82	EPA 200.8	679448		
70151336076	ELE-01-DW-P-83	EPA 200.8	679473		
70151336077	ELE-01-CF-P-84	EPA 200.8	679473		
70151336078	ELE-01-DW-P-85	EPA 200.8	679473		
70151336079	ELE-01-CF-P-86	EPA 200.8	679473		
70151336080	ELE-01-DW-P-87	EPA 200.8	679473		
70151336081	ELE-01-BF1-P-88	EPA 200.8	679473		
70151336083	ELE-01-BF3-P-90	EPA 200.8	679473		
70151336084	ELE-01-DW-P-91	EPA 200.8	679473		
70151336085	ELE-01-DW-P-92	EPA 200.8	679473		
70151336086	ELE-01-BF1-P-93	EPA 200.8	679473		
70151336087	ELE-01-BF2-P-94	EPA 200.8	679473		
70151336088	ELE-01-BF3-P-95	EPA 200.8	679473		
70151336089	ELE-01-CF-P-96	EPA 200.8	679473		
70151336090	ELE-01-DW-P-97	EPA 200.8	679473		
70151336091	ELE-01-CF-P-98	EPA 200.8	679473		
70151336092	ELE-01-BF-P-99	EPA 200.8	679473		
70151336093	ELE-01-BF1-P-101	EPA 200.8	679473		
70151336094	ELE-01-BF2-P-102	EPA 200.8	679473		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BRUNSWICK CSD

Pace Project No.: 70151336

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70151336095	ELE-01-BF3-P-103	EPA 200.8	679473		
70151336096	ELE-01-BF4-P-104	EPA 200.8	679474		
70151336097	ELE-01-BF5-P-105	EPA 200.8	679474		
70151336098	ELE-01-BF1-P-106	EPA 200.8	679474		
70151336099	ELE-01-BF2-P-107	EPA 200.8	679474		
70151336100	ELE-01-BF3-P-108	EPA 200.8	679474		
70151336101	ELE-01-BF4-P-109	EPA 200.8	679474		
70151336102	ELE-01-BF5-P-110	EPA 200.8	679474		
70151336103	ELE-01-CF-P-111	EPA 200.8	679474		
70151336104	ELE-01-CF-P-113	EPA 200.8	679474		
70151336105	ELE-01-DW-P-114	EPA 200.8	679474		
70151336106	ELE-01-CF-P-115	EPA 200.8	679474		
70151336107	ELE-01-DW-P-116	EPA 200.8	679474		
70151336108	ELE-01-CF-P-117	EPA 200.8	679474		
70151336109	ELE-01-DW-P-118	EPA 200.8	679474		
70151336110	ELE-01-CF-P-119	EPA 200.8	679474		
70151336111	ELE-01-BF-P-122	EPA 200.8	679474		
70151336112	ELE-01-CF-P-123	EPA 200.8	679474		
70151336113	ELE-01-DW-P-124	EPA 200.8	679474		
70151336114	ELE-01-CF-P-125	EPA 200.8	679474		
70151336115	ELE-01-CF-P-126	EPA 200.8	679474		
70151336116	ELE-01-BF-P-127	EPA 200.8	680016		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

POTABLE WATER SAMPLING FOR LEAD CONCENTRATION SAMPLE COLLECTION FORM

Appendix D

Page 1 of 6

CLIENT INFORMATION

Name:	Brunswick Central School District
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME:	Tamarac Elementary
BLDG ADDRESS:	3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS:	Whitney Colvin 518-859-9950

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:
1964	1993	2003	2019	

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

WO#: 70151336



SAMPLE DATA

Sample Description ID (ID must match container label)

Outlet Information

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
1	ELE-01-FS-P-01	Faculty room	Sink Faucet	Delta	1964	X	5:19						
2	ELE-01-KS1-P-02	Kitchen	Sink Faucet 1		2019	X	5:20						
3	ELE-01-KS2-P-03	Kitchen	Sink Faucet 2		2019	X	5:20						
4	ELE-01-KS3-P-04	Kitchen	Sink Faucet 3		2019	X	5:20						
5	ELE-01-KS4-P-05	Kitchen	Sink Faucet 4		2019	X	5:23						
6	ELE-01-KS5-P-06	Kitchen	Sink Faucet 5		2019	X	5:23						
7	ELE-01-KS6-P-07	Kitchen	Sink Faucet 6		2019	X	5:25						
8	ELE-01-KPF-P-08	Kitchen	Pot Fill		2019	X	5:26						
9	ELE-01-KWF-P-09	Kitchen	Warmer fill 1		2019	X	5:27						
10	ELE-01-KWF-P-10	Kitchen	Warmer fill 2		2019	X	5:27						
11	ELE-01-DW-P-11	C-Corridor	Water Fountain	Elkay	2020	X	5:30						
12	ELE-01-DW-P-12	C-Corridor	Bottle filler	Elkay	2020	X	5:30						
13	ELE-01-BF-P-13	C-Corridor Girls room	Sink Faucet	Bradley	1964	X	5:31						
14	ELE-01-BF-P-14	C-Corridor Boys room	Sink Faucet	Bradley	1964	X	5:31						
15	ELE-01-BF-P-15	C-Corridor men's room	Sink Faucet	Bradley	1964	X	5:33						
16	ELE-01-BF-P-16	C-Corridor women's room	Sink Faucet 1	Bradley	1964	X	5:34						
17	ELE-01-BF-P-17	C-Corridor women's room	Sink Faucet 2		1964	X	5:34						
18	ELE-01-NB-P-18	Nurse's office bathroom	Sink Faucet		1964	X	5:36						
19	ELE-01-NI-P-19	Nurse's office ice machine	Ice	Scotsman	1964	X	5:36						
20	ELE-01-NS1-P-20	Nurse's office sink 1	Sink Faucet	Zurn	1964	X	5:37						
21	ELE-01-NS2-P-21	Nurse's office sink 2	Sink Faucet	Zurn	1964	X	5:37						
22	ELE-01-BF-P-22	Corridor C-E corner bathroom	Sink Faucet		1964	X	5:38						
23	ELE-01-LF-P-23	Library office	Sink Faucet	Zurn	2003	X	5:39						
24	ELE-01-LF-P-24	Library	Sink Faucet	Zurn	2003	X	5:39						
25	ELE-01-CF-P-25	A-1	Sink Faucet	Elkay	1964	X	5:41						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By:	Received By:	Time:	Date:
<i>Tim LeVan</i>	<i>[Signature]</i>	11:27	10-26-20
		10:30	10-27-20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)

Page 137

Contact:

Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name:	Brunswick Central School District
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME:	Tamarac Elementary
BLDG ADDRESS:	3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS:	Whitney Colvin 518-859-9950

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:
1964	1993	2003	2019	

SAMPLE DATA

Sample Description ID (ID must match container label)

Sample Description ID (ID must match container label)													
Lab Sample #		BOCES Sample #	Location	Outlet Description	Outlet Information								
					Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw
26		ELE-01-DW-P-26	A-1	Water fountain	Elkay	1964	X	Off due to COVID 19					
27		ELE-01-CF-P-27	A-3	Sink Faucet	Elkay	1964	X	5:42					
28		ELE-01-DW-P-28	A-3	Water Fountain	Elkay	1964	X	Off due to COVID 19					
29		ELE-01-CF-P-29	A-4	Sink Faucet	Elkay	1964	X	5:44					
30		ELE-01-DW-P-30	A-4	Water Fountain	Elkay	1964	X	Off due to COVID 19					
31		ELE-01-CF-P-31	A-5	Sink Faucet	Elkay	1964	X	5:45					
32		ELE-01-DW-P-32	A-5	Water Fountain	Elkay	1964	X	5:45					
33		ELE-01-CF-P-33	A-6	Sink Faucet	Elkay	1964	X	5:46					
34		ELE-01-DW-P-34	A-6	Water Fountain	Elkay	1964	X	5:46					
35		ELE-01-CF-P-35	A-7	Sink Faucet	Elkay	1964	X	5:47					
36		ELE-01-DW-P-36	A-7	Water Fountain	Elkay	1964	X	5:47					
37		ELE-01-CF-P-37	A-8	Sink Faucet	Elkay	1964	X	5:48					
38		ELE-01-DW-P-38	A-8	Water Fountain	Elkay	1964	X	5:48					
39		ELE-01-CF-P-39	A-32	Sink Faucet	Elkay	1964	X	5:49					
40		ELE-01-DW-P-40	A-32	Water Fountain	Elkay	1964	X	5:49					
41		ELE-01-CF-P-41	A-31	Sink Faucet	Elkay	1964	X	5:50					
42		ELE-01-DW-P-42	A-31	Water Fountain	Elkay	1964	X	5:50					
43		ELE-01-CF-P-43	A-9	Sink Faucet	Elkay	1964	X	5:52					
44		ELE-01-DW-P-44	A-9	Water Fountain	Elkay	1964	X	5:52					
45		ELE-01-CF-P-45	A-10	Sink Faucet	Elkay	1964	X	5:54					
46		ELE-01-DW-P-46	A-10	Water Fountain	Elkay	1964	X	5:54					
47		ELE-01-CF-P-47	A-11	Sink Faucet	Elkay	1964	X	5:55					
48		ELE-01-DW-P-48	A-11	Water Fountain	Elkay	1964	X	5:55					
49		ELE-01-CF-P-49	A-12	Sink Faucet	Elkay	1964	X	5:56					
50		ELE-01-DW-P-50	A-12	Water Fountain	Elkay	1964	X	5:56					

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By:	Received By:	Time:	Date:
<i>MAJ</i>	<i>MAJ</i>	10:40	10/20/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)

Lab:

138

0

Contact:

Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name:	Brunswick Central School District
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME:	Tamarac Elementary
BLDG ADDRESS:	3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS:	Whitney Colvin 518-859-9950

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr 2nd Mod:
1964	1993	2003	2019	

SAMPLE DATA

Sample Description ID (ID must match container label)

Outlet Information

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
51	ELE-01-CF-P-51	A-13	Sink Faucet	Elkay	1964	X	5:57						0068
52	ELE-01-DW-P-52	A-13	Water Fountain	Elkay	1964	X	5:57						0069
53	ELE-01-CF-P-53	A-14	Sink Faucet	Elkay	1964	X	5:58						0050
54	ELE-01-DW-P-54	A-14	Water Fountain	Elkay	1964	X	5:58						0051
55	ELE-01-CF-P-55	A-15	Sink Faucet	Elkay	1964	X	5:59						0052
56	ELE-01-DW-P-56	A-15	Water Fountain	Elkay	1964	X	5:59						0053
57	ELE-01-CF-P-57	A-16	Sink Faucet	Elkay	1964	X	6:00						0054
58	ELE-01-DW-P-58	A-16	Water Fountain	Elkay	1964	X	6:00						0055
59	ELE-01-BF-P-59	ADA Bathroom	Sink Faucet	Bradley	1964	X	6:01						0056
60	ELE-01-CF-P-60	A-17	Sink Faucet	Elkay	1964	X	6:03						0057
61	ELE-01-DW-P-61	A-17	Water Fountain	Elkay	1964	X	6:03						0058
62	ELE-01-CF-P-62	A-18	Sink Faucet	Elkay	1964	X	6:03						0059
63	ELE-01-DW-P-63	A-18	Water Fountain	Elkay	1964	X	6:03						0060
64	ELE-01-CF-P-64	D-1	Sink Faucet	Elkay	1993	X	6:04						0061
65	ELE-01-DW-P-65	D-1	Water Fountain	Elkay	1993	X	6:04						0062
66	ELE-01-CF-P-66	D-2	Sink Faucet	Elkay	1993	X	6:05						0063
67	ELE-01-DW-P-67	D-2	Water Fountain	Elkay	1993	X	Off due to COVID 19						
68	ELE-01-CF-P-68	D-3	Sink Faucet	Elkay	1993	X	6:06						0064
69	ELE-01-DW-P-69	D-3	Water Fountain	Elkay	1993	X	6:06						0065
70	ELE-01-CF-P-70	D-4	Sink Faucet	Elkay	1993	X	6:07						0066
71	ELE-01-DW-P-71	D-4	Water Fountain	Elkay	1993	X	Off due to COVID 19						
72	ELE-01-CF-P-72	D-5	Sink Faucet	Elkay	1993	X	6:09						0067
73	ELE-01-DW-P-73	D-5	Water Fountain	Elkay	1993	X	Off due to COVID 19						
74	ELE-01-CF-P-74	D-6	Sink Faucet	Elkay	1993	X	6:10						0068
75	ELE-01-DW-P-75	D-6	Water Fountain	Elkay	1993	X	6:10						0069

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By:	Received By:	Time:	Date:
<i>[Signature]</i>	<i>[Signature]</i>	10:40	10/20/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)

Lab: 139 of

Contact:

Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name:	Brunswick Central School District
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin
SCHOOL/PROJECT INFORMATION	
BLDG NO./NAME:	Tamarac Elementary
BLDG ADDRESS:	3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS:	Whitney Colvin 518-859-9950

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

(1) Yr. Built	(2) Yr 1st Add	(3) Yr 2nd Add	(4) Yr 1st Mod	(5) Yr 2nd Mod
1964	1993	2003	2019	

SAMPLE DATA

Sample Description ID (ID must match container label)				Outlet Information									
Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
76	ELE-01-CF-P-76	D-7	Sink Faucet	Elkay	1993	X	6:11						
77	ELE-01-DW-P-77	D-7	Water Fountain	Elkay	1993	X	Off due to COVID 19						
78	ELE-01-CF-P-78	E-1	Sink Faucet	Elkay	2003	X	6:13						
79	ELE-01-DW-P-79	E-1	Water Fountain	Elkay	2003	X	6:13						
80	ELE-01-CF-P-80	E-2	Sink Faucet	Elkay	2003	X	6:14						
81	ELE-01-DW-P-81	E-2	Water Fountain	Elkay	2003	X	6:14						
82	ELE-01-CF-P-82	E-3	Sink Faucet	Elkay	2003	X	6:16						
83	ELE-01-DW-P-83	E-3	Water Fountain	Elkay	2003	X	6:16						
84	ELE-01-CF-P-84	E-4	Sink Faucet	Elkay	2003	X	6:16						
85	ELE-01-DW-P-85	E-4	Water Fountain	Elkay	2003	X	6:16						
86	ELE-01-CF-P-86	E-5	Sink Faucet	Elkay	2003	X	6:18						
87	ELE-01-DW-P-87	E-5	Water Fountain	Elkay	2003	X	6:18						
88	ELE-01-BF1-P-88	E-corridor girl's room	Sink Faucet 1		2003	X	6:23						
89	ELE-01-BF2-P-89	E-corridor girl's room	Sink Faucet 2		2003	X	6:23						
90	ELE-01-BF3-P-90	E-corridor girl's room	Sink Faucet 3		2003	X	6:19						
91	ELE-01-DW-P-91	E-corridor Fountain ADA	Water Fountain	Halsey Taylor	2003	X	6:21						
92	ELE-01-DW-P-92	E-corridor Fountain	Water Fountain	Halsey Taylor	2003	X	6:21						
93	ELE-01-BF1-P-93	E-corridor Boy's room	Sink Faucet 1		2003	X	6:24						
94	ELE-01-BF2-P-94	E-corridor Boy's room	Sink Faucet 2	Chicago Faucet	2003	X	6:24						
95	ELE-01-BF3-P-95	E-corridor Boy's room	Sink Faucet 3		2003	X	6:24						
96	ELE-01-CF-P-96	E- Band room	Sink Faucet	Elkay	2003	X	6:26						
97	ELE-01-DW-P-97	E- Band room	Water Fountain	Elkay	2003	X	6:26						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By:	Received By:	Time:	Date:

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)

Lab:	
Parent:	
Contact:	
Comments:	Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name:	Brunswick Central School District
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin
SCHOOL/PROJECT INFORMATION	
BLDG NO./NAME:	Tamarac Elementary
BLDG ADDRESS:	3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS:	Whitney Colvin 518-859-9950

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

WO#: 70151336

PM: NML Due Date: 11/11/20

CLIENT: QUESTAR

(1) Yr. Built	(2) Yr. 1st Add:	(3) Yr. 2nd Add:	(4) Yr. 1st Mod:	(5) Yr. 2nd Mod:
1964	1993	2003	2019	

SAMPLE DATA

Sample Description ID (ID must match container label)		Outlet Information		Time of Collection (24hr)		Service Connection Draw		Time of Collection (24hr)		Water Main Draw		Time of Collection (24hr)	
Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
98	ELE-01-CF-P-98	E- Faculty room	Sink Faucet	Zurn	2003	X	6:25						
99	ELE-01-BF-P-99	Girls gym coach bathroom	Sink Faucet		1964	X	6:31						
100	ELE-01-DW-P-100	weight room	Water Fountain	Elkay	1964	X	Off due to COVID 19						
101	ELE-01-BF1-P-101	B-corridor Boy's room	Sink Faucet 1	Bradley	1964	X	6:33						
102	ELE-01-BF2-P-102	B-corridor Boy's room	Sink Faucet 2	Bradley	1964	X	6:33						
103	ELE-01-BF3-P-103	B-corridor Boy's room	Sink Faucet 3	Bradley	1964	X	6:33						
104	ELE-01-BF4-P-104	B-corridor Boy's room	Sink Faucet 4	Bradley	1964	X	6:33						
105	ELE-01-BF5-P-105	B-corridor Boy's room	Sink Faucet 5	Bradley	1964	X	6:33						
106	ELE-01-BF1-P-106	B-corridor Girl's room	Sink Faucet 1	Bradley	1964	X	6:35						
107	ELE-01-BF2-P-107	B-corridor Girl's room	Sink Faucet 2	Bradley	1964	X	6:35						
108	ELE-01-BF3-P-108	B-corridor Girl's room	Sink Faucet 3	Bradley	1964	X	6:35						
109	ELE-01-BF4-P-109	B-corridor Girl's room	Sink Faucet 4	Bradley	1964	X	6:35						
110	ELE-01-BF5-P-110	B-corridor Girl's room	Sink Faucet 5	Bradley	1964	X	6:35						
111	ELE-01-CF-P-111	B-1	Sink Faucet	Elkay	1964	X	6:37						
112	ELE-01-DW-P-112	B-1	Water Fountain	Elkay	1964	X	Off due to COVID 19						
113	ELE-01-CF-P-113	B-3	Sink Faucet	Elkay	1964	X	6:39						
114	ELE-01-DW-P-114	B-3	Water Fountain	Elkay	1964	X	6:39						
115	ELE-01-CF-P-115	B-4	Sink Faucet	Elkay	1964	X	6:40						
116	ELE-01-DW-P-116	B-4	Water Fountain	Elkay	1964	X	6:40						
117	ELE-01-CF-P-117	B-5	Sink Faucet	Elkay	1964	X	6:41						
118	ELE-01-DW-P-118	B-5	Water Fountain	Elkay	1964	X	6:41						
119	ELE-01-CF-P-119	B-6	Sink Faucet	Elkay	1964	X	6:43						
120	ELE-01-DW-P-120	B-6	Water Fountain	Elkay	1964	X	Off due to COVID 19						
121	ELE-01-DW-P-121	B-corridor	Water Fountain	Elkay	1964	X	Off due to COVID 19						
122	ELE-01-BF-P-122	B-corridor staff bathroom	Sink Faucet	Elkay	1964	X	6:44						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By:	Received By:	Time:	Date:
<i>[Signature]</i>	<i>[Signature]</i>	10:40	10/28/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)

Lab:

Page 41 of 100

Contact:

Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

Client Information	Brunswick Central School District
Name:	
Address:	3992 NY 2 Troy NY 12180
Client Rep:	Whitney Colvin

Date of Sampling:	10/20/2020
Samples Taken By:	Tim LeVan
Samples Taken By:	Spencer Murphy

SCHOOL/PROJECT INFORMATION
BUILDG NO./NAME: Tamarac Elementary
BUILDG ADDRESS: 3992 NY 2 Troy NY 12180
CONTACT NAME & NUMBERS: Whitney Colvin 518-859-9950

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:
1964	1993	2003	2019	


SAMPLE DATA

[illegible]

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY			
Relinquished By:		Received By:	 11/22/12
			Time: 10:40
		Date:	11/28/12

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb)	Lab: Contact: Comments; Provide Laboratory Data Report (LDR) and Chain of Custody
--	---



Sample Condition Upon Receipt

Client Name: Questar

Project

WO#: 70151336

PM: NML

Due Date: 11/11/20

CLIENT: QUESTAR

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #: 9099 9901 0529

Custody Seal on Cooler/Box Present: ☒ Yes ☒ No

Seals intact: ☒ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other

Thermometer Used: TH091

Correction Factor: -0.2

Cooler Temperature (°C): 19.4

Cooler Temperature Corrected (°C): 19.2

Temperature Blank Present: ☐ Yes ☒ No

Type of Ice: Wet Blue None None

☐ Samples on ice, cooling process has begun

Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Date and Initials of person examining contents: 10/28/20 SP

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ YES ☒ NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD):	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
-Pace Containers Used:	☒ Yes ☐ No	10.
Containers Intact:	☒ Yes ☐ No	11. Note if sediment is visible in the dissolved container.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	12.
Sample Labels match COC:	☒ Yes ☐ No	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
-Includes date/time/ID/Analysis Matrix SL WT OIL		Sample #
All containers needing preservation have been checked	☐ Yes ☐ No ☒ N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added
pH paper Lot #		
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, NaOH > 12 Cyanide)	☐ Yes ☐ No ☒ N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	☐ Yes ☐ No ☒ N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☒ N/A	15.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	16.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if applicable):		

Field Data Required? Y / N

Date/Time:

Client Notification/ Resolution:

Person Contacted:

Comments/ Resolution:

* PM (Project Manager) review is documented electronically in LIMS.

F-LI-C-002-rev.02

Page 143 of 143