

Notification of the Use of Pesticides

(This notice should be received at least 72 hours prior to pesticide use)

Date Issued: 5/2/22

To: Parents/guardians of students, and staff of Englewood Dwight Morrow High School South

From: The School IPM Coordinator: Michael Hunken Phone Number: 201-862-6202

This notice is to advise you that the following pesticides will be used at Dwight Morrow High School South

Acephate	Orthene PCO Pellets	5481-8973
Pyrethrins, Piperonyl Butoxide	ExiteR	655-798
Pyrethrins, Piperonyl Butoxide	PI Contact Insecticide	499-444

Location of the pesticide application: Kitchen

Reason for the pesticide application: German Roaches

Date and time application is planned: DATE 5/7/22 TIME 7:00AM

If an outdoor application, 3 dates must be listed, in chronological order, on which the outdoor application may take place if the preceding date is canceled; and the time the application is scheduled to occur.

DATE / TIME Indoor DATE / TIME Indoor DATE / TIME Indoor

Description of the possible adverse effects of the pesticides as per the Material Safety Data Sheets for the pesticides to be used, if available: (Orthene) ACEPHATE is a Cholinesterase Inhibitor. Harmful if swallowed or absorbed through the skin. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Do not contaminate feed or foodstuffs. (ExiteR) Symptoms of Acute Exposure: Ingestion: May cause gastrointestinal effects, such as nausea, cramps, vomiting and diarrhea. Ingestion of large quantities can result in nervous system effects, such as dizziness, loss of coordination, tremors, and loss of consciousness. Symptoms usually regress with no long lasting effects. At high oral doses, the type of solvent in this product has caused irreversible damage to the liver and kidney (male only) in rats. These effects are not relevant to humans at occupational levels of exposure. Eyes: May cause temporary eye irritation. Skin: May be irritating to skin. Repeated contact may cause dermatitis. Inhalation: May cause nasal and respiratory irritation at high concentrations. Medical Conditions Generally Aggravated by Exposure: None known (PI) Primary routes of exposure: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases. Acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation. Irritation / corrosion: May cause slight irritation to the eyes. May cause slight irritation to the skin.

Pesticide product label instructions and precautions related to Public Safety. (Orthene PCO Pellets): Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust, sprays or vapors. Wash thoroughly with soap and water after handling. Remove and launder contaminated clothing before reuse. Do not allow children or pets to come into contact with treated surfaces until sprays have dried. (ExiteR) Harmful if swallowed or inhaled. Causes eye irritation. Avoid breathing spray mist. Avoid contact with eyes. Wear protective clothing. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. (PI)