



*Delivering more than  
just test results*

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

January 30, 2017

Bill Yester  
North Bend School District 13  
1913 Meade Street  
North Bend, OR 97459  
TEL: (541) 751-6798  
FAX

RE: Middle School

Order No.: 1701161

Dear Bill Yester:

Analytical Laboratory Group received 35 sample(s) on 1/6/2017 for the analyses presented in the following report.

A handwritten signature in black ink that reads 'Kimberly J. Reeve Morghan'.

Kimberly Reeve Morghan  
Quality Manager  
361 West 5th Ave  
Eugene, OR 97401



ALG ORELAP ID #OR100012  
361 West 5th Ave  
Eugene, OR 97401  
TEL: (541) 485-8404 FAX: (541) 484-5995  
Website:

## Case Narrative

WO#: 1701161  
Date: 1/30/2017

---

**CLIENT:** North Bend School District 13  
**Project:** Middle School

---

This report presents the results of the analyses of the sample(s) received on the date above and assigned the listed ALG lab report numbers. Test results relate only to the parameters tested and to the samples as received by the laboratory.

This report shall not be reproduced, except in full, without written consent of Analytical Laboratory Group, Inc.

All analyses were performed according to the Analytical Laboratory Group, Inc. Quality Assurance Program.

All QA/QC requirements were met except as noted below.

Analytical comments are noted with data flags on the reports and/or below.

**WO#:** 1701161  
**CLIENT:** North Bend School District 13  
**Project:** Middle School  
**PWS Number:**  
**Sample Source:**

**Received Date:** 1/6/2017 2:05:00 PM  
**Sampler Name** Raymond Marshall  
**Matrix:** Drinking Water  
**Sample Type:**

**Lab ID:** 1701161-001 **Client Sample ID** MS TECH F **Collection Date:** 12/28/2016 12:46:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0131	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-002 **Client Sample ID** MS RM 31 KAIROS K F **Collection Date:** 12/28/2016 12:48:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00345	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-003 **Client Sample ID** MS RM 31 KAIROS BR F **Collection Date:** 12/28/2016 12:50:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-004 **Client Sample ID** MS Tech Hall M F **Collection Date:** 12/28/2016 12:55:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00214	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-005 **Client Sample ID** MS Tech Hall W F **Collection Date:** 12/28/2016 12:57:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-006 **Client Sample ID** MS Tech Hall DF **Collection Date:** 12/28/2016 12:59:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-007 **Client Sample ID** MS RM 14 F **Collection Date:** 12/28/2016 1:05:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-008 **Client Sample ID** MS RM 14 DF **Collection Date:** 12/28/2016 1:05:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Qualifiers:**

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

**WO#:** 1701161  
**CLIENT:** North Bend School District 13  
**Project:** Middle School  
**PWS Number:**  
**Sample Source:**

**Received Date:** 1/6/2017 2:05:00 PM  
**Sampler Name** Raymond Marshall  
**Matrix:** Drinking Water  
**Sample Type:**

**Lab ID:** 1701161-009      **Client Sample ID** MS S. Hall G E F      **Collection Date:** 12/28/2016 1:08:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-010      **Client Sample ID** MS S. Hall G W F      **Collection Date:** 12/28/2016 1:08:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-011      **Client Sample ID** MS S. Hall B E F      **Collection Date:** 12/28/2016 1:10:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-012      **Client Sample ID** MS S. Hall B W F      **Collection Date:** 12/28/2016 1:12:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-013      **Client Sample ID** MS RM 17 F1      **Collection Date:** 12/28/2016 1:25:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-014      **Client Sample ID** MS RM 17 F2      **Collection Date:** 12/28/2016 1:27:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

**Lab ID:** 1701161-015      **Client Sample ID** MS RM 17 F3      **Collection Date:** 12/28/2016 1:29:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0237	0.0200	0.00400	*	mg/L	1/27/2017 4:42:00 PM	KG

**Qualifiers:**

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

**WO#:** 1701161  
**CLIENT:** North Bend School District 13  
**Project:** Middle School  
**PWS Number:**  
**Sample Source:**

**Received Date:** 1/6/2017 2:05:00 PM  
**Sampler Name** Raymond Marshall  
**Matrix:** Drinking Water  
**Sample Type:**

Lab ID:	Client Sample ID	MS RM	F4	Collection Date:	12/28/2016 1:30:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0145	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F5	Collection Date:	12/28/2016 1:31:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0260	0.0200	0.00400	*	mg/L	1/27/2017 4:42:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F6	Collection Date:	12/28/2016 1:33:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0102	0.0200	0.00200		mg/L	1/27/2017 4:42:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F7	Collection Date:	12/28/2016 1:35:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0724	0.0200	0.00800	*	mg/L	1/27/2017 4:42:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F8	Collection Date:	12/28/2016 1:37:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0208	0.0200	0.00400	*	mg/L	1/27/2017 4:42:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F9	Collection Date:	12/28/2016 1:39:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0222	0.0200	0.00400	*	mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F10	Collection Date:	12/28/2016 1:40:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0764	0.0200	0.00800	*	mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID	MS RM	F11	Collection Date:	12/28/2016 1:41:00 P			
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0220	0.0200	0.00400	*	mg/L	1/29/2017 2:02:00 PM	KG

**Qualifiers:**

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

**WO#:** 1701161  
**CLIENT:** North Bend School District 13  
**Project:** Middle School  
**PWS Number:**  
**Sample Source:**

**Received Date:** 1/6/2017 2:05:00 PM  
**Sampler Name** Raymond Marshall  
**Matrix:** Drinking Water  
**Sample Type:**

**Lab ID:** 1701161-024      **Client Sample ID** MS RM 17 F12      **Collection Date:** 12/28/2016 1:42:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0223	0.0200	0.00400	*	mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-025      **Client Sample ID** MS S. Hall W DF      **Collection Date:** 12/28/2016 1:46:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-026      **Client Sample ID** MS S. Hall E DF      **Collection Date:** 12/28/2016 1:48:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-027      **Client Sample ID** MS RM 17 F13      **Collection Date:** 12/28/2016 1:43:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0229	0.0200	0.00400	*	mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-028      **Client Sample ID** MS Library F      **Collection Date:** 12/28/2016 1:50:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00504	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-029      **Client Sample ID** MS Nurse F      **Collection Date:** 12/28/2016 1:55:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

**Lab ID:** 1701161-030      **Client Sample ID** MS Lounge F      **Collection Date:** 12/28/2016 1:57:00 P

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

**Qualifiers:**

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

**WO#:** 1701161  
**CLIENT:** North Bend School District 13  
**Project:** Middle School  
**PWS Number:**  
**Sample Source:**

**Received Date:** 1/6/2017 2:05:00 PM  
**Sampler Name:** Raymond Marshall  
**Matrix:** Drinking Water  
**Sample Type:**

Lab ID:	Client Sample ID			Collection Date: 12/28/2016 2:02:00 P				
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID			Collection Date: 12/28/2016 2:04:00 P				
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00961	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID			Collection Date: 12/28/2016 2:06:00 P				
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00477	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID			Collection Date: 12/28/2016 2:08:00 P				
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

Lab ID:	Client Sample ID			Collection Date: 12/28/2016 2:10:00 P				
Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	1/29/2017 2:02:00 PM	KG

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
	C Value is below Minimum Compound Limit.	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	LOD Limit of Detection
	MCL Maximum Contaminant Level	NAR See note in Case Narrative
	ND Not Detected at the Reporting Limit	PL Permit Limit



Delivering more than  
just test results

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

## Definition Base

WO#: 1701161

Date: 1/30/2017

---

### Definitions:

### Qualifiers:

*	Value exceeds Maximum Contaminant Level (MCL)
A	Accredited by ORELAP
C	Value is below Minimum Compound Limit.
E	Value above quantitation range
H	Holding times for preparation or analysis exceeded
LOD	Limit of Detection
MCL	Maximum Contaminant Level
NAR	See note in Case Narrative
ND	Not Detected at the Reporting Limit
PL	Permit Limit
R	RPD outside accepted recovery limits
RL	Reporting Detection Limit
U	Samples with CalcVal < MDL
W	Sample container temperature is out of limit as specified at testcode





ALG ORELAP ID #OR100012  
 361 West 5th Ave  
 Eugene, OR 97401  
 TEL: (541) 485-8404 FAX: (541) 484-5995  
 Website:

## Accreditation Program Analytes Report

WO#: 1701161  
 30-Jan-17

**Client:** North Bend School District 13  
**Project:** Middle School

Program Name	Sample ID	ClientSampleID	Matrix	Test Name	Analyte	Status
ORELAP	1701161-001A	MS TECH F	Drinking Water	AA Metals by SM 3113 Schools 250mL	Lead	A
	1701161-002A	MS RM 31 KAIROS K F			Lead	A
	1701161-003A	MS RM 31 KAIROS BR F			Lead	A
	1701161-004A	MS Tech Hall M F			Lead	A
	1701161-005A	MS Tech Hall W F			Lead	A
	1701161-006A	MS Tech Hall DF			Lead	A
	1701161-007A	MS RM 14 F			Lead	A
	1701161-008A	MS RM 14 DF			Lead	A
	1701161-009A	MS S. Hall G E F			Lead	A
	1701161-010A	MS S. Hall G W F			Lead	A
	1701161-011A	MS S. Hall B E F			Lead	A
	1701161-012A	MS S. Hall B W F			Lead	A
	1701161-013A	MS RM 17 F1			Lead	A
	1701161-014A	MS RM 17 F2			Lead	A
	1701161-015A	MS RM 17 F3			Lead	A
	1701161-016A	MS RM 17 F4			Lead	A
	1701161-017A	MS RM 17 F5			Lead	A
	1701161-018A	MS RM 17 F6			Lead	A
	1701161-019A	MS RM 17 F7			Lead	A
	1701161-020A	MS RM 17 F8			Lead	A
	1701161-021A	MS RM 17 F9			Lead	A
	1701161-022A	MS RM 17 F10			Lead	A
	1701161-023A	MS RM 17 F11			Lead	A
	1701161-024A	MS RM 17 F12			Lead	A
	1701161-025A	MS S. Hall W DF			Lead	A
	1701161-026A	MS S. Hall E DF			Lead	A
	1701161-027A	MS RM 17 F13			Lead	A
	1701161-028A	MS Library F			Lead	A
	1701161-029A	MS Nurse F			Lead	A
	1701161-030A	MS Lounge F			Lead	A

ACCRED ORELAP A Accredited



ALG ORELAP ID #OR100012  
 361 West 5th Ave  
 Eugene, OR 97401  
 TEL: (541) 485-8404 FAX: (541) 484-5995  
 Website:

**Accreditation Program  
 Analytes Report**

WO#: 1701161  
 30-Jan-17

**Client:** North Bend School District 13  
**Project:** Middle School

Program Name	Sample ID	ClientSampleID	Matrix	Test Name	Analyte	Status
ORELAP	1701161-031A	MS Office Br F	Drinking Water	AA Metals by SM 3113 Schools 250mL	Lead	A
	1701161-032A	MS RM 7 F			Lead	A
	1701161-033A	MS RM 1 DF			Lead	A
	1701161-034A	MS RM 1 N.F.			Lead	A
	1701161-035A	MS RM 1 S.F.			Lead	A

ORELAP A Accredited

ACCRED

# Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE  
 EUGENE, OREGON 97401  
 800-262-5973/541-485-8404 Fax 541-484-5995  
 Email: [alglabs@alglabsinc.com](mailto:alglabs@alglabsinc.com)



Delivering more than just test results

## CHAIN OF CUSTODY

<b>Attention:</b> Bill Yester	<b>Client:</b> North Bend School District
<b>Phone:</b> 541-751-6798	<b>Address:</b> 1913 Meade Street
<b>Email:</b>	<b>City, State, Zip:</b> North Bend, OR 97459
<b>Client Project:</b> MIDDLE SCHOOL	<b>Sampler:</b> Print RAYMOND MARSHALL
	<b>Sampler Signature:</b>

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles - Lab Use Only					
		Date	Time		Type	#	Pres	T °C	Lab ID	
MS TECH F	DW/Grab	12/28	12:46	Lead	P	1			001A	
MS RM 31 KAIROS K F	DW/Grab	}	12:48	Lead	P	1			002A	
MS RM 31 KAIROS BR F	DW/Grab		12:50	Lead	P	1			003A	
MS TECH HALL M F	DW/Grab		12:55	Lead	P	1			004A	
MS TECH HALL W F	DW/Grab		12:57	Lead	P	1			005A	
MS TECH HALL DF	DW/Grab		12:59	Lead	P	1			006A	
MS RM 1A F	DW/Grab		1:05	Lead	P	1			007A	
MS RM 1A DF	DW/Grab		1:05	Lead	P	1			008A	
MS S. Hall G E F	DW/Grab		1:08	Lead	P	1			009A	
MS S. Hall G W F	DW/Grab		12/28	1:08	Lead	P	1			010A

<b>Notes:</b> F = FAUCET DF = DRINKING FOUNTAIN M = MENS W = WOMENS	<b>Preservation Check</b> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Lab ID</th> <th>Date/Time</th> <th>Pre-Preserved</th> <th>pH</th> <th>Tech</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Lab ID	Date/Time	Pre-Preserved	pH	Tech																																			
Lab ID	Date/Time	Pre-Preserved	pH	Tech																																					

<b>Turn Around Time Requested (Rush incurs a Surcharge):</b> <input type="checkbox"/> NORMAL <input type="checkbox"/> RUSH	<b>Shipped Via:</b> Mark Koehler	<b>Refrigerated:</b> NO
<b>Relinquished by:</b> Date: 01/04/17 Time: 1405	<b>Received by:</b>	Date:      Time:
<b>Relinquished by:</b>	<b>Received by:</b>	Date:      Time:
<b>Relinquished by:</b>	<b>Received by Laboratory:</b>	Date: 1/16/17 Time: 1405

*7/18*

# Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE  
 EUGENE, OREGON 97401  
 800-262-5973/541-485-8404 Fax 541-484-5995  
 Email: [alglabs@alglabsinc.com](mailto:alglabs@alglabsinc.com)



Delivering more than just test results

## CHAIN OF CUSTODY

<b>Attention:</b> Bill Yester	<b>Client:</b> North Bend School District
<b>Phone:</b> 541-751-6798	<b>Address:</b> 1913 Meade Street
<b>Email:</b>	<b>City, State, Zip:</b> North Bend, OR 97459
<b>Client Project:</b> MIDDLE School	<b>Sampler:</b> Print <i>Raymond Marshall</i>
	<b>Sampler:</b> Signature

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
<i>MS S.Hall B E F</i>	DW/Grab	<i>12-28</i>	<i>1:10</i>	Lead	P	1			<i>011A</i>
<i>MS S.Hall B W F</i>	DW/Grab	<i>12-28</i>	<i>1:12</i>	Lead	P	1			<i>012A</i>
<i>MS RM 17 F<sub>1</sub></i>	DW/Grab	<i> </i>	<i>1:25</i>	Lead	P	1			<i>013A</i>
<i>RM 17 F<sub>2</sub></i>	DW/Grab		<i>1:27</i>	Lead	P	1			<i>014A</i>
<i>RM 17 F<sub>3</sub></i>	DW/Grab		<i>1:29</i>	Lead	P	1			<i>015A</i>
<i>Rm 17 F<sub>4</sub></i>	DW/Grab		<i>1:30</i>	Lead	P	1			<i>016A</i>
<i>Rm 17 F<sub>5</sub></i>	DW/Grab		<i>1:31</i>	Lead	P	1			<i>017A</i>
<i>Rm 17 F<sub>6</sub></i>	DW/Grab		<i>1:33</i>	Lead	P	1			<i>018A</i>
<i>Rm 17 F<sub>7</sub></i>	DW/Grab		<i>1:35</i>	Lead	P	1			<i>019A</i>
<i>Rm 17 F<sub>8</sub></i>	DW/Grab		<i>12-28</i>	<i>1:37</i>	Lead	P	1		

<b>Notes:</b>	<b>Preservation Check</b>				
	Lab ID	Date/Time	Pre-Preserved	pH	Tech

<b>Turn Around Time Requested (Rush incurs a Surcharge):</b> <input type="checkbox"/> NORMAL _____ <input type="checkbox"/> RUSH _____	<b>Shipped Via:</b> <i>Mark Koehler</i>	<b>Refrigerated</b> <i>NO</i>
<b>Relinquished by:</b> <i>[Signature]</i>	<b>Date</b> <i>01/06/17</i> <b>Time</b> <i>14:05</i>	<b>Received by:</b>
<b>Relinquished by:</b>	<b>Date</b> _____ <b>Time</b> _____	<b>Received by:</b>
<b>Relinquished by:</b>	<b>Date</b> _____ <b>Time</b> _____	<b>Received by Laboratory:</b> <i>[Signature]</i>
		<b>Date</b> <i>1/6/17</i> <b>Time</b> <i>1405</i>

# Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE  
 EUGENE, OREGON 97401  
 800-262-5973/541-485-8404 Fax 541-484-5995  
 Email: [alglabs@alglabsinc.com](mailto:alglabs@alglabsinc.com)



Delivering more than just test results

## CHAIN OF CUSTODY

<b>Attention:</b> Bill Yester	<b>Client:</b> North Bend School District
<b>Phone:</b> 541-751-6798	<b>Address:</b> 1913 Meade Street
<b>Email:</b>	<b>City, State, Zip:</b> North Bend, OR 97459
<b>Client Project:</b> MIDDLE SCHOOL	<b>Sampler:</b> Print RAYMOND MARSHALL
	<b>Sampler Signature:</b> <i>Raymond Marshall</i>

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
M5 RM 17 F9	DW/Grab	12-28	1:39	Lead	P	1			021A
M5 RM 17 F10	DW/Grab		1:40	Lead	P	1			022A
M5 RM 17 F11	DW/Grab		1:41	Lead	P	1			023A
M5 RM 17 F12	DW/Grab		1:42	Lead	P	1			024A
M5 S.Hall W DF	DW/Grab		1:46	Lead	P	1			025A
M5 S.Hall E DF	DW/Grab		1:48	Lead	P	1			026A
M5 RM 17 F13	DW/Grab		1:43	Lead	P	1			027A
M5 LIBRARY F	DW/Grab		1:50	Lead	P	1			028A
M5 NURSE F	DW/Grab		1:55	Lead	P	1			029A
M5 LOUNGE F	DW/Grab	12-28	1:57	Lead	P	1			030A

<b>Notes:</b>	<b>Preservation Check</b>				
	Lab ID	Date/Time	Pre-Preserved	pH	Tech

<b>Turn Around Time Requested (Rush incurs a Surcharge):</b> <input type="checkbox"/> NORMAL _____ <input type="checkbox"/> RUSH _____	<b>Shipped Via:</b> Mark Koehler	<b>Refrigerated</b> no
---	-------------------------------------	---------------------------

<b>Relinquished by:</b> <i>[Signature]</i>	<b>Date</b>	<b>Time</b>	<b>Received by:</b>	<b>Date</b>	<b>Time</b>
	01/06/17	14:05			
<b>Relinquished by:</b>	<b>Date</b>	<b>Time</b>	<b>Received by:</b>	<b>Date</b>	<b>Time</b>
<b>Relinquished by:</b>	<b>Date</b>	<b>Time</b>	<b>Received by Laboratory:</b>	<b>Date</b>	<b>Time</b>
			<i>[Signature]</i>	1/6/17	1405

*7/4*

# Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE  
 EUGENE, OREGON 97401  
 800-262-5973/541-485-8404 Fax 541-484-5995  
 Email: [alglabs@alglabsinc.com](mailto:alglabs@alglabsinc.com)



Delivering more than just test results

## CHAIN OF CUSTODY

<b>Attention:</b> Bill Yester	<b>Client:</b> North Bend School District
<b>Phone:</b> 541-751-6798	<b>Address:</b> 1913 Meade Street
<b>Email:</b>	<b>City, State, Zip:</b> North Bend, OR 97459
<b>Client Project:</b> <i>middle school</i>	<b>Sampler:</b> Print <i>Raymond Marshall</i>
	<b>Sampler:</b> Signature

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
<i>MS OFFICE Br F</i>	<i>DW/Grab</i>	<i>12-28-16</i>	<i>2:02</i>	<i>Lead</i>	<i>P</i>	<i>1</i>			<i>031A</i>
<i>MS RM 7 F</i>	<i>DW/Grab</i>		<i>2:04</i>	<i>Lead</i>	<i>P</i>	<i>1</i>			<i>032A</i>
<i>MS RM 1 DF</i>	<i>DW/Grab</i>		<i>2:06</i>	<i>Lead</i>	<i>P</i>	<i>1</i>			<i>033A</i>
<i>MS RM 1 N. F</i>	<i>DW/Grab</i>		<i>2:08</i>	<i>Lead</i>	<i>P</i>	<i>1</i>			<i>034A</i>
<i>MS RM 1 S. F.</i>	<i>DW/Grab</i>		<i>2:10</i>	<i>Lead</i>	<i>P</i>	<i>1</i>			<i>035A</i>
	<i>DW/Grab</i>			<i>Lead</i>	<i>P</i>	<i>1</i>			
	<i>DW/Grab</i>			<i>Lead</i>	<i>P</i>	<i>1</i>			
	<i>DW/Grab</i>			<i>Lead</i>	<i>P</i>	<i>1</i>			
	<i>DW/Grab</i>			<i>Lead</i>	<i>P</i>	<i>1</i>			
	<i>DW/Grab</i>			<i>Lead</i>	<i>P</i>	<i>1</i>			

<b>Notes:</b>	<b>Preservation Check</b>					
		Lab ID	Date/Time	Pre-Preserved	pH	Tech

<b>Turn Around Time Requested (Rush incurs a Surcharge):</b> <input type="checkbox"/> NORMAL _____ <input type="checkbox"/> RUSH _____	<b>Shipped Via:</b> <i>Mark Hoechel</i>	<b>Refrigerated</b> <i>no</i>
<b>Relinquished by:</b> <i>[Signature]</i>	<b>Received by:</b>	<b>Date</b> <b>Time</b>
		<i>01/06/17 1405</i>
<b>Relinquished by:</b>	<b>Received by:</b>	<b>Date</b> <b>Time</b>
<b>Relinquished by:</b>	<b>Received by Laboratory:</b>	<b>Date</b> <b>Time</b>
	<i>[Signature]</i>	<i>1/6/17 1405</i>