



HEALTHY AND SAFE SCHOOLS PLAN

Introduction

In 2017, the Oregon State Legislature passed SB 1062, which requires that, every school district, education service district, and public charter school develop a Healthy and Safe Schools Plan (HASS Plan). Each organization's HASS Plan has specific requirements that must be included for the HASS Plan to comply with state law. All HASS Plans are due to the Oregon Department of Education by **July 1, 2019**. Additionally, each school district, education service district, and public charter school is required to certify annually that the organization continues to comply with the requirements of the HASS Plan by filing an Annual Statement. Below is the HASS plan for North Powder SD 8J.

1. Responsible Person

The person responsible for administering and implementing the Healthy and Safe Schools Plan:

Name: Lance L. Dixon/John Frieboes

Position Title: Superintendent/Maintenance Director

Phone Number: (541) 898-2244

Email Address: Lance.dixon@npowersd.org/ Johnfrieboes@npowersd.org

Mailing Address: PO Box 10, North Powder, OR 97867

The person who is the designated IPM Coordinator:

Name: Josh Guthrie

Position Title: Maintenance

Phone Number: (541) 8982244

Email Address: josh.guthrie@npowersd.org

Mailing Address: PO Box 10, North Powder, OR 97867

The person responsible for AHERA information:

Name: John Frieboes

Position Title: Maintenance Director
 Phone Number: (541) 898-2244
 Email Address: Johnfrieboes@npowdersd.org
 Mailing Address: PO Box 10, North Powder, OR 97867

2. List Facilities

All facilities owned or leased by North Powder SD 8J where students or staff are present on a regular basis are covered by this HASS Plan. The list of those buildings and facilities is below:

Facility Name	Facility Address
<i>Elementary School</i>	<i>940 4th Street, North Powder, OR 97867</i>
<i>Middle School/High School</i>	<i>333 G Street, North Powder, OR 97867</i>
<i>Shop</i>	<i>900 4th Street, North Powder, OR 97867</i>
<i>Modular</i>	<i>960 4th Street, North Powder, OR 97867</i>

3. Elevated Levels of Lead in Water Used for Drinking or Food Preparation

All school districts, education service districts, and public charter schools are required to test for and eliminate exposure to elevated levels of lead in water used for Drinking and Food Preparation through either remediation or eliminating access, according to OAR 333-061-0400 and OAR 581-022-2223. In conformance with those administrative rules, North Powder SD 8J certifies the following:

1. All testing was done according to the testing requirements in OAR 333-061-0400;
2. All samples were analyzed by a lab accredited by Oregon Health Authority to test for those materials;
3. All water fixtures required to be tested under OAR 333-061-0400 were tested for elevated levels of lead in accordance with the testing schedule developed by the Oregon Health Authority; and
4. The testing schedule for each building covered by this plan is set forth below:

Facility Name	Year of Last Test (year only)	Next scheduled test (per 6 year schedule) (year only)	Schedule or Exemption Reason
<i>North Powder Elementary</i>	<i>2016</i>	<i>2021 FY</i>	<i>6 year schedule</i>
<i>North Powder High School/Replaced 2019</i>	<i>2019</i>	<i>N/A</i>	<i>Exempt – New construction 2019</i>

<i>North Powder Shop</i>	<i>2016</i>	<i>2021 FY</i>	<i>6 Year schedule</i>
<i>Modular</i>	<i>2016</i>	<i>2021 FY</i>	<i>6 Year schedule</i>

4. Lead Paint

In order to comply with the United States Environmental Protection Agency’s Renovation, Repair and Painting Program Rule, the district will either contract only with certified lead based paint renovation contractors licensed by the Oregon Construction Contractors Board or use District staff that are certified by the Oregon Health Authority to perform the work.

5. Asbestos

North Powder SD 8J complies with the federal Asbestos Hazard Emergency Response Act (AHERA). All required asbestos management plans are available for viewing by submitting a request to John Frieboes.

6. Radon

North Powder SD 8J has developed a radon plan as required by ORS 332.167. Community members can access a copy of the radon plan here: www.npowder.k12.or.us Test results will be made public and are available here: www.npowder.k12.or.us

7. Integrated Pest Management

North Powder SD 8J has adopted an Integrated Pest Management (IPM) plan as required by ORS 634.700 through 634.750. Community members can access a copy of the IPM plan here: www.npowder.k12.or.us

8. Carbon Monoxide Detectors

North Powder SD 8J certifies that all buildings subject to the Healthy and Safe Schools Plan comply with the carbon monoxide detection standards in the state building code that was in effect when the building was originally constructed or as required by building code due to addition, upgrade, or remodel.

9. Test Results Publication

North Powder SD 8J is complying with the requirement to provide access to test results, as defined by OAR 581-022-2223 within 10 business days as defined by ORS 332-334. Test results can be found on the district’s website at www.npowder.k12.or.us. Specific test results can be found as follows:

- Lead in Water: www.npowder.k12.or.us
- Radon: www.npowder.k12.or.us

Additionally, copies of all test results are available at 333 G Street. North Powder SD 8J will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of their community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact Desiree McGinn to be added to current district email lists and programs.

I certify that the above information is true and accurate to the best of my knowledge.

Lance L. Dixon	Superintendent	5/16/19
Electronic signature of authorized representative	Title	Date