

Districts are encouraged to complete the **Testing and Results Log** for the placement of all radon testing kits. Once lab results are returned, please enter the **Results** on this worksheet and complete the **Invoice Tracker**. In order for Districts to receive reimbursement, this Excel workbook along with digital copies of supporting documentation, invoices, receipts and lab analysis reports shall be submitted to ODE's Office of School Facilities. The deadline for submission of final reports and invoices is **December 31, 2020**.

For Email Submissions: ODE.SchoolFacilities@ode.state.or.us
For files that are 5MB or greater, submit via the Secure FTP: <https://district.ode.state.or.us/apps/xfers/>

TESTING LOG INSTRUCTIONS

District ID: Enter your district's 4-digit identification number. Refer to "District IDs" tab.

District Name: This field should automatically populate once you enter the District ID number and either hit "Enter" or click elsewhere on the worksheet.

Radon Testing Contact at District: Enter contact person's name and phone number.

Name(s) of individual(s) performing testing: Enter names of staff or consultant(s) who perform the testing. *Example: Sammy Sampleton (Logger); Rosie Radon (Placer); Radon Testing Firm Company's Name*

Please select CONFIRMED from the drop-down menu by clicking on cell E13 at the top of the Testing Log and Results Log worksheet. By selecting this, the District certifies that all radon testing was conducted by appropriately trained personnel.

Site Name: The name that is typically used for the facility or campus.

Building ID: Enter the eight (8) digit number associated with the building that was tested for radon. The Building ID number begins with the first 4-digits of the District ID number, the 5th and 6th digits are for the school and the 7th and 8th digits refer to the specific building.
 Please consult with TAP Coordinator, Leanna Heiman at leanna.heiman@state.or.us if you need additional information.

Building Name: If only one building on site, refer to as "Main".

Room Description: Provide Classroom number or other additional information as needed to help identify the location of the area in the building that was tested. This field is for district's reference and to aid in the review of invoices and receipts. Please ensure that the identification numbers or descriptions used on the testing kit match those included in this testing log.

Kit Serial #: The unique identification number found on each test kit.

Date opened: Using **MM/DD/YYYY** as the format, enter the date when kits are placed and activated to begin measuring the radon in the room.

Time opened: Enter the time when the kits are placed and activated to begin measuring the radon in the room using **HH:MM AM/PM** as the format. *Example: For 4:45 PM enter 16:45 and tab off or enter as 04:45 PM and the time will format correctly.*

Date closed: Using **MM/DD/YYYY** as the format, enter the date when kits are closed and collected in order to stop measuring the radon in the room.

Time closed: Enter the time when the kits are closed and collected in order to stop measuring the radon in the room using **HH:MM AM/PM** as the format. *Example: For 4:45 PM enter 16:45 and tab off or enter as 04:45 PM and the time will format correctly.*

Type of test: Select a cost category from the drop-down menu by clicking on the cells under Column K.

Detector kit A minimum of one detector for every 2,000 square feet of open floor space or portion thereof is required.

Duplicate Duplicates determine the reproducibility of the test kit and laboratory analysis. Duplicates are test kits that are placed in the same location alongside the kits used as detectors for the same measurement period. The number of duplicates should be 10 percent of the rooms to be tested at a school site. A minimum of one duplicate per building is needed.

Blank Blanks are radon test kits that are not exposed to room air and are used to determine whether the test kits have been contaminated during storage. Field blanks are opened and immediately re-sealed to keep room air from infiltrating the test kit. Blanks are required to be used at a rate of 5% of the rooms tested or 1 out of every 20 rooms.

Spike Spikes assess the accuracy of the devices used by radon measurement professionals. Three out of every one hundred devices are required to be sent to an approved reference laboratory for spiking to known conditions. The reference laboratory reports the conditions to which the devices were exposed along with the returned devices. The measurement professional then forwards the devices to the analysis laboratory. The number of spikes should be three percent of the rooms to be tested at a school site; round up if a fraction.

Results (pCi/L): Enter the result in units of picocuries per liter (pCi/L). If the radon level is 4.0 pCi/L or greater, Column L will indicate **ACTION REQUIRED**. The EPA's recommended action level for radon is 4 pCi/L and will require mitigation by the district.

INVOICE TRACKER INSTRUCTIONS

Invoice No.: Enter the third-party invoice number or other document identification number in order to facilitate the review of actual invoices and receipts which are to be sent as an attachment along with this Excel workbook.

Vendor Name: If the invoice is from a third party, enter the company or consultant's name as shown on their invoice. If the cost is not associated with an invoice, please provide the district's document and/or accounting number.

Cost Category: Select a cost category from the drop-down menu by clicking on the cells under Column C.

Testing kits Price of radon testing kits used to measure radon levels in the district-owned school buildings.

Shipping If the test kits do not include shipping, please include here postage and handling fees that your district had to pay for separately in order to mail testing kits to a lab for radon analysis. If the cost of shipping is included in the testing kits, please enter 0.

Lab Analysis If the test kits do not include radon testing analysis costs from a third-party, please include here lab analysis fees that your district had to pay for separately. If the cost of lab analysis is included in the testing kits, please enter 0.

Spike Fees The cost associated with test kit samples that are exposed to a known amount of radon at the laboratory to confirm that they are working properly.

Consultant Fees Fees from a third-party consultant who was hired by the district to conduct radon testing.

Training Fees Fees and other travel costs associated with school facility and maintenance staff attending training for how to conduct radon testing. Please provide a detailed breakdown of costs in the supporting documentation provided.

Staff Time (including benefits) Staff time burdened with regular fringe benefits. For supporting documentation, please provide a snapshot of payroll information for the period in which the district staff person or persons were involved in conducting radon testing or attending radon testing training.

Item Description: Enter the description of the item as shown on the invoice or accounting records

Unit Cost: Enter the cost of the singular item as shown on the invoice.

Quantity: Enter the number of items purchased as shown on the receipt or invoice. Enter 1 if the receipt or invoice do not provide a unit cost breakdown.

Notes [OPTIONAL]: Please provide any additional notes to aid in the review of invoices and receipts.

TEST KIT PLACEMENT LOG & RESULTS

Please refer to INSTRUCTIONS tab for explanations regarding each field.

District ID:	2214	Enter 4-digit ID number for your district.
District Name:	North Powder SD 8J	The District Name will autmatically populate once the District ID is entered.
Radon Testing Contact at District:	John Frieboes, 541-898-2244	
Name(s) of individual(s) performing testing:	Larry Glaze, Intermountain ESD, 541-786-3538 /John Frieboes, North Powder SD 8J/Josh Guthrie, North Powder SD 8J	
The District certifies that all radon testing was conducted by appropriately trained personnel.		CONFIRMED

- Each building on a school site should have a minimum of one detector, one duplicate and one blank.
- Reference the "Test Kit Placement Log" example on page 53 of the [Testing for Elevated Radon in Oregon Schools: A Protocol and Plan](#) for additional information.

Site Name	Building ID	Building Name	Room Description (per floor plan)	Kit serial #	Date opened	Time opened	Date closed	Time closed	Type of test	Results (pCi/L)	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	GYM 3	GYM 3	9256014	2019-11-04	9:00 am	2019-11-07	10:00 am	Detector Kit	16.5	Spike
NORTH POWDER SCHOOL DISTRICT	New MS/HS	GYM 3	GYM 3	9256023	2019-11-04	9:00 am	2019-11-07	10:00 am	Detector Kit	16.9	Spike
NORTH POWDER SCHOOL DISTRICT	New MS/HS	GYM 3	GYM 3	9256024	2019-11-04	9:00 am	2019-11-07	10:00 am	Detector Kit	17.1	Spike
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	GYM STAGE	9290605	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.9	
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	GYM	9290610	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	GYM	9290611	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	STAFF ROOM	9290612	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.9	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	108	9290614	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.3	
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	GYM	9290615	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	112	9290616	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	111	9290617	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.1	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	113	9290618	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.7	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	108	9290619	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.2	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	110	9290620	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.5	
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	BOILER ROOM	9290621	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	1.8	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	106	9290622	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.3	
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	GRADE 3	9290623	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1	
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	ENGINEERING ROOM	9290624	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	2.5	
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	SPEECH ROOM	9290625	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	1.7	
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	ENGINEERING ROOM	9290626	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	2.7	Duplicate
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	PRESCHOOL	9290627	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	2.2	Blank
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	102	9290628	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.2	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	126	9290629	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	103	9290630	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	Duplicate
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	COOKS OFFICE	9290631	2019-11-04	7:00 am	2019-11-07	10:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	124	9290632	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	0.8	
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	KINDERGARTEN	9290633	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	KINDERGARTEN	9290634	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.2	
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	CAFETERIA	9290635	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	KINDERGARTEN	9290636	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.2	
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	PRESCHOOL	9290637	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	JOHNS OFFICE	9290638	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	1.5	Duplicate
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	104	9290639	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	107	9290640	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.6	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	103	9290641	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	105	9290642	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.1	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	123	9290643	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	0.7	
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	103	9290644	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	OFFICE	9290645	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	117	9290646	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	0.8	
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	WOOD SHOP	9290647	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.1	
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	CAFETERIA	9290648	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	1.7	Duplicate
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	MUSIC ROOM	9290649	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.5	
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	OLD FITNESS ROOM	9290650	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	2	
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	AG CLASSROOM	9290651	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4	
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	ENGINEERING ROOM	9290652	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	< 0.3	Blank
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	CAFETERIA	9290653	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	2.2	

NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	OLD LIBRARY	9290654	2019-11-04	9:00 am	2019-11-07	10:00 am	Detector Kit	1.6				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	TITLE 1	9290655	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1.1	Duplicate			
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	FITNESS ROOM STAFF	9290656	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1.2				
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	COACHES OFFICE	9290657	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1.6				
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	101	9290658	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	GRADE 1	9290659	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.4				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	GRADE 2	9290660	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.5				
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	122	9290661	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1.2				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	GRADE 4	9290662	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	MULTI PURPOSE ROOM	9290663	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.4				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	MULTI PURPOSE ROOM	9290664	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	ELEMENTARY OFFICE	9290665	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.9				
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	OFFICE	9290666	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.7	Duplicate			
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	GYM 152	9290667	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1.1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	RICKIS ROOM	9290669	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.6				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	GRADE 5	9290670	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1.1				
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	METAL SHOP	9290671	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.8				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	TITLE 1 ROOM	9290672	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	TURNERS OFFICE	9290673	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	0.8				
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	OLD STAFF ROOM	9290674	2019-11-04	9:00 am	2019-11-07	9:00 am	Detector Kit	1.9				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	CAFETERIA	9290675	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1				
NORTH POWDER SCHOOL DISTRICT	22140101	ELEMENTARY	CAFETERIA	9290676	2019-11-04	7:00 am	2019-11-07	8:00 am	Detector Kit	1				
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	ROOM 130	9290677	2019-11-04	8:00 am	2019-11-07	8:00 am	Detector Kit	0.9				
NORTH POWDER SCHOOL DISTRICT	New MS/HS	HIGH SCHOOL	GYM ROOM 152	9290678	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	0.9				
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	OFFICE	9290679	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.8				
NORTH POWDER SCHOOL DISTRICT	22140102	OLD GYM	CONCESSION	9290680	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.2				
NORTH POWDER SCHOOL DISTRICT	22140103	SHOP	PROJECT BAY	9290681	2019-11-04	8:00 am	2019-11-07	9:00 am	Detector Kit	1.4				
NORTH POWDER SCHOOL DISTRICT	22140100	OLD SCHOOL BUILDING	OLD ART ROOM	9290683	2019-11-04	9:00 am	2019-11-07	10:00 am	Detector Kit	1.8				
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	PRESCHOOL	9290684	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	1.9				
NORTH POWDER SCHOOL DISTRICT	22140101	CLINIC	NURSES DESK	9290688	2019-11-04	9:00 am	2019-11-07	8:00 am	Detector Kit	1.6				

District ID	District Name			
2063	Adel SD 21			
2113	Adrian SD 61			
1899	Alsea SD 7J			
2252	Amity SD 4J			
2111	Annex SD 29			
2005	Arlington SD 3			
2115	Arock SD 81			
2041	Ashland SD 5			
2051	Ashwood SD 8			
1933	Astoria SD 1			
2208	Athena-Weston SD 29RJ			
1894	Baker SD 5J			
1969	Bandon SD 54			
2240	Banks SD 13			
2243	Beaverton SD 48J			
1976	Bend-LaPine Administrative SD 1			
2088	Bethel SD 52			
2095	Blachly SD 90			
2052	Black Butte SD 41			
1974	Brookings-Harbor SD 17C			
1896	Burnt River SD 30J			
2046	Butte Falls SD 91			
1995	Camas Valley SD 21J			
1929	Canby SD 86			
2139	Cascade SD 5			
2185	Centennial SD 28J			
1972	Central Curry SD 1			
2105	Central Linn SD 552			
2042	Central Point SD 6			
2191	Central SD 13J			
1945	Clatskanie SD 6J			
1927	Colton SD 53			
2006	Condon SD 25J			
1965	Coos Bay SD 9			
1964	Coquille SD 8			
2186	Corbett SD 39			
1901	Corvallis SD 509J			
2216	Cove SD 15			
2086	Creswell SD 40			
1970	Crook County SD			
2089	Crow-Applegate-Lorane SD 66			
2050	Culver SD 4			
2190	Dallas SD 2			
2187	David Douglas SD 40			
2253	Dayton SD 8			
2011	Dayville SD 16J			
2017	Diamond SD 7			
2021	Double O SD 28			
1993	Douglas County SD 15			

1991	Douglas County SD 4			
2019	Drewsey SD 13			
2229	Dufur SD 29			
2043	Eagle Point SD 9			
2203	Echo SD 5			
2217	Elgin SD 23			
1998	Elkton SD 34			
2221	Enterprise SD 21			
1930	Estacada SD 108			
2082	Eugene SD 4J			
2193	Falls City SD 57			
2084	Fern Ridge SD 28J			
2241	Forest Grove SD 15			
2248	Fossil SD 21J			
2020	Frenchglen SD 16			
2245	Gaston SD 511J			
2137	Gervais SD 1			
1931	Gladstone SD 115			
2000	Glendale SD 77			
1992	Glide SD 12			
2054	Grants Pass SD 7			
2100	Greater Albany Public SD 8J			
2183	Gresham-Barlow SD 10J			
2014	Harney County SD 3			
2015	Harney County SD 4			
2023	Harney County Union High SD 1J			
2114	Harper SD 66			
2099	Harrisburg SD 7J			
2201	Helix SD 1			
2206	Hermiston SD 8			
2239	Hillsboro SD 1J			
2024	Hood River County SD			
1895	Huntington SD 16J			
2215	Imbler SD 11			
3997	Ione SD R2			
2053	Jefferson County SD 509J			
2140	Jefferson SD 14J			
1934	Jewell SD 8			
2008	John Day SD 3			
2107	Jordan Valley SD 3			
2219	Joseph SD 6			
2091	Junction City SD 69			
2109	Juntura SD 12			
2057	Klamath County SD			
2056	Klamath Falls City Schools			
2262	Knappa SD 4			
2212	La Grande SD 1			
2059	Lake County SD 7			
1923	Lake Oswego SD 7J			
2101	Lebanon Community SD 9			

2097	Lincoln County SD			
2012	Long Creek SD 17			
2092	Lowell SD 71			
2112	Malheur County SD 51			
2085	Mapleton SD 32			
2094	Marcola SD 79J			
2090	McKenzie SD 68			
2256	McMinnville SD 40			
2048	Medford SD 549C			
2205	Milton-Freewater Unified SD 7			
2249	Mitchell SD 55			
1925	Molalla River SD 35			
1898	Monroe SD 1J			
2010	Monument SD 8			
2147	Morrow SD 1			
2145	Mt Angel SD 91			
1968	Myrtle Point SD 41			
2198	Neah-Kah-Nie SD 56			
2199	Nestucca Valley SD 101J			
2254	Newberg SD 29J			
1966	North Bend SD 13			
1924	North Clackamas SD 12			
1996	North Douglas SD 22			
2061	North Lake SD 14			
2141	North Marion SD 15			
2214	North Powder SD 8J			
2143	North Santiam SD 29J			
4131	North Wasco County SD 21			
2110	Nyssa SD 26			
1990	Oakland SD 1			
2093	Oakridge SD 76			
2108	Ontario SD 8C			
1928	Oregon City SD 62			
1926	Oregon Trail SD 46			
2060	Paisley SD 11			
2181	Parkrose SD 3			
2207	Pendleton SD 16			
2192	Perrydale SD 21			
1900	Philomath SD 17J			
2039	Phoenix-Talent SD 4			
2202	Pilot Rock SD 2			
2016	Pine Creek SD 5			
1897	Pine Eagle SD 61			
2047	Pinehurst SD 94			
2081	Pleasant Hill SD 1			
2062	Plush SD 18			
1973	Port Orford-Langlois SD 2CJ			
2180	Portland SD 1J			
1967	Powers SD 31			
2009	Prairie City SD 4			

2045	Prospect SD 59			
1946	Rainier SD 13			
1977	Redmond SD 2J			
2001	Reedsport SD 105			
2182	Reynolds SD 7			
1999	Riddle SD 70			
2188	Riverdale SD 51J			
2044	Rogue River SD 35			
2142	Salem-Keizer SD 24J			
2104	Santiam Canyon SD 129J			
1944	Scappoose SD 1J			
2103	Scio SD 95			
1935	Seaside SD 10			
2257	Sheridan SD 48J			
2195	Sherman County SD			
2244	Sherwood SD 88J			
2138	Silver Falls SD 4J			
1978	Sisters SD 6			
2096	Siuslaw SD 97J			
2022	South Harney SD 33			
2087	South Lane SD 45J3			
1994	South Umpqua SD 19			
2225	South Wasco County SD 1			
2247	Spray SD 1			
2083	Springfield SD 19			
1948	St Helens SD 502			
2144	St Paul SD 45			
2209	Stanfield SD 61			
2018	Suntex SD 10			
2003	Sutherlin SD 130			
2102	Sweet Home SD 55			
2055	Three Rivers/Josephine County SD			
2242	Tigard-Tualatin SD 23J			
2197	Tillamook SD 9			
2222	Troy SD 54			
2210	Ukiah SD 80R			
2204	Umatilla SD 6R			
2213	Union SD 5			
2116	Vale SD 84			
1947	Vernonia SD 47J			
2220	Wallowa SD 12			
1936	Warrenton-Hammond SD 30			
1922	West Linn-Wilsonville SD 3J			
2255	Willamina SD 30J			
2002	Winston-Dillard SD 116			
2146	Woodburn SD 103			
2251	Yamhill Carlton SD 1			
1997	Yoncalla SD 32			