

Immunizations Consent

4527 E 82nd Street Indianapolis, IN 46250 317-528-6374

PLEASE PRINT AND FILL OUT COMPLETELY

Name:	Birthdate:	Age:	Gender: M or F	
Address:	City:	State	: Zip:	
Home Phone/ Cell Phone:	Race:			
nsurance Company:	Policy#			
Policy Holders name:	D.O.B	Relationship:		_
<u>Medical History:</u> The following will help to vour ability.	us determine your eligibility for r	equested immunizat	ions. Please answer to th	ne best of
1. Are you Pregnant or planning a pregnant	cy in the next 4 weeks?	YES	NO	
2. Are you currently ill with a fever, vomiting	ng or diarrhea?	YES	NO	
3. Are 19 years or older with: Tuberculosis, Multip Or anatomic asplenia, CSF leak Cochlear in Heart or Organ Transplant, an immunocompromising cond Antibiotics or radiation?	mplant, Leukemia, Lymphoma, HIV/AIDS,	Open YES	NO	
4. Do you have a history of thymus disease	(including myasthenia gravis)?(Y	only) YES	NO	
5. Have you received blood/plasma/immur weeks?	ne globulin or had a vaccine in the	e last 4 YES	NO	
6. Have you ever fainted, became dizzy or limmunization?	nad a serious reaction after an	YES	NO	
7. Have you ever had a seizure disorder for Disorder, Guillain-Barre Syndrome or any o	•	brain YES	NO	
8. Are you allergic to any medications, food (such as eggs, bovine protein,toxoids,sorbitol,neomycor formaldehyde)	•		NO	

- WRITTEN MD APPROVAL IS REQUIRED FOR CHILDREN UNDER THE AGE OF 8 YEARS FOR POLIO, RABIES AND MMR. YELLOW FEVER REQUIRES WRITTEN MD APPROVAL FOR PERSONS WITH MULTIPLE SCLEROSIS, CHILDREN UNDER 9 YEARS OR ADULTS OVER 59 YEARS. HEPATITIS A, B OR COMBO VACCINES ALSO REQUIRE MD APPROVAL FOR PERSONS WITH MS.
- I HAVE READ OR HAVE BEEN OFFERED A COPY OF THE CURRENT VACCINE INFORMATION SHEET PRIOR TO MY VACCINATION. I HAVE HAD A CHANCE TO ASK QUESTIONS AND I UNDERSTAND ALL THE RISKS AND BENEFITS INVOLOVED.
- I AGREE TO STAY IN THE AREA FOR 15 MINUTES AFTER RECEIVING MY VACCINATION TO ENSURE THAT NO IMMEDIATE REACTIONS OCCUR. I UNDERSTAND THAT IF I EXPERIENCE ANY SIDE EFFECTS IT WILL BE MY RESPONSIBILITY TO GOLLOW UP WITH MY PHYSICAN AT MY EXPENSE. LOCAL REACTIONS MAY INCLUDE BURNING, SWELLING, WHEAL, TENDERNESS OR BLISTERING AT SITE. GENERAL REACTIONS MAY INCLUDE FEVER, FATIGUE, DIARRHEA, NAUSEA, VOMITING, HEADACHE, ARTHRITIS, MALAISE AND MYALIA. SEVERE REACTIONS INCLUDE ANAPHYLAXIS, ENCEPHALITIS, GUILLAIN-BARRE AND FEBRILE CONVULSIONS.
- I UNDERSTAND THE VACCINE IS BEING PROVIDED BY FRANCISCAN WORKINGWELL. I EXPRESSLY RELEASE FROM ANY LIABILITY THE ABOVE NAMED ORGANIZATION AND INDIVIDUAL GIVING THE VACCINE(S). I, FOR MYSELF, MY HEIRS, EXECUTORS AND ASSIGNS HEREBY AGREE TO RELEASE THE SITE PROVIDER AND ITS EMPLOYEES FROM ANY AND ALL CLAIMS ARISING OUT OF, IN CONNECTION WITH OR IN ANY WAY RELATED TO MY RECEIPT OF THIS VACCINE(S) IN THEIR FACILITIES.
- I HAVE READ THIS CONSENT AND I AUTHORIZE FRANCISCAN WORKINWELL TO GIVE THE ABOVED NAMED VACCINE TO ME OR THE PERSON NAMED FOR WHICH I AM AUTHORIZED TO SIGN.
- I ACKNOWLEDGE THAT SOME VACCINES REQUIRE MULTIPLE DOSES AND/OR UP TO 2 WEEKS TO RECEIVE FULL PROTECTION.

X		
Patient Signature (parent or guardian if patient is under 18)	Offered/Read HIPAA Privacy Practices	Date
Additional lines are for second and third dose cor	nsent; please let us know if any information above	<mark>has changed.</mark>
X		
Patient Signature (parent or guardian if patient is under 18)	Offered/Read HIPAA Privacy Practices	Date
X		
Patient Signature (parent or guardian if patient is under 18)	Offered/Read HIPAA Privacy Practices	Date

VACCINE	DOSAGE	SI TE	LOT #	EX P DA TE	VIS	SIGNATURE/DATE
DTAP (Infanrix) should get 5 doses Dosage: 2 months,4 months, 6months,15-18 months, 4-6 years	0.5 CC IM					
CHICKEN POX (VARICELLA) LIVE first dose at 12 through 15 months old second dose at 4 through 6 years	0.5 CC SUBQ					
FLU SHOT OR FLUMIST	0.5 CC IM					
HEPATITIS A (Havrix) 12 months & up	0.5 CC IM					1
Dosage: now and 6-12 months						2
HEPATITIS B (Engerix B)	0.5 CC IM					1
Dosage: now, 1 month, 6 month						2
						3

PCV13 (PREVNAR13)	5. CC IM		1
Dosage 2,4,6,12-15 months			2
24 months and up to 6 th birthday never had vaccine they should only receive <u>1</u> dose			3
			4
HPV9 (Gardasil9)	0.5 CC IM		1
can start at age 9 Dosage: now, 2 months, 6 months			2
			3
Meningococcal Group B (BEXSERO)	0.5 CC IM		1
Dosage: month apart			2
MCV4 (Menactra) Dosage: Two doses: the first	0.5CC IM		1
dose at 11 or 12 years of age, with a booster dose at age 16.			2
MMR First Dose: 12-15	0.5 CC SUBQ		1
months of age Second Dose: 4-6 years of age (may be given earlier, if at least 28 days after the 1st dose			2
MMR-V (ProQuad) Do not give if: history of anaphylactic reaction to neomycin or	0.5 CC SUBQ		1
hypersensitivity to gelatin			2
Tdap (Boostrix, Adacel) 10 years and older	0.5 CC IM		