

Crew Clinging Toilet Bowl Cleaner

Preparation date: 2016-08-23 Version Number: 4

1. IDENTIFICATION

Product name: **Product Code:** Crew Clinging Toilet Bowl Cleaner

04578

SDS #:

MS0800445

 Industrial/Industrial Restroom Care

Recommended use:

Uses advised against:

· This product is intended to be used neat.

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. P.O. Box 19747 Charlotte, NC 28219-0747

Phone: 1-888-352-2249

SDS Internet Address: https://sds.sealedair.com

Emergency telephone number:

1-800-851-7145; 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation

Category 1B Category 1

Serious eye damage/eye irritation



Signal Word:

Danger.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Crew Clinging Toilet Bowl Cleaner



SupplyWorks

PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



295 3 SP 0.885 E0110X 10838 D2012583932 S2 P3656526 0001:0011

Պլդհուդոիրարդիիմիկինգնոյնիկինունիլինու



PECATONICA HIGH SCHOOL 1300 MAIN ST PECATONICA IL 61063-9361

11/16/16

Enclosed, please find Safety Data Sheets for your recent orders: 5171273 You can find a complete library of more than 11,000 data sheets at our web site www.supplyworks.com If you have any questions, please contact Customer Service at 866-412-6726

506637 00001



Classification for the diluted product @ RTU

This product is intended to be used neat.

Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Hydrochloric acid	7647-01-0	5 - 10%
Ethoxylated oleyl amine	13127-82-7	1 - < 3%
Alcohol ethoxylates	68131-39-5	1 - < 3%
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	68391-01-5	> 0.1 - < 1%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	68956-79-6	> 0.1 - < 1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Notes to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

This product is intended to be used neat.

Eyes: See undiluted product information above.

Skin: See undiluted product information above.

Inhalation: See undiluted product information above.

Ingestion: See undiluted product information above.

5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media: Specific hazards:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions Put on appropriate personal protective equipment (see Section 8.).

and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Crew Clinging Toilet Bowl Cleaner

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. DO NOT MIX WITH CHLORINE BLEACH, ACIDS, OR ANY OTHER PRODUCT OR CHEMICAL. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

This product is intended to be used neat.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear, Green

Evaporation Rate: No information available
Odor threshold: No information available.

Odor: Floral
Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available
Solubility in other solvents: No information available
Density: 8.76 lbs/gal 1.05 Kg/L
Solubility: Completely Soluble
Relative Density (relative to water): 1.05
Vapor density: No information available

Bulk density: No information available

Vapor pressure: No information available.

Flash point (%F): > 200 %F > 93.3 %C

Partition coefficient (n-octanol/water): No information available.

Flash point (°F): > 200 °F > 93.3 °C

Partition coefficient (n-octanol/water): No information available

Dilution Flash Point: 200 °F 93.3 °C

Viscosity: No information available

 Elemental Phosphorus:
 0.00 % by wt.
 VOC: 0 % *

 pH:
 1.0
 VOC % by wt. at use dilution 0 % *

Dilution pH: 1.0 @ RTU Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: Not Applicable The product is stable

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Strong bases. Oxidizing agents.

Conditions to avoid: Do not mix with any other product or chemical.

Crew Clinging Toilet Bowl Cleaner



11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Carcinogen Listings: None of the components in this product at ≥ 0.1% are listed as a carcinogen by IARC, NTP or OSHA.

Ingredient(s)	CAS#	NTP	IARC	OSHA
Hydrochloric acid	7647-01-0		1	

Numerical measures of toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

<u>IMDG (Ocean) Bill of Lading Description:</u> UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (hydrochloric acid, quaternary ammonium compounds), 8, II, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

Crew Clinging Toilet Bowl Cleaner

RIGHT TO KNOW (RTK)

CERCLA/ SARA

ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Hydrochloric acid	X		

SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canadian Regulations

WHMIS hazard class: Not for sale in Canada.

Ingredient(s)	CAS#	NPRI
Hydrochloric acid	7647-01-0	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 4

Preparation date: 2016-08-23

Reason for revision: Prepared by: Not applicable

NAPRAC

Additional advice:

• Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.