



## **Taylor County School District**

P.O. Box 1930 • 23 Mulberry St. • Butler, Georgia 31006

Phone (478) 862-5224 • Fax (478) 862-5818

# **Plan for Suicide Awareness, Prevention, Intervention And Postvention**

# Table of Contents

Introduction ..... 4

Definition of Terms..... 5

Requirements under State Law .....7

School Climate ..... 8

Prevention, Intervention and Postvention ..... 9

School System Policy Implementation ..... 9

Training ..... 9

Suicide Screening, Assessment and Referral ..... 10

Georgia Crisis & Access Line..... 12

Signs of Depression or Severe Emotional Distress..... 12

In-School Suicide Attempts (Briefly)..... 14

Out-of-School Suicide Attempts ..... 14

Parental Notification and Involvement ..... 15

After a Suicide ..... 17

Family Educational Rights and Privacy Act (FERPA) ..... 18

Appendix A ..... 19

Action Plan for Suicide Attempt and Suicide Ideation ..... 19

Appendix B ..... 25

Action Plan for Suicide Death ..... 25

Appendix C: Screen for Depression ..... 29

Appendix D: Parent Contact Acknowledgement Form ..... 30

Appendix E: Parent Resources ..... 31

Appendix F: Suicide Warning Signs..... 33

Appendix G: What You Can Do..... 33

Appendix H: Individual Safety Plan Guide.....34

Individual Safety Plan ..... 37

Resources ..... 41

Acknowledgements ..... 42

# Introduction

Suicide, the second leading cause of death among young people between the ages of 10 and 24, is alarmingly common among youth today. Cutting across all ethnic, economic, social and age boundaries, suicide has a tremendous and traumatic impact on surviving family members, friends, and the community at large. Suicide generally does not materialize in isolation and is often associated with undiagnosed mental illness, such as depression. Other risk factors may include, but are not limited to, alcohol or substance abuse, victimization by peers, feelings of hopelessness, history of trauma or abuse, or the loss of a relationship.<sup>1</sup>

According to the report published by the Georgia Department of Education on October 1, 2015 from the Georgia Student Health Survey II Statewide 2014-2015, 8% of, or 52,729 students reported that they have harmed themselves purposefully in the past 12 months. Nine percent of, or 58,372 students reported to have seriously considered suicide during the past 12 months. Finally, 5% of, or 27,985 students reported that they have attempted suicide within the last year.<sup>2</sup> Therefore, it is critically important that school districts have policies and procedures in place to assess the risk of, intervene in, and respond to youth suicidal behavior.

All school personnel (including, but not limited to, teachers, administrators, counselors, social workers, school nurses, support staff, paraprofessionals, bus drivers, and cafeteria workers) who interact with students on a regular basis are in ideal positions to identify and refer students who are potentially at risk for suicide. In 2015, the Georgia General Assembly passed House Bill 198, also known as the “Jason Flatt Act - Georgia”. The *Jason Flatt Act – Georgia* requires local school systems to provide annual suicide prevention education training to all certificated school system personnel and to adopt a policy on student suicide prevention.

This document draws on the best practices in crisis prevention and the knowledge and experience of experts in the field. Primary sources for this document include Preventing Suicide: A Toolkit for High Schools by the Substance Abuse and Mental Health Services Administration and After a Suicide: A Toolkit for Schools by the American Foundation for Suicide Prevention and the Suicide Prevention Resource Center.

---

<sup>1</sup> Centers for Disease Control and Prevention: Retrieved from <http://www.cdc.gov/ViolencePrevention/suicide/index.html>

<sup>2</sup> Georgia Student Health Survey 2.0: Retrieved from <http://www.gadoe.org/Curriculum-Instruction-and-Assessment/Curriculum-and-Instruction/GSHS-II/Pages/GSHS-Results.aspx>

# Definition of Terms

## **Assessment:**

A comprehensive evaluation usually performed by a clinician, to confirm suspected suicide risk in a patient, estimate the immediate danger, and decides on a course of treatment.

## **Certified School System Personnel:**

Individuals trained in education who hold a Clearance (C), Teaching (T), Leadership (L), Service (S), Technical Specialist (TS) or Permit (P) certification issued by the Georgia Professional Standards Commission or is an educator teaching students under a highly qualified definition.

## **Cluster:**

A group of suicides or suicide attempts, or both, that occurs closer together in time and space than would normally be expected in a given community.

## **Crisis Response Team:**

A multidisciplinary team of primarily administrative, mental health, safety professionals, and support staff who are prepared, trained, and ready to address crisis preparedness, intervention, response and recovery.

## **Evidence-based practices:**

Suicide prevention activities that have been found effective by rigorous scientific evaluation.

## **Gatekeeper training:**

Programs that teach individuals who routinely have personal contact with many others in the community (i.e. “gatekeepers”) to recognize and respond to people at potential risk of suicide.

## **Georgia Department of Education (GaDOE):**

The state agency charged with the fiscal and administrative management of certain aspects of K-12 public education, including the implementation of federal and state mandates. Such management is subject to supervision and oversight by the State Board of Education.

## **High-risk student:**

A high-risk student is one who has made a suicide attempt or has the intent to kill him/herself. The student may have thought about suicide including potential means of death and may have a plan. In addition, the student may exhibit feelings of isolation, hopelessness, helplessness, and the inability to tolerate any more pain. This situation would necessitate a referral to a mental health professional and parental/guardian contact as documented in the following procedures.

## **Local Education Agency (LEA):**

A local school system pursuant to local board of education control and management.

## **Mental health:**

A state of well-being in which every individual realizes his or her own potential, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.

**Postvention:**

Activities following a suicide to help alleviate the suffering and emotional distress of the survivors, and prevent additional trauma and contagion.

**Prevention:**

Activities implemented prior to the onset of an adverse health outcome (e.g., dying by suicide) and designed to reduce the potential that the adverse health outcome will take place.

**Protective factors:**

An attribute, characteristic, or environmental exposure that decreases the likelihood of a person's developing a disease or injury (e.g., attempting or dying by suicide) given a specific level of risk. For example, depression elevates a person's risk of suicide, but a depressed person with good social connections and coping skills is less likely to attempt or die by suicide than a person with the same level of depression who lacks social connections and coping skills. Social connections and coping skills are protective factors, buffering the suicide risk associated with depression and thus helping to protect against suicide.

**Risk factors:**

Personal or environmental characteristics that increase the likelihood that a person may try to take his or her life. Suicide risk tends to be highest when someone has several risk factors at the same time. Risk factors may encompass biological, psychological, and/or social factors in the individual, family, and environment. Risk factors should not be confused with warning signs.

**Screening:**

A procedure in which a standardized tool, instrument, or protocol is used to identify individuals who may be at risk for suicide. Also see *Assessment*.

**Self-harm:**

The act of deliberately and intentionally injuring one's own body, such as cutting or burning. Although self-harm often lacks suicidal intent, youth who engage in self-harm are more likely to attempt suicide.

**Suicide:**

Death caused by self-directed injurious behavior with intent to die as a result of the behavior.

**Suicide attempt:**

A non-fatal, self-directed, potentially injurious behavior with intent to die as a result of the behavior. A suicide attempt may or may not result in injury.

**Suicidal behavior:**

A spectrum of activities related to thoughts and behaviors that include suicidal thinking, suicide attempts, and completed suicide. Also includes preparatory behavior such as buying a gun, hoarding pills, writing a suicide note, etc.

**Suicide contagion:**

Suicide risk associated with the knowledge of another person's suicidal behavior, either first-hand or through the media. Suicides that may be at least partially caused by contagion are sometimes called

“copycat suicides.” Contagion can contribute to a suicide cluster. Community and media education is vitally important to reduce this risk.

**Suicidal ideation:**

Any self-reported thoughts or fantasies about engaging in suicide-related behavior.

**Warning Signs:**

Behaviors and symptoms that may indicate that a person is at immediate or serious risk for suicide or a suicide attempt.

## **Requirements under State Law**

This policy meets the requirements that local education agencies (LEA) adopt a policy on student suicide prevention relating to suicide prevention, intervention, and postvention. This policy was developed in consultation with school and community stakeholders, school employed mental health professionals, and suicide prevention experts.

This policy was created, based on the model presented by the Georgia Department of Education, in consultation with the Suicide Prevention Program, established within the Department of Behavioral Health and Developmental Disabilities (DBHDD) pursuant to O.C.G.A. § 37-1-27, for use by LEAs in accordance with O.C.G.A. § 20-2-779.1 (the Jason Flatt Act – Georgia).

All certificated public school personnel shall receive annual training in suicide awareness and prevention. This training shall be provided within the framework of existing in-service training programs offered by the Georgia Department of Education or as part of required professional development offered by an LEA.

Approved training materials to fulfill the requirements of O.C.G.A. § 20-2-779.1 include training on how to identify appropriate mental health services, both within the school and also within the larger community, and when and how to refer youth and their families to those services.

Approved materials may include programs that can be completed through self-review of suitable suicide prevention materials.

**Authority:** O.C.G.A. § 20-2-779.1; House Bill 198

## School Climate

Taylor County schools strive to maintain a positive and safe school climate. Fostering a feeling of connectedness between the students and the school, providing an opportunity for students to become involved in school activities, and ensuring an overall safe environment for all students are essential components of a safe and positive school climate. Many activities designed to prevent violence, bullying, and the abuse of alcohol and other drugs may also reduce suicide risk among students.<sup>3</sup> Programs that improve school climate and promote connectedness help reduce risk of suicide, violence, bullying, and substance abuse.<sup>4</sup>

Schools should set high expectations on all staff and students to behave respectfully and kindly to one another. In a positive school climate, all students are respected, supported, and feel comfortable approaching an adult when confronted with problems. Importantly, bullying among students should be taken very seriously, as research has shown that students who feel victimized by other students or staff have an elevated risk of suicidal ideations and behaviors.

---

<sup>3</sup> Epstein, J. A., & Spirito, A. (2009). Risk factors for suicidality among a nationally representative sample of high school students. *Suicide and Life-Threatening Behavior*, 39(3), 241–251.

<sup>4</sup> Resnick, M. D., Bearman, P. S., Blum, R. W., Bauman, K. E., Harris, K. M., Jones, J.,...Udry, J. R. (1997). Protecting adolescents from harm. Findings from the National Longitudinal Study on Adolescent Health. *Journal of the American Medical Association*, 278(10), 823–832.



## Prevention, Intervention and Postvention

Raising staff awareness about suicide and training staff to take steps that prevent it are critical components of any comprehensive school-based suicide prevention program. All school staff should understand that suicide poses a risk to students and that the school is taking steps to reduce this risk. The staff should be made aware that the school's mission includes providing a safe environment in which education can take place and that the mental health of students affects their academic performance.

## School System Policy Implementation

Suicide prevention efforts are generally led by school counselors, mental health professionals, or social workers. However, it is important to remember that no one—not the principal, not the counselor, and not the most passionate and involved parent—can establish effective suicide prevention strategies alone. The participation, support, and active involvement of others in the school and community are essential for success.

Local school superintendents should appoint a district-level suicide prevention coordinator to plan and coordinate the implementation of the school district's suicide prevention policy. Likewise, school principals should designate a school-level suicide prevention coordinator to serve as the point of contact in each school for issues relating to suicide prevention and district policy implementation. The suicide prevention coordinator may be an existing staff member (e.g., school counselor). Most school systems already have teams responsible for student health and behavioral health issues, such as a Crisis Response Team. If so, consider adding suicide prevention to their mission and involving members of these teams as you assign responsibility for suicide prevention strategies. All staff members shall report students they believe to be at risk for suicide to the school suicide prevention coordinator or a staff member the school suicide prevention coordinator has designated to act in his or her absence.

## Training

All certificated school system personnel shall receive annual training on youth suicide prevention. Although the law requires annual suicide prevention training for all certificated school system personnel, schools are strongly encouraged to provide annual training for all staff members (certified and classified) about the importance of suicide prevention. Suicide prevention training shall include warning signs to identify students who may be at risk for suicide and where to refer a potentially at-risk student. It is important to keep a record of all staff members who receive training. Selected staff members may need additional training to assess and refer students at risk of suicide to appropriate mental health services.

The Georgia Department of Education, in consultation with the Department of Behavioral Health and Developmental Disabilities, recommends the use of evidence-based suicide prevention programs as recognized by the Suicide Prevention Resource Center's Best Practices Registry and the National Registry of Evidence-Based Programs and Practices (NREPP). The suicide prevention programs

listed within the *Best Practices Registry* and the *National Registry of Evidence-Based Programs and Practices* have undergone rigorous evaluation and have demonstrated positive outcomes or adherence to accepted standards or practice.

Taylor County schools are not required to use the programs listed within *the Best Practices Registry* and the *National Registry of Evidence-Based Programs and Practices* as long as the programs that are being used adequately address suicide prevention, intervention, and postvention. Such programs must also include training on how to identify appropriate mental health services, both within the school and also within the larger community, and when and how to refer youth and their families to those services.

Suicide prevention experts recommend using a multifaceted approach in which the following components are implemented in a particular sequence:

- Staff education training (prevention);
- Parent education (prevention);
- Student education (prevention);
- Screening (identification);
- Protocols for helping students at possible risk of suicide (intervention); and
- Protocols for responding to a suicide death (postvention).

## **Suicide Screening, Assessment and Referral**

Most experts agree that a process by which people at risk for suicide can be identified and referred to treatment is an essential component of a comprehensive suicide prevention program. Suicide prevention experts use the term ‘suicide screening’ to refer to a procedure in which a standardized instrument or protocol is used to identify individuals who may be at risk for suicide. Suicide screening can be done independently or as part of a more comprehensive health or behavioral health screening and may be done orally (with the screener asking questions), with pencil and paper, or using a computer. Popular suicide screening tools include, but are not limited to, the Columbia-Suicide Severity Rating Scale (C-SSRS). An assessment tool can be found in Appendix C, page 29.

Suicide assessment usually refers to a more comprehensive evaluation done by a licensed clinician to confirm suspected suicide risk, estimate the immediate danger to the patient, and decide on a course of treatment. Although assessment can involve structured questionnaires, they also can include a more open-ended conversation with a patient and/or friends and family to gain insight into the patient’s thoughts and behavior, risk factors (e.g., access to lethal means or a history of suicide attempts), protective factors (e.g., immediate family support), and medical and mental health history.

When a student is identified by a staff person as potentially suicidal, (i.e., verbalizes about suicide, presents overt risk factors, student self-refers, etc.) the student should immediately be seen by a mental health professional to assess risk and facilitate referral. If there is no mental health professional available at the school, the school suicide prevention coordinator, school nurse, school counselor, or a school administrator should fill this role until a mental health professional can be brought in.

NOTE: All students who exhibit risk factors for suicide that do not rise to the level of warning signs or suicide ideation should be referred to the School Suicide Prevention Coordinator, the school principal and/or the school counselor for screening and further action if warranted.

**For students with warning signs for suicide:**

1) School staff should continuously supervise the student to ensure his or her safety until the parents/guardians and/or mental health professional arrive. **Under no circumstances should the student be left alone, sent back to class, or sent home on the bus without constant adult supervision.**

2) The School Suicide Prevention Coordinator, principal or his/her designee, school counselor, mental health professional, the Crisis Response Team, and the central office (e.g., superintendent or his/her designee) should be informed immediately.

3) If possible, screen the student using a screener such as the *Columbia Suicide Severity Rating Scale*. The additional information obtained from the screener will be helpful in your conversations with family members and referral agencies.

4) The principal or mental health professional should contact the student's parent or guardian and should assist the family with urgent referral for professional assessment. When appropriate, this may include calling emergency services or bringing the student to the local emergency room, but in most cases will involve contacting the **Georgia Crisis and Access Line (1-800-715-4225, see page 12)** or setting up an outpatient behavioral health appointment and communicating the reason for referral to the healthcare provider.

If the student is under the age of 18 and the parent or guardian refuses to seek appropriate assistance, the school shall have the option to contact and file a neglect report with the Department of Family and Children Services (DFCS). The school may also involve the appropriate law enforcement agency, if necessary.

5) It would be wise for a designated school staff member to ask the student's parent or guardian for written permission to discuss the student's health with outside care, if appropriate. This may be needed for follow-up with the student during and after behavioral health care has been obtained.



The **Georgia Crisis & Access Line (1-800-715-4225)** is a toll-free, confidential hotline available 24 hours a day 7 days a week from anywhere in Georgia. Sponsored by the Georgia Department of Behavioral Health and Developmental Disabilities (DBHDD), it connects callers with a trained, professional counselor who can help them get the services they need if they or someone they know are in emotional distress or a suicidal crisis, or have other problems with mental health, drugs, or alcohol. They will assess crisis situations over the phone and have a mobile team that can go out and do a face-to-face assessment as needed. They can get someone into an inpatient setting quickly and also have vacant appointment times at their disposal to fast track someone into the community mental health system as needed.

## **Signs of Depression or Severe Emotional Distress**

### **Low Self-Esteem; Poor Self-Concept**

May make self-critical remarks like, “I’m no good or I’m just a burden.”

Considers self a failure; guilty of some wrong.

Says, “I can never do anything right.” A series of crisis events may have happened, which leads to feelings of haplessness.

### **Sense of Hopelessness and Helplessness**

Cannot think of any way to make things better; perceives no hope in sight (tunnel vision) even when alternatives exist; despondent about the future.

### **Shame, Humiliation, or Embarrassment**

Loss of face among peers is a critical problem for youth to cope with. May think that others dislike him/her or are talking about him/her.

### **Listlessness, Tension, or Irritability**

May react impulsively or be upset about seemingly small events; quick anger.

### **Self-Destructive Thoughts May Be Expressed**

Intensity and frequency may vary as well as direct or indirect expression.

### **Overt Sadness and Depression**

May often appear sad and depressed or show signs of tension and extreme anxiety.

### **Acting Out Behaviors That May Mask Depression**

Chemical use, refusal to go to school, sexual promiscuity, running away, fighting, recklessness, delinquency, or preoccupation with hostility or revenge.

### **Unusual Changes in Eating or Sleeping Patterns**

Noticeable decrease or increase in appetite with significant weight change. Anorexia or bulimia are extreme examples.

### **Sudden Personality Changes**

Shy, reserved persons may become aggressive or impulsive. Cautious persons may engage in risk-taking or fighting. Generally inactive persons may become hyperactive. Normally gregarious persons may become shy, withdrawn, or isolated.

### **Neglect of Personal Appearance**

Formerly well-groomed person may become apathetic about personal appearance and hygiene.

### **Isolation and Social Withdrawal**

Withdrawal from friends, family, and activities formerly enjoyed. May stay in room listening to music with depressing or suicidal themes that intensify mood.

### **Uncharacteristic Decline in Academic Performance**

May suddenly appear disinterested in school or in future goals. May make remarks like, "Don't bother to grade my final, I won't be around," or "It's just not worth it." An unusual decline in grades may be an indication that something is troubling a student.

### **Reversal in Valuation**

Sudden change from loving to hating someone, from self-respect to self-hate.

### **Difficulty in Concentrating; Persistent Boredom**

Difficulty in completing tasks or in following through on assignments. May be consistently unable to keep mind on tasks at hand. May appear to think and act very slowly. Simple, everyday decisions may become difficult.

### **Vague or Unexplainable Physical Complaints**

Headaches or stomachaches that visits to a physician do not solve; frequent desire to visit a physician.

### **Loss of Touch with Reality**

May be symptomatic of mental illness or chemical use. May also be indicative of a preoccupation with fantasy role-playing games.

### **Preoccupation with Fatalistic or Morbid Thought**

Excessive thoughts about death or suicide, which may show up in written assignments, drawings, choice of music, literature, or other activities.

### **Experimentation with Self-Destructive Acts**

Very dangerous sign. May make superficial cuts on wrists, drive fast and recklessly, burn or otherwise mutilate body, may become very "accident-prone."

## **In-School Suicide Attempts**

In the case of an in-school suicide attempt, the health and safety of the student is paramount. In these situations:

1. Contact Administration
2. Administration calls **911**.
3. First Responder renders first aid to the person in crisis.
4. Contact the student's parent or guardian. (School Counselor or Administration)
5. Contact Central Office (e.g. superintendent or his/her designee).
6. Provide constant adult supervision to the student to ensure student safety.
7. Contact Crisis Response Team (e.g., School Counselor, School Psychologist, School Resource Officer and School Nurse) who will complete a safety assessment/survey/rating scale and identify the additional steps that should be taken to ensure student safety and well-being.
8. Secure the area as soon as possible and keep all students away.
9. Send notes and runners to staff members informing them that a medical emergency has occurred. Include any additional instructions (e.g., "The bell schedule will be changed and will be manually sounded at an appropriate time.")

Prepare a written statement to be distributed to parents and guardians either through email or by letter. Resource available through Chattahoochee-Flint RESA, Psychological Services Coordinator, 229-937-5341 Ext. 115.

For additional information, please refer to **Appendix A: Action Plan for Suicide Attempt and Suicide Ideation** on pages 19-24.

## **Out-of-School Suicide Attempts**

If a staff member becomes aware of a suicide attempt by a student that is in progress in an out-of-school location, the staff member will:

1. Call **911**.
2. Contact the student's parent or guardian.
3. Contact the school principal and the suicide prevention coordinator.
4. Contact Central Office (e.g. superintendent or his/her designee).

## Parental Notification and Involvement

Parents or guardians should be contacted as soon as possible after a student has been identified as being at risk for suicide. The person who contacts the family is typically the principal, school psychologist or counselor, or a staff member with a special relationship with the student or family. School staff should be sensitive toward the family's culture, including attitudes towards suicide, mental health, privacy, and help-seeking.

Through discussion with the student, the principal or mental health professional will assess whether there is further risk of harm due to parent or guardian notification. If the principal or mental health professional believes, in his or her professional capacity, that contacting the parent or guardian would endanger the health or well-being of the student, the principal or mental health professional may delay such contact as appropriate. If parent or guardian notification is delayed, the reasons for the delay shall be documented. If the principal, designee or mental health professional suspects child abuse or neglect, the Department of Family and Children Services (DFCS) shall be notified immediately. If the student is under the age of 18 and the parent/guardian refuses to contact a mental health provider, the school will have the option to contact and file a neglect report with DFCS.

### Steps for Parental/Guardian Notification in Instances of Suicidal Ideation:

1. Notify the parents/guardians about the situation and ask that they come to the school immediately.

**The following steps can help support and engage parents:**

- Invite the parents' perspective. State what you have noticed in their child's behavior (rather than the results of your assessment) and ask how that fits with what they have observed.
- Comment on how scary this behavior is and how it complicates the life of everyone who cares about this young person.
- Acknowledge the parents' emotional state, including anger, if present.
- Acknowledge that no one can do this alone—appreciate their presence.
- Listen for myths of suicide that may be blocking the parent from taking action.
- Explore reluctance to accept a mental health referral, address those issues, explain what to expect.
- Align yourself with the parent if possible...explore how and where youth got this idea...without in any way minimizing the behavior.

2. When the parents/guardians arrive at the school, explain why you think their child is at risk for suicide.

3. Explain the importance of removing from the home (or locking up) firearms and other dangerous items, including over-the-counter and prescription medications and alcohol.

4. If the student is at a low or moderate suicide risk and does not need to be hospitalized, discuss available options for individual and/or family therapy. Provide the parent(s)/guardian(s) with the contact information of mental health service providers in the community. If possible, call and make an appointment while the parent(s)/guardian(s) are with you. Explore reluctance to accept a mental health referral, address those issues, explain what to expect.

5. Provide the parent(s)/guardian(s) with resources to explain the risk of suicide and the role of parent(s)/guardian(s) in getting and maintaining help for their child.
6. Ask the parent(s)/guardian(s) to sign the Parent/Guardian Contact Acknowledgement Form confirming that they were notified of their child's risk and received referrals for assessment. (Appendix D, page 30.)
7. Tell the parents that you will follow up with them in a few days. If this follow-up conversation reveals that the parent has not contacted a mental health provider:
  - Stress the importance of getting the child help.
  - Discuss why they have not contacted a provider and offer to assist with the process.
  - If the student is under the age of 18 and the parent or guardian refuses to seek appropriate assistance, the school shall have the option to contact and file a neglect report with the Department of Family and Children Services (DFCS). The school may also involve the appropriate law enforcement agency, if necessary.
8. If the student does not need to be hospitalized, release the student to the parents.
9. Document all contacts with the parent(s)/guardian(s).

**Note:** Sample forms are available within the Preventing Suicide: A Toolkit for High Schools to document all contact with parents and guardians.

<https://store.samhsa.gov/sites/default/files/d7/priv/sma12-4669.pdf>



## After a Suicide

A suicide death in a school community requires implementing a coordinated crisis response to assist staff, students, and families who are impacted by the death and to restore an environment focused on education. A meeting of the Crisis Response Team should take place as soon as possible once the basic facts about the death have been obtained to initiate a coordinated response. **Regional Crisis Response Team** includes the *Chattahoochee-Flint RESA* for access to psychologists for counseling, debriefing and follow up, prepared media responses, and letters for parents, staff, and students. Contact the **Psychological Services Coordinator**, Carol Kennon, **229-937-5341 Ext. 115**.

While it may not always be possible to immediately ascertain all of the details about the death, confirming as much information as possible is important because speculation and rumors can exacerbate emotional upheaval within the school. If the cause of death has not been confirmed to be suicide, if there is an ongoing investigation, or if the family does not want the cause of death disclosed, it can be challenging for a school to determine how to proceed. The school's principal or the local superintendent should first check with the coroner and/or the medical examiner's office (or, if necessary, local law enforcement) to ascertain the official cause of death.

If the body has not yet been recovered or if there is an ongoing investigation, schools should state that the cause of death is still being determined and that additional information will be forthcoming once it has been confirmed. Acknowledge that there are rumors (which are often inaccurate), and remind students that rumors can be deeply hurtful and unfair to the missing or deceased person, his or her family, and his or her friends.

**While the fact that a student has died may be disclosed immediately, information about the cause of death should not be disclosed to students until the family has been consulted.** If the death has been declared a suicide, but the family does not want it disclosed, someone from the administration or counseling staff who has a good relationship with the family should be designated to contact them to explain that students are already talking about the death amongst themselves, and that having adults in the school community talk to students about suicide and its causes can help keep students safe.

If the family refuses to permit disclosure, schools can state, *"The family has requested that information about the cause of death not be shared at this time"* and can nevertheless use the opportunity to talk with students about the phenomenon of suicide: *"We know there has been a lot of talk about whether this was a suicide death. Since the subject of suicide has been raised, we want to take this opportunity to give you accurate information about suicide in general, ways to prevent it, and how to get help if you or someone you know is feeling depressed or may be suicidal."*

For additional information about how to respond to suicide deaths in the school community, please refer to **Appendix B: Action Plan for Suicide Death** on page 25. You may also view [After a Suicide: A Toolkit for Schools](https://www.sprc.org/sites/default/files/resource-program/AfteraSuicideToolkitforSchools.pdf).

<https://www.sprc.org/sites/default/files/resource-program/AfteraSuicideToolkitforSchools.pdf>

## **Family Educational Rights and Privacy Act (FERPA)**

The Family Educational Rights and Privacy Act or FERPA (20 U.S.C. § 1232g; 34 CFR Part 99) is a Federal law that protects the privacy of student education records. The law applies to all educational agencies and institutions that receive funds under any program administered by the U.S. Department of Education. Under FERPA, parents are generally required to provide consent before school officials disclose personally identifiable information from students' education records. There are exceptions to FERPA's general consent rule, such as disclosures in connection with health or safety emergencies. This provision in FERPA permits school officials to disclose information on students, without consent, to appropriate parties if knowledge of the information is necessary to protect the health or safety of the student or other individuals. When a student is believed to be suicidal or has expressed suicidal thoughts, school officials may determine that a significant threat to the health or safety of the student exists and that such a disclosure to appropriate parties is warranted under this exception (Department of Education, 2010).

## Appendix A (reference page 14)

CONTACTS	PHONE NUMBERS
SAFETY RESOURCE OFFICER (SRO)	706-480-4261(Office) 478-297-2486 (Mobile) or Butler Police Department 478-862-9333
FIRE/POLICE/AMBULANCE	911
BUTLER POLICE DEPARTMENT	478-862-9333
SHERIFF'S OFFICE	478-862-5444
LOCAL CRISIS RESPONSE TEAM	School Resource Officer (SRO), School Counselor, School Nurse, Mental Health Therapist
CENTRAL OFFICE	478-862-5224
DFCS	1-855-422-4453
AREA CRISIS RESPONSE TEAM	Psychological Services Coordinator, Chattahoochee-Flint RESA, 229-937-5341 Ext. 115
MENTAL HEALTH PROFESSIONAL	GA Crisis and Access Line: 1-800-715-4225

## Action Plan for Suicide Attempt and Suicide Ideation

Actions to be Assigned to Staff	Responsible Staff Person	Alternate Responsible Staff Person
<b>Suicide Attempt</b>		
1. <b>If the student is, or is suspected of, attempting suicide on school property</b> , the principal or designee should be informed and will immediately call 911 for any medical emergency while first responder attends to person in crisis.	Principal or Designee	Office staff personnel
2. <b>Make appropriate contacts:</b> a) <b>Custodial parent/guardian</b> and/or emergency contact as quickly as possible The School Counselor or Administrator will notify the custodial parent/guardian and/or emergency contact, and ask him/her to immediately come to the campus. b) <b>Crisis Response Team</b> consisting of trained personnel (e.g., School Counselor, School Psychologist, School Resource Officer and School Nurse)	School Counselor	Nurse

<p>The team members will:</p> <p>i) Complete a safety assessment/survey/rating scale as recommended by the Crisis Response Team (Appendix C, page 28)</p> <p>ii) Report screening/assessment findings to the Principal or designee and recommend a plan of action</p> <p>c) <b>Central Office</b> will be informed.</p> <p>d) <u>If there is a suspicion or accusation of child abuse</u> regarding the parent/guardian, school personnel will follow the Child Abuse Protocol and notify the Department of Family and Children Services (DFCS)</p>		
<p>3. Continue overseeing safety of student, secure the area to prevent onlookers and panic, and preserve the area to maintain the integrity of the crime scene.</p>	<p>School Counselor, SRO and Nurse</p>	<p>Teacher(s)</p>
<p>4. Follow local school/district protocols</p>	<p>Administrator</p>	<p>School Counselor</p>
<p>5. If necessary, determine who will remain with the affected classroom of students to provide calming atmosphere. Contact RESA for assistance with counseling by their Crisis Response Team.</p>	<p>Principal</p>	<p>Teacher or Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115</p>
<p>6. Prepare for possible “lock down.” Clear driveway for entering and exiting of emergency vehicles.</p>	<p>SRO</p>	<p>Custodian or Teacher</p>
<p>7. Gather information concerning the incident.</p>	<p>School Counselor</p>	<p>Administration/SRO</p>
<p>8. Identify any witnesses. <i>Note: Segregate witnesses from other students. Allow them to talk with school personnel – no news media.</i></p>	<p>SRO, School Counselor</p>	<p>Administration</p>
<p>9. Retrieve student records for more information.</p>	<p>Admin. Assist.</p>	<p>Principal</p>
<p>10. As appropriate, parent/guardian/emergency contact will be provided a copy of the following:</p> <p>a) Parent Contact Acknowledgement Form (Appendix D, p. 29)</p> <p>b) Any safety screening results (Appendix C, p.28)</p> <p>c) Authorization to release information form(s)</p> <p>d) Helpful resources about the suicide risks and warning signs (Appendices F and G, p. 32)</p> <p>e) Available resources for assessment related to suicide (Appendix E, pp. 30-32) and the Georgia Crisis &amp; Access Line contact information (p. 12)</p>	<p>School Counselor</p>	<p>Administrator</p>

11. If student is not transported to further evaluation by responders, parent/guardian/emergency contact will be strongly encouraged to take the student from the campus to a facility (Emergency Room) or provider of his/her choice for a mental health assessment.	School Counselor	Administrator
12. If the child is under the age of 18 and the parent/guardian refuses to seek appropriate assistance, the school will have the option to contact and file a neglect report with the Department of Family and Children Services (DFCS). The school may also involve local law enforcement, if necessary.	Administrator	School Counselor, SRO
13. Discuss known and appropriate facts to diminish rumors or misunderstandings.	Administrator	School Counselor
14. Collaborate with Central Office to prepare parent and media response. Coordinate communications with the wishes and permission of affected family.	Administrator, School Counselor	Mental Health Therapist
15. Upon student's return, the administrator or designee will convene a meeting to develop an Individual Safety Plan. (pages 33-35, & 36-39) Recommended meeting participants include: Student, Parent(s)/Guardian(s), Administrator, School Counselor, School Resource Officer, School Nurse, Teacher(s) and other duly notified staff. Provide documentation to the parent/guardian. See #10.	Administrator, School Counselor	Assistant Principal or designee, Mental Health Therapist
Actions to be Assigned to Staff	Responsible Staff Person	Alternate Responsible Staff Person
<b>Concerns of Suicide Warning Signs or Ideation</b>		
1. <b>If it has been reported, or it is suspected, that a student is considering suicide</b> , the Suicide Prevention Coordinator/School Counselor and Principal or Principal Designee will be notified and the student involved will be: a) Placed under <u>constant adult observation</u> (student will not be left alone, sent back to class, or sent home on the bus without constant adult supervision), or, if the student is not present at school, the parent/guardian will be asked to return to campus with the student. b) Privately questioned by a trained staff member to determine the level of risk using school district procedures for suicide screening and assessment	School Counselor	Mental Health Therapist, Nurse, Principal, SRO
2. Notify Crisis Response Team (School Counselor, Principal, SRO, Nurse). The team members will: i) Complete a safety assessment/survey/rating scale as recommended by the Crisis Response Team (Appendix C, page 28)	School Counselor	Mental Health Therapist, Nurse, Principal, SRO

ii) Report screening/assessment findings to the Principal or designee and recommend a plan of action.		
3. If there <b>is</b> risk of harm to the student, as determined by the safety assessment/survey/rating scale, the School Counselor or Administrator will notify the <b>custodial parent/guardian</b> and/or emergency contact, and ask him/her to immediately come to the campus. If there was <b>no</b> risk of harm to the student, as determined by the safety assessment/survey/rating scale, the School Counselor or Administrator will notify the custodial parent/guardian about the initial concern and assessment and resources will be provided. (Appendices C-G)	Administrator	School Counselor
4. Gather information concerning the incident.	School Counselor	Administration/SRO
5. If necessary, determine who will remain with the affected classroom of students to provide calming atmosphere.	Principal or School Counselor	Teacher
6. Identify any witnesses. <i>Note: Segregate witnesses from other students. Allow them to talk with school personnel – no news media.</i>	School Counselor	Administration
7. Follow local school/district protocols	Administrator	School Counselor
8. Retrieve student records for more information.	Admin. Assist.	School Counselor
9. Parent/guardian/emergency contact will be provided a copy of the following: a) Parent Contact Acknowledgement Form (Appendix D, p. 29) b) Any safety screening results (Appendix C, p.28) c) Authorization to release information form(s) d) Helpful resources about the suicide risks and warning signs (Appendices F and G, p. 31) e) Available resources for suicide assessment (Appendix E, p. 30) and the Georgia Crisis & Access Line contact information (p. 12)	School Counselor	Mental Health Therapist, Nurse, Administrator
10. Parent/guardian/emergency contact will be strongly encouraged to take the student from the campus to a facility (Emergency Room) or provider of his/her choice for a mental health assessment.	School Counselor	Administrator, or GA Crisis & Access Line (1-800-715-4225)
11. If the child is under the age of 18 and the parent/guardian refuses to seek appropriate assistance, the school will have the option to contact and file a neglect report with the Department of Family and	Administrator	School Counselor

Children Services (DFCS). The school may also involve local law enforcement, if necessary.		
12. Discuss known and appropriate facts to diminish rumors or misunderstandings.	Administrator	School Counselor
13. As appropriate, collaborate with Central Office to prepare parent and media response. Coordinate communications with the wishes and permission of affected family.	Administrator	School Counselor
14. Upon student's return, the administrator or designee will convene a meeting to develop an Individual Safety Plan. Recommended meeting participants include: Student, Parent(s)/Guardian(s), Administrator, School Counselor, School Resource Officer, School Nurse, Teacher(s) and other duly notified staff.	Administrator	Assistant Administrator or School Counselor

**Other Actions to be Followed**

1. **Do not** use the name of the student/victim over the radio or walkie-talkies.
2. Treat all threats of suicide as serious (until you are assured otherwise). This is particularly true for adolescent populations.
3. Consider plans for providing ongoing, longer term counseling support for students and all faculty and staff.
4. Provide access to regular school counselors.

**School-Specific Information**

In the space below indicate school-specific information for this incident.

Taylor County Primary School: 478-862-4855, 56 McDowell Street, Butler, GA 31006

---

Taylor County Upper Elementary School: 478-862-5690, 218 East Main Street, Butler, GA 31006

---

Taylor County Middle School: 478-862-5285, 22 Oak Street, Butler, GA 31006

---

Taylor County High School: 478-862-3314, 24 Oak Street, Butler, GA 31006

---

Alternative School: 478-862-5285, 22 Oak Street, Butler, GA 31006

---

**Alternate health resources**

Bradley Center 2000 16<sup>th</sup> Ave, Columbus, GA 31901. Open 24 hours, Phone: (706) 320-3700

---

Your local Emergency Room – They sometimes require medical clearance before discharge.  
**Ensure a psychiatrist is present before sending student there.**

---

Morning Star Children and Family Services, Perry: 478-827-1003

---

Phoenix Center walk-in clinic 410 E Church St, Fort Valley, GA 31030. Closes 5PM, Phone:  
(478) 825-6499

---

Phoenix Center walk-in clinic 940 GA-96, Warner Robins, GA 31088. Closes 5PM, Phone: (478)  
988-1222

---

Taylor County Health Department: 478-862-5628

---

Butler Medical Center: 478-862-5453

---



## Appendix B (reference page 14)

CONTACTS	PHONE NUMBERS
SAFETY RESOURCE OFFICER (SRO)	706-480-4261(Office) 478-297-2486 (Mobile) or Butler Police Department 478-862-9333
FIRE/POLICE/AMBULANCE	911
BUTLER POLICE DEPARTMENT	478-862-9333
SHERIFF'S OFFICE	478-862-5444
LOCAL CRISIS RESPONSE TEAM	School Resource Officer (SRO), School Counselor, School Nurse, Mental Health Therapist
CENTRAL OFFICE	478-862-5224
DFCS	1-855-422-4453
AREA CRISIS RESPONSE TEAM	Psychological Services Coordinator, Chattahoochee-Flint RESA, 229-937-5341 Ext. 115
MENTAL HEALTH PROFESSIONAL	GA Crisis and Access Line: 1-800-715-4225

## Action Plan for Suicide Death

Steps to Take in Immediate Aftermath	Staff Responsible	External Contacts (Phone Numbers)
<b>Notify key individuals</b>		
1. Verify death	Lead: Safety Resource Officer (SRO), Nurse  Backup: Administration	SRO: 478-297-2486 (Mobile) Police: 478-862-9333 Sheriff: 478-862-5444  Medical examiner: 478-837-8127
2. Ensure that staff know how to respond to inquiries and manage the campus for safety	Lead: Superintendent Backup: Superintendent's Designee	Police: 478-862-9333 Sheriff: 478-862-5444
3. Notify superintendent's office	Lead: Administrator	Superintendent: 478-862-5224

	Backup: Assistant Admin. Or School Counselor	Backup/weekends: Superintendent's Designee
4. Notify Crisis Response Team	Lead: School Counselor Backup: Admin.	District Crisis Response Team: Safety Resource Officer, School Counselor, Nurse, Mental Health Therapist  Region Crisis Response Team: Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115  Weekend/vacation/late night contacts: Superintendent
5. Notify schools attended by family members of the deceased	Lead: Superintendent Backup: Superintendent's Designee	Other schools in district: TCPS 478-862-4855 TCUES 478-862-5690 TCMS 478-862-5285 TCHS 478-862-3314 Alternative School 478-862-5285
6. Contact and coordinate with school crisis team, district crisis team and/or external mental health professionals	Lead: Superintendent  Backup: Superintendent's Designee	School crisis team, district crisis team, and community mental health providers: School Counselor, Safety Resource Officer  External crisis response professionals: Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
7. Reach out to and work with the family of the deceased	Lead: School Counselor Backup: Administrator	Psychological Services Coordinator, Chattahoochee-Flint RESA, 229-937-5341 Ext. 115
8. Notify all faculty and staff	Lead: Superintendent  Backup: Superintendent's Designee	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
9. Coordinate notifying students about the death(s)	Lead: Superintendent Backup: Superintendent's	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115

	Designee or School Counselor	
10. Notify families of students about the death and the school's response	Lead: Superintendent Backup: Administrator	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
11. Provide staff with guidance in talking to students	Lead: School Counselor Backup: Mental Health Therapist	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
12. Provide support to staff	Lead: School Counselor Backup: Mental Health Therapist	Community mental health professionals: Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
13. Identify, monitor, and support students who may be at risk	Lead: School Counselor Backup: Mental Health Therapist	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
14. Implement steps to help students with emotional regulation	Lead: School Counselor Backup: Mental Health Therapist, Administrator	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
15. Participate in and/or advise on appropriate memorialization in the immediate aftermath	Lead: School Counselor Backup: Mental Health Therapist	Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
16. Work with press/media	Lead: Superintendent Backup: Administrator	Local media contact(s): Taylor County News 478-862-5101 Psychological Services Coordinator Chattahoochee-Flint RESA 229-937-5341 Ext. 115
17. Monitor social media	Lead: Technology Director Backup: Mental Health Therapist, Administration	Taylor County Sheriff's Department

### **Other Actions to be Followed**

1. **Do not** use the name of the student/victim over the radio or walkie-talkies.
2. Consider plans for providing ongoing, longer term counseling support for students and all faculty and staff.
3. Provide access to regular school counselors.

### **School-Specific Information**

In the space below indicate school-specific information for this incident.

Taylor County Primary School: 478-862-4855, 56 McDowell Street, Butler, GA 31006

Taylor County Upper Elementary School: 478-862-5690, 218 East Main Street, Butler, GA 31006

Taylor County Middle School: 478-862-5285, 22 Oak Street, Butler, GA 31006

Taylor County High School: 478-862-3314, 24 Oak Street, Butler, GA 31006

Alternative School: 478-862-5285, 22 Oak Street, Butler, GA 31006

### **Alternate health resources**

Phoenix Center walk-in clinic 410 E Church St, Fort Valley, GA 31030. Closes 5PM, Phone: (478) 825-6499

Phoenix Center walk-in clinic 940 GA-96, Warner Robins, GA 31088. Closes 5PM, Phone: (478) 988-1222

Bradley Center 2000 16th Ave, Columbus, GA 31901. Open 24 hours, Phone: (706) 320-3700

Your local Emergency Room – They sometimes require medical clearance before discharge.  
**Ensure a psychiatrist is present before sending student there.**

Taylor County Health Department: 478-862-5628

Butler Medical Center: 478-862-5453

Morning Star Children and Family Services, Perry: 478-827-1003

## Appendix C

Over the last two weeks, how often have you been bothered by any of the following problems?

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Feeling down, depressed, or hopeless	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Trouble falling or staying asleep, or sleeping too much	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Feeling tired or having little energy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Poor appetite or overeating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Trouble concentrating on things such as reading or watching television	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Moving or speaking so slowly that other people could have noticed? Or the opposite—being so fidgety or restless that you have been moving around a lot more than usual	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Thoughts that you would be better off dead or of hurting yourself in some way	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

If you marked any problems above, how difficult have they made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all  Somewhat difficult   
 Very difficult  Extremely difficult

### Reference

Based on *Patient Health Questionnaire-9 (PHQ-9)* Developed by Drs. Robert L. Spitzer,

Janet B.W. Williams, Kurt Kroenke, and colleagues, with an educational grant from Pfizer Inc.  
*No permission required to reproduce, translate, display, or distribute.*

## Appendix D

### Parent Contact Acknowledgment Form

(Provide a copy to the parent/guardian.)

School:

\_\_\_\_\_  
\_\_\_\_\_

This is to verify that I have spoken with school staff member,

\_\_\_\_\_, on

\_\_\_\_\_ (date), concerning my  
child's suicidal risk.

I understand that \_\_\_\_\_ (name of staff)

will follow up with my child and/or me within two weeks.

Parent Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Alternate Phone Number: \_\_\_\_\_

Faculty Member Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## Appendix E

### Parent Resources

American Association of Suicidology

[www.suicidology.org](http://www.suicidology.org)

Promotes understanding and prevention of suicide and supports those who are affected by it.

American Foundation for Suicide Prevention

[www.afsp.org](http://www.afsp.org)

Survivor resources, research and awareness.

Anxiety and Depression Association of America (ADAA)

[www.adaa.org](http://www.adaa.org)

An international organization leading in education, training, and research for anxiety, depression and related disorders. Find current treatment and research information and access free resources and support.

Be the One to Save a Life

[www.bethe1to.com](http://www.bethe1to.com)

Five steps you can take to help someone in your life that might be in crisis

Crisis Text Line

Text “hello” to 741741 and speak anonymously with a crisis counselor. Free 24/7 support to people in crisis.

Georgia Crisis & Access Line: 1-800-715-4225

Middle Flint Behavioral Health Care (MFBHC)

[www.middleflintbhc.org](http://www.middleflintbhc.org)

Facility-based and home-based programs for individuals with addictive disease, developmental disability, and behavioral health problems. MFBHC is the Community Service Board serving Taylor County through the Georgia Department of Behavioral Health and Developmental Disabilities (DBHDD).

415 North Jackson Street Americus, GA 31709

Office 229-931-6988

Insurance programs accepted: Medicaid, Medicare, other insurance providers, and payment plan

Morning Star Children and Family Services, Inc.

[www.bhquestions@morningstarcfs.org](mailto:www.bhquestions@morningstarcfs.org)

Outpatient services are provided based on need but can include medication management, individual therapy, family therapy, community support services and links to resources.

402 Courtney Hodges Blvd. Ste. 201, Perry, GA 31069

Office (478) 287-1003

Insurance programs accepted: All Medicaid and PeachCare. Private pay services available.

## **Parent Resources Continued**

The National Child Traumatic Stress Network

[www.nctsn.org](http://www.nctsn.org)

Helps parents or caregivers understand the reasons for their children's behaviors and emotions, and prepare to help them cope.

National Suicide Prevention Lifeline

[www.suicidepreventionlifeline.org](http://www.suicidepreventionlifeline.org), 1-800-273-TALK (8255) or chat at [suicidepreventionlifeline.org](http://suicidepreventionlifeline.org)

Free confidential, 24-hour hotline, free materials

Society for the Prevention of Teen Suicide

[www.sptsusa.org](http://www.sptsusa.org)

Founded in 2005 by Scott Fritz and Don Quigley, two friends who lost teenaged children to suicide to reduce the number of youth suicides and attempted suicides.

Substance Abuse and Mental Health Services Administration (SAMHSA)

[www.samhsa.gov](http://www.samhsa.gov) 1-800-662-HELP (4357), TTY: 1-800-487-4889

Their mission is to reduce the impact of substance abuse and mental illness on our communities.

Suicide Prevention Resource Center

[www.sprc.org](http://www.sprc.org)

Resources for states, on-line library, best practices registry

The Trevor Project

[www.thetrevorproject.org](http://www.thetrevorproject.org)

The leading national organization providing crisis intervention and suicide prevention services to lesbian, gay, bisexual, transgender and questioning (LGBTQ) young people ages 13-24.



**Also, be sure to check with your insurance to see which area providers are in-network for ongoing counseling services.**

## **Appendix F**

### **Suicide Warning Signs**

The following signs may mean someone is at risk for suicide. The risk of suicide is greater if a behavior is new or has increased and if it seems related to a painful event, loss, or change. If you or someone you know exhibits any of these signs, seek help as soon as possible by calling the Georgia Crisis and Access Line at 1-800-715-4225, the National Suicide Prevention Lifeline at [1-800-273-TALK](tel:1-800-273-TALK) (1-800-273-8255), or get him/her to your local Emergency Room.

- Talking about wanting to die or to kill themselves.
- Looking for a way to kill themselves, such as searching online or buying a gun
- Talking about feeling hopeless or having no reason to live.
- Talking about feeling trapped or in unbearable pain.
- Talking about being a burden to others.
- Increasing the use of alcohol or drugs.
- Acting anxious or agitated; behaving recklessly.
- Sleeping too little or too much.
- Withdrawing or isolating themselves.
- Showing rage or talking about seeking revenge.
- Displaying extreme mood swings.

## **Appendix G**

### **What You Can Do**

If you believe someone may be thinking about suicide:

- Ask them if they are thinking about killing themselves. (This will not put the idea into their head or make it more likely that they will attempt suicide.)
- Listen without judging and show you care.
- Stay with the person (or make sure the person is in a private, secure place with another caring person) until you can get further help.
- Remove any objects that could be used in a suicide attempt.
- Call Georgia Crisis & Access Line 1-800-715-4225 or text Text “hello” to 741741 or call SAMHSA’s National Suicide Prevention Lifeline at 1-800-273-TALK (1-800-273-8255) and follow their guidance.
- If danger for self-harm seems imminent, call 911.

## Appendix H

### Individual Safety Plan Guide

#### Issues and Options Surrounding a Student’s Return to School Following a Suicide-related Absence

Students who have made a suicide attempt are at increased risk to attempt to harm themselves again. Appropriate handling of the re-entry process following a suicide attempt is an important part of suicide prevention. School personnel can help returning students by directly involving them in planning for their return to school. This involvement helps the student to regain some sense of control. Confidentiality is extremely important in protecting the student and enabling school personnel to provide assistance. Although necessary for effective assistance, it is often difficult to obtain information on the student’s condition. If possible, secure a signed release from parents/guardians to communicate with the student’s therapist/counselor. Meeting with parents about their child prior to his or her return to school is vital to making decisions concerning needed supports and the student’s schedule. Any number of issues are likely to surface and will need to be considered on a case-by-case basis and addressed at the re-entry planning session. It is very likely that some school staff, the family, the mental health professional, and the student will express concerns. The more common issues are listed in this document.

1. Issue: Social and peer relations  
Options:
  - Place the student in a school-based support group, peer helpers program, or buddy system.
  - Arrange for a transfer to another school if indicated.

- Be sensitive to the need for confidentiality and how to restrict gossip.
2. Issue: Transition from the hospital setting
- Options:
- Visit the student in the hospital or at home to begin the re-entry process with permission from the parents/guardians.
  - Consult with the student to discuss what support he or she feels is needed to make a more successful transition. Discuss what information faculty may need to facilitate a smooth re-entry.
  - Request permission to attend the treatment planning meetings and the hospital discharge conference.
  - Arrange for the student to work on school assignments while in the hospital.
  - Include the therapist/counselor in the school re-entry planning meeting.
3. Issue: Academic concerns on return to school
- Options:
- Ask the student about his or her academic concerns and discuss potential options.
  - Arrange tutoring from peers or teachers.
  - Modify the schedule and adjust the course load to relieve stress.
  - Allow makeup work to be adjusted and extended without penalty.
  - Monitor the student's progress.
4. Issue: Medication
- Options:
- Alert the school nurse to obtain information regarding prescribed medication and possible side effects.
  - Notify teachers if significant side effects are anticipated.
  - Follow the policy of having the school nurse monitor and dispense all medication taken by the student at school.
5. Issue: Family concerns (denial, guilt, lack of support, social embarrassment, anxiety, etc.)
- Options:
- Schedule a family conference with designated school personnel or home-school coordinator to address concerns.
  - Include parents in the re-entry planning meeting.
  - Reinforce the fact that the information the school needs to assist the student is limited to facilitating optimal school adjustment and performance, and does not include personal details of emotional distress.
  - Refer the family to an outside community agency or private practitioners for family counseling services.

- Include information about community agencies with a sliding fee scale.
6. Issue: Behavior and attendance problems
- Options:
- Meet with teachers to help them anticipate appropriate limits and consequences of behavior.
  - Discuss concerns and options with the student.
  - Consult with discipline administrator.
  - Request daily attendance reports from the attendance office.
  - Schedule home visits or regular parent conferences to review attendance and discipline records.
  - Arrange for counseling for the student.
  - Place the student on a sign-in/sign-out attendance sheet to be signed by the classroom teachers and returned to the attendance office at the end of the school day.

7. Issue: Ongoing support\*
- Options:
- Assign a school liaison to meet regularly with the student at established times. Try to assign someone who already has a relationship with the student. Talk to the student about his or her adjustment.
  - Maintain contact with the therapist and parents.
  - Ask the student to check in with the school counselor daily/weekly.
  - Utilize established support systems, student assistance teams, support groups, friends, clubs, and organizations.
  - Schedule follow-up sessions with the school psychologist or home-school coordinator.
  - Provide information to families regarding available community resources when school is not in session.

\* In the event that a student loses a family member to suicide, school personnel should understand that suicide evokes a special, complicated grief and most of the ongoing support considerations mentioned in #7 would also apply.

Information obtained from <http://www.sptsusa.org/educators>

© 2009 by Hazelden Foundation. All rights reserved. Duplicating this page for personal or group use is permissible. P1-3

**TAYLOR COUNTY SCHOOL DISTRICT  
INDIVIDUAL SAFETY PLAN**

**Plan should consider information and recommendations from each team member and any supporting documentation.**

<b>Name:</b>	<b>Time In:</b>	<b>Time Out:</b>	
<b>Date Plan Completed:</b>			
<b>Location:</b>			

<b>WHAT'S WORKING / WHAT'S NOT WORKING:</b>
Working:
Not Working:

**GOAL:** *(Ensure that this is an outcome desired by the individual, in own words and not a goal belonging to others).*

**WHERE AM I NOW IN THE PROCESS OF ACHIEVING THIS GOAL?** *(Include progress on goals over the past years, as applicable).*

**JUSTIFICATION/OBSERVATION/CHARACTERISTICS FOR THIS GOAL** *(How will I know I have achieved the goal?):*

**WHAT:** *(Objectives for goal)*

**HOW:** *(Interventions for objectives)*

**PROGRESS TOWARD GOAL AND JUSTIFICATION FOR CONTINUATION OR DISCONTINUATION OF GOAL:** *(How will the goal be identified as having been met? ie: time limited, or revision and renewal date)*

**\*\* Copy and use as many pages as needed.**

**PLAN SIGNATURES**

<hr/>	<hr/>
<b>STUDENT SIGNATURE</b>	<b>Date</b>

<b>SIGNATURES OF OTHER TEAM MEMBERS PARTICIPATING IN DEVELOPMENT OF THE PLAN:</b>	
Other Team Member (Name/Relationship): _____	Date: <u>  </u> / <u>  </u> / <u>  </u>
Other Team Member (Name/Relationship): _____	Date: <u>  </u> / <u>  </u> / <u>  </u>
Other Team Member (Name/Relationship): _____	Date: <u>  </u> / <u>  </u> / <u>  </u>



Other Team Member (Name/Relationship): _____	Date: ___ / ___ / ___
Other Team Member (Name/Relationship): _____	Date: ___ / ___ / ___
Other Team Member (Name/Relationship): _____	Date: ___ / ___ / ___
Other Team Member (Name/Relationship): _____	Date: ___ / ___ / ___
Other Team Member (Name/Relationship): _____	Date: ___ / ___ / ___

## Resources

- [Preventing Suicide: A Toolkit for High Schools](#)
- [After a Suicide: A Toolkit for Schools](#)
- [Georgia Crisis & Access Line: 1-800-715-4225](#)
- [National Suicide Prevention Lifeline: 1-800-273-8255](#)
- [Society for the Prevention of Teen Suicide](#)
- [American Foundation for Suicide Prevention](#)
- [Georgia Disaster Mental Health](#)
- [The National Child Traumatic Stress Network](#)
- [American Association of Suicidology](#)
- [Substance Abuse and Mental Health Services Administration \(SAMHSA\)](#)
- [Suicide Prevention Resource Center](#)
- [FERPA and the Disclosure of Student Information Related to Emergencies and Disasters](#)
- [Anxiety and Depression Association of America](#)

## **Acknowledgements**

The development of this plan would not have been possible without the extensive contributions from the following individuals, agencies, organizations and resources:

- Richard Woods, State School Superintendent
- Frank W. Berry, Commissioner, Department of Behavioral Health and Developmental Disabilities
- Garry McGiboney, Georgia Department of Education
- Howard Hendley, Georgia Department of Education
- Stacey Suber-Drake, Georgia Department of Education
- Jeff Hodges, Georgia Department of Education
- Marilyn Watson, Georgia Department of Education
- Myrel Seigler, Georgia Department of Education

- Maria Grovner, Georgia Department of Education
- Missy Smith, Georgia Department of Education
- Travis Fretwell, Department of Behavioral Health and Developmental Disabilities
- Chris Wood, Department of Behavioral Health and Developmental Disabilities
- Sally vander Straeten, Department of Behavioral Health and Developmental Disabilities
- Michelle Zelaya, Department of Behavioral Health and Developmental Disabilities
- Gwinnett County Schools, Office of Advisement and Counseling
- Cobb County Schools, Prevention / Intervention Center
- Douglas County Schools, Office of Student Services
- Substance Abuse and Mental Health Services Administration. **Preventing Suicide: A Toolkit for High Schools**. HHS Publication No. SMA-12-4669. Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration, 2012.
- American Foundation for Suicide Prevention and Suicide Prevention Resource Center. 2011. **After a Suicide: A Toolkit for Schools** . Newton, MA: Education Development Center, Inc.