#### 2022-2023 Basketball Signup Checklist

o Physical Evaluation

o Read Sudden Cardiac Pamphlet

o Read Concussion Fact Sheet

o Signed Athletic Permission and Emergency Form

\*\*\* There is no fee for Basketball\*\*\*

ALL PHYSICALS FOR
BASKETBALL MUST BE
HANDED INTO THE
COPELAND MAIN OFFICE
BY:

Friday, November 4th

NO LATE PHYSICALS CAN BE ACCEPTED



TRYOUTS FOR BASKETBALL
WILL TAKE PLACE ON
MONDAY NOVEMBER 14<sup>TH</sup>
AND TUESDAY NOVEMBER
15TH

# Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

# Collaborating Agencies:

## **American Academy of Pediatrics** New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 p) 609-842-0014 (f) 609-842-0015



## **American Heart Association**

www.aapnj.org

I Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



# New Jersey Department of Education

/www.state.nj.us/education Frenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500



# New Jersey Department of Health

Frenton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837 P. O. Box 360



## Lead Author: American Academy of Pediatrics, **New Jersey Chapter**

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses

Christene DeWitt-Parker, MSN, CSN, RN; Revised 2014: Nancy Curry, EdM;

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Lakota Kruse, MD, MPH; Susan Martz, EdM; -ouis Teichholz, MD; Perry Weinstock, MD

Learn and Live

Association American Heart

### ATHLETES CARDIA SUDDE DEATH


Sudden Cardiac Death The Basic Facts on in Young Athletes



American Academy of Pediatrics DEDICATED TO THE HEALTH OF ALL CHILDREN\*







SUDDEN CARDIAC DEATH

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death in the young athlete?

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the result of an unexpected failure of proper pumping adequately, the athlete quickly is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

## How common is sudden death in young athletes?

Sudden cardiac death in young athletes is The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

# Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

## SUDDEN CARDIAC DEATH IN YOUNG ATHLETES What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

# Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

# expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html

# When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

# Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

**Concussions affect each child and teen differently.** While most children and teens with a concussion feel better within a couple of weeks, some will have symptoms for months or longer. Talk with your children's or teens' health care provider if their concussion symptoms do not go away or if they get worse after they return to their regular activities.



#### Plan ahead.

What do you want your child or teen to know about concussion?

### What Are Some More Serious Danger Signs to Look Out For?

In rare cases, a dangerous collection of blood (hematoma) may form on the brain after a bump, blow, or jolt to the head or body and can squeeze the brain against the skull. Call 9-1-1 or take your child or teen to the emergency department right away if, after a bump, blow, or jolt to the head or body, he or she has one or more of these danger signs:

- · One pupil larger than the other.
- Drowsiness or inability to wake up.
- A headache that gets worse and does not go away.
- Slurred speech, weakness, numbness, or decreased coordination.
- Repeated vomiting or nausea, convulsions or seizures (shaking or twitching).
- Unusual behavior, increased confusion, restlessness, or agitation.
- Loss of consciousness (passed out/knocked out). Even a brief loss of consciousness should be taken seriously.



You can also download the CDC *HEADS UP* app to get concussion information at your fingertips. Just scan the QR code pictured at left with your smartphone.

### What Should I Do If My Child or Teen Has a Possible Concussion?

As a parent, if you think your child or teen may have a concussion, you should:

- 1. Remove your child or teen from play.
- 2. Keep your child or teen out of play the day of the injury. Your child or teen should be seen by a health care provider and only return to play with permission from a health care provider who is experienced in evaluating for concussion.
- 3. Ask your child's or teen's health care provider for written instructions on helping your child or teen return to school. You can give the instructions to your child's or teen's school nurse and teacher(s) and return-to-play instructions to the coach and/or athletic trainer.

Do not try to judge the severity of the injury yourself. Only a health care provider should assess a child or teen for a possible concussion. You may not know how serious the concussion is at first, and some symptoms may not show up for hours or days. A child's or teen's return to school and sports should be a gradual process that is carefully managed and monitored by a health care provider.

Children and teens who continue to play while having concussion symptoms or who return to play too soon—while the brain is still healing—have a greater chance of getting another concussion. A repeat concussion that occurs while the brain is still healing from the first injury can be very serious and can affect a child or teen for a lifetime. It can even be fatal.

Revised 12/2015



To learn more, go to www.cdc.gov/HEADSUP

### A Fact Sheet for **YOUTH SPORTS PARENTS**



This sheet has information to help protect your children or teens from concussion or other serious brain injury.

#### What Is a Concussion?

A concussion is a type of traumatic brain injury—or TBI—caused by a bump, blow, or jolt to the head or by a hit to the body that causes the head and brain to move quickly back and forth. This fast movement can cause the brain to bounce around or twist in the skull, creating chemical changes in the brain and sometimes stretching and damaging the brain cells.

### How Can I Help Keep My Children or Teens Safe?

Sports are a great way for children and teens to stay healthy and can help them do well in school. To help lower your children's or teens' chances of getting a concussion or other serious brain injury, you should:

- Help create a culture of safety for the team.
  - > Work with their coach to teach ways to lower the chances of getting a concussion.
  - > Emphasize the importance of reporting concussions and taking time to recover from one.
  - > Ensure that they follow their coach's rules for safety and the rules of the sport.
  - > Tell your children or teens that you expect them to practice good sportsmanship at all times.
- When appropriate for the sport or activity, teach your children or teens that they must wear a helmet to lower the chances of the most serious types of brain or head injury.
   There is no "concussion-proof" helmet. Even with a helmet, it is important for children and teens to avoid hits to the head.

#### **How Can I Spot a Possible Concussion?**

Children and teens who show or report one or more of the signs and symptoms listed below—or simply say they just "don't feel right" after a bump, blow, or jolt to the head or body—may have a concussion or other serious brain injury.

#### Signs Observed by Parents

- · Appears dazed or stunned.
- Forgets an instruction, is confused about an assignment or position, or is unsure of the game, score, or opponent.
- · Moves clumsily.
- · Answers questions slowly.
- · Loses consciousness (even briefly).
- Shows mood, behavior, or personality changes.
- Can't recall events prior to or after a hit or fall.

#### Symptoms Reported by Children and Teens

- Headache or "pressure" in head.
- · Nausea or vomiting.
- Balance problems or dizziness, or double or blurry vision.
- · Bothered by light or noise.
- Feeling sluggish, hazy, foggy, or groggy.
- Confusion, or concentration or memory problems.
- · Just not "feeling right," or "feeling down."

**Talk with your children and teens about concussion.** Tell them to report their concussion symptoms to you and their coach right away. Some children and teens think concussions aren't serious or worry that if they report a concussion they will lose their position on the team or look weak. Remind them that it's better to miss one game than the whole season.





ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

#### ■ PREPARTICIPATION PHYSICAL EVALUATION LICTORY FORM

ame			Date of birth			
	Age Grade School Sport(s)					
Medicines and Allergies: Please list all of the prescription and over-	the-cou	inter me	edicines and supplements (herbal and nutritional) that you are currently	taking		
Do you have any allergies?	tify spe					
☐ Medicines ☐ Pollens			□ Food □ Stinging Insects		-	
xplain "Yes" answers below. Circle questions you don't know the ans	wers to	).	8)			
GENERAL QUESTIONS	Yes	No	MEDICAL QUESTIONS	Yes	N	
Has a doctor ever denied or restricted your participation in sports for any reason?			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		L	
Do you have any ongoing medical conditions? If so, please identify			27. Have you ever used an inhaler or taken asthma medicine?		_	
below: ☐ Asthma ☐ Anemia ☐ Diabetes ☐ Infections Other:			28. Is there anyone in your family who has asthma?	-	⊢	
3. Have you ever spent the night in the hospital?			29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?		L	
Have you ever had surgery?			30. Do you have groin pain or a painful bulge or hernia in the groin area?			
HEART HEALTH QUESTIONS ABOUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		$\perp$	
5. Have you ever passed out or nearly passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?		_	
AFTER exercise?			33. Have you had a herpes or MRSA skin infection?	-	⊢	
Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise?			34. Have you ever had a head injury or concussion?  35. Have you ever had a hit or blow to the head that caused confusion,	-	$\vdash$	
7. Does your heart ever race or skip beats (irregular beats) during exercise?			prolonged headache, or memory problems?		L	
8. Has a doctor ever told you that you have any heart problems? If so,			36. Do you have a history of seizure disorder?			
check all that apply:   High blood pressure  A heart murmur			37. Do you have headaches with exercise?			
☐ High cholesterol         ☐ A heart infection           ☐ Kawasaki disease         Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		L	
Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, echocardiogram)			39. Have you ever been unable to move your arms or legs after being hit or falling?		L	
10. Do you get lightheaded or feel more short of breath than expected			40. Have you ever become ill while exercising in the heat?  41. Do you get frequent muscle cramps when exercising?		+	
during exercise?  11. Have you ever had an unexplained seizure?			42. Do you or someone in your family have sickle cell trait or disease?		╁	
12. Do you get more tired or short of breath more quickly than your friends			43. Have you had any problems with your eyes or vision?		T	
during exercise?			44. Have you had any eye injuries?			
HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	Yes	No	45. Do you wear glasses or contact lenses?		_	
13. Has any family member or relative died of heart problems or had an unexpected or unexplained sudden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		╙	
drowning, unexplained car accident, or sudden infant death syndrome)?			47. Do you worry about your weight?		↓_	
Does anyone in your family have hypertrophic cardiomyopathy, Marfan syndrome, arrhythmogenic right ventricular cardiomyopathy, long QT			48. Are you trying to or has anyone recommended that you gain or lose weight?		1	
syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic			49. Are you on a special diet or do you avoid certain types of foods?		T	
polymorphic ventricular tachycardia?		_	50. Have you ever had an eating disorder?			
15. Does anyone in your family have a heart problem, pacemaker, or implanted defibrillator?			51. Do you have any concerns that you would like to discuss with a doctor?		1_	
16. Has anyone in your family had unexplained fainting, unexplained			FEMALES ONLY	Nor Th	1	
seizures, or near drowning?			52. Have you ever had a menstrual period?		1_	
BONE AND JOINT QUESTIONS	Yes	No	53. How old were you when you had your first menstrual period?	-	_	
17. Have you ever had an injury to a bone, muscle, ligament, or tendon that caused you to miss a practice or a game?			54. How many periods have you had in the last 12 months?  Explain "yes" answers here		_	
18. Have you ever had any broken or fractured bones or dislocated joints?						
19. Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches?					_	
20. Have you ever had a stress fracture?					_	
21. Have you ever had a stress fracture: 21. Have you ever been told that you have or have you had an x-ray for neck			-			
instability or atlantoaxial instability? (Down syndrome or dwarfism)						
Do you regularly use a brace, orthotics, or other assistive device?     Do you have a bone, muscle, or joint injury that bothers you?     Do any of your joints become painful, swollen, feel warm, or look red?						

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. 9-2681/0410

Signature of alhlele

### PREPARTICIPATION PHYSICAL EVALUATION THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Name Date of	birth	
Sex Age Grade School Sport(s)		
1. Type of disability		
Date of disability		
3. Classification (if available)		
Cause of disability (birth, disease, accident/trauma, other)		
5. List the sports you are interested in playing		
	Yes	No
6. Do you regularly use a brace, assistive device, or prosthetic?		
7. Do you use any special brace or assistive device for sports?		
8. Do you have any rashes, pressure sores, or any other skin problems?		
9. Do you have a hearing loss? Do you use a hearing aid?		
10. Do you have a visual impairment?		
11. Do you use any special devices for bowel or bladder function?		
12. Do you have burning or discomfort when urinating?		
13. Have you had autonomic dysreflexia?		
14. Have you ever been diagnosed with a heat-related (hyperthermia) or cold-related (hypothermia) illness?	-	
15. Do you have muscle spasticity?		
16. Do you have frequent seizures that cannot be controlled by medication?		
Please indicate if you have ever had any of the following.		
Atlantoaxial instability	Yes	No
X-ray evaluation for atlantoaxial instability		
Dislocated joints (more than one)		
Easy bleeding		
Enlarged spleen		
5		
Henatitis		
Osteopenia or osteoporosis		
Osteopenia or osteoporosis Difficulty controlling bowel		
Osteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling In legs or feet  Weakness in arms or hands		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling ln legs or feet  Weakness in arms or hands  Weakness in legs or feet		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling ln legs or feet  Weakness in arms or hands  Weakness in legs or feet		
Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change In ability to walk Spina bifida		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina biffida  Latex allergy		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina bilida  Latex allergy		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina biffda		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina bilida  Latex allergy		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina bilida  Latex allergy		
Osteopenia or osteoporosis  Difficulty controlling bowel  Difficulty controlling bladder  Numbness or tingling in arms or hands  Numbness or tingling in legs or feet  Weakness in arms or hands  Weakness in legs or feet  Recent change in coordination  Recent change In ability to walk  Spina biffida  Latex allergy		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

#### PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Date of birth \_ Name **PHYSICIAN REMINDERS** 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you feel safe at your home or residence? Have you ever tried cigarettes, chewing tobacco, snuff, or dip? During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? Have you ever taken anabolic steroids or used any other performance supplement? • Have you ever taken any supplements to help you gain or lose weight or improve your performance? Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5–14). EXAMINATION ☐ Male ☐ Female Weight Height L 20/ Corrected □ Y □ N Vision R 20/ Pulse ABNORMAL FINDINGS NORMAL MEDICAL Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat Pupils equal Hearing Lymph nodes Heart a · Murmurs (auscultation standing, supine, +/- Valsalva) · Location of point of maximal impulse (PMI) · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b HSV, lesions suggestive of MRSA, tinea corporis Neurologic o MUSCULOSKELETAL Neck Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop \*Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. \*Consider GU exam if in private setting. Having third party present is recommended. Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for □ Not cleared □ Pending further evaluation □ For any sports □ For certain sports □ Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardlans). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)\_ Date of exam \_\_\_ Phone Signature of physician, APN, PA

### PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name	_ Sex □ M □ F Age	Date of birth
☐ Cleared for all sports without restriction		
☐ Cleared for all sports without restriction with recommendations for further e	valuation or treatment for	
□ Not cleared		
☐ Pending further evaluation		
☐ For any sports		
☐ For certain sports		
Reason		
Recommendations		
=		
EMERGENCY INFORMATION		
Allergies		
<del></del>		
Other information		
HCP OFFICE STAMP	SCHOOL PHYSICIAN:	
	Reviewed on	
	Approved Not A	Approved
	Signature:	
	J. L.	
I have examined the above-named student and completed the preparticular contraindications to practice and participate in the sport(s)	articipation physical evaluation. The second of the second	he athlete does not present apparent
and can be made available to the school at the request of the parel	its. If conditions arise after the at	lete has been cleared for participation.
the physician may rescind the clearance until the problem is resolution (and parents/guardians). $ \frac{1}{2} \int_{-\infty}^{\infty} \frac{dy}{y} dy $	red and the potential consequence	s are completely explained to the athlete
Name of physician advanced provides asset (ADA)		
Name of physician, advanced practice nurse (APN), physician assistant (PA		
Address		
Signature of physician, APN, PA		
Completed Cardiac Assessment Professional Development Module		
Date Signature		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

### Copeland Middle School ATHLETIC PERMISSION AND EMERGENCY FORM



NAME	GRADE
	SPORT
STREET	
TOWN & ZIP CODE	PHONE
PARENT/GUARDIAN (print)	
Work Phone	Cell
EMERGENCY CONTACTS:	¥
Name	Phone
Name	Phone
Name of Physician	Phone
Pertinent Medical Information (me	edical conditions, allergies, medications taken daily)
9-	
8-	
GIVE PERMISSION FOR THE SEEK MEDICAL TREATMENT	O GIVE MY CONSENT TO EMERGENCY PERSONNEL, I COPELAND MIDDLE SCHOOL COACHING STAFF TO FOR MY CHILD IN THE CASE OF AN INJURY OR ARTICIPATING IN SCHOOL SPONSORED ACTIVITIES.
SUDDEN CARDIAC ARREST I HEAD INJURY FACT SHEET. I	AVE RECEIVED AND READ THE SPORTS RELATED INFORMATION SHEET AND THE CONCUSSION AND AM AWARE THAT THE DISTRICT BOARD POLICY ON ON THE DISTRICT WEBSITE AND I HAVE READ IT.
Parent/Guardian Signature	Date
Student Signature	Date