District: Keep original and provide copy of both sides, along with Public Summary, to requestor at no charge.

Bangor Township Schools 3359 East Midland Road Bay City, Michigan 48706 Phone: (989)684-8121

Extension Form

Notice to Extend Response Time for FOIA Request Michigan Freedom of Information Act, Public Act 442 of 1976, MCL 15.231, et seq.

Request No.: Date Received:	Check if received via: ☐ Email ☐ Fax ☐ Other Electronic Method
Date of This Notice:	Date <u>delivered</u> to junk/spam folder:
(Please Print or Type)	Date discovered in junk/spam folder:
Name	Phone
Firm/Organization	Fax
Street	Email
City	State Zip
Request for: ☐ Copy ☐ Certified copy ☐ Record inspection ☐ Subscription to record issued on regular basis Delivery Method: ☐ Will pick up ☐ Will make own copies onsite ☐ Mail to address above ☐ Email to address above ☐ Deliver on digital media provided by the District:	
Record(s) You Requested: (Listed here or see attached copy of original request)	
We are extending the date to respond to your FOIA request for no more than 10 business days, until (month, day, year). Only one extension may be taken per FOIA request. If you have any questions regarding this extension, contact at	
Estimated Time Frame to Provide Records: (days or date) The time frame estimate is nonbinding upon the District, but the District is providing the estimate in good faith. Providing an estimated time frame does not relieve a public body from any of the other requirements of this act. Reason for Extension:	
□ 1. The District needs to search for, collect, or appropriately examine or review a voluminous amount of separate and distinct public records pursuant to your request. Specifically, the District must:	
2. The District needs to collect the requested public records from numerous field offices, facilities, or other establishments that are located apart from the District office. Specifically, the District must coordinate documents from the following locations:	
□ 3. Other (describe):	
Signature of FOIA Coordinator:	Date: