

Title: CareStart[™] COVID-19 ANTIGEN HOME TEST SHELF-LIFE EXTENSION CONFIRMATION

Date: January 20, 2022

To Whom It May Concern,

This letter is to inform you regarding the extension of the shelf-life expiration date of the Access Bio, Inc. *CareStart*[™] COVID-19 Antigen Home Test (EUA210314). As a part of the EUA requirement, the US Food and Drug Administration (FDA) requested Access Bio, Inc. to indicate shelf life of the product based on the real-time stability data.

To comply with the requirement, Access Bio, Inc. submitted the real-time stability data on December 1st, 2021, and the FDA granted nine (9) months of shelf-life at 1–30°C for the CareStart™ COVID-19 Antigen Home Test as of January 20th, 2022.

Attachment A lists the lot numbers of $CareStart^{TM}$ COVID-19 Antigen Home Test products labeled with six (6) months shelf-life. These products' shelf-life will now be extended to nine (9) months.

Name: Seungjae Baek

Job Title: Senior Managing Director

Customer Service

Signature



Attachment A

1. List of Lot Numbers printed with 6 months shelf life and new extended shelf life

Lot Numbers	Printed Shelf Life (6 Months)	Extended Shelf Life (9 Months)
CP21G01	DEC 2021	MAR 2022
		(2022-03-31)
CP21H01, CP21H02, CP21H03, CP21H04,	JAN 2022	APR 2022
CP21H05, CP21H06, CP21H07, CP21H08,		
CP21H09, CP21H15, CP21H16, CP21H17		(2022-04-30)
CP21J01, CP21J02, CP21J03, CP21J04,	FEB 2022	MAY 2022
CP21J05, CP21J06, CP21J07		(2022-05-31)
CP21K26, CP21K27, CP21K28, CP21K36,	MAR 2022 JUN 2022 (2022-06-3	IIIN 2022
CP21K37, CP21K38, CP21K39, CP21K40,		
CP21K51, CP21K52, CP21K53, CP21K54,		
CP21K55, CP21K56, CP21K57, CP21K58,		
CP21K59, CP21K61, CP21K62, CP21K63,		(2022-00-30)
CP21K64, CP21K65, CP21K66, CP21K67,		
CP21K68, CP21K69, CP21K70		
CP21L11, CP21L12, CP21L13, CP21L14,	APR 2022	JUL 2022 (2022-07-31)
CP21L17, CP21L18, CP21L19, CP21L20,		
CP21L31, CP21L32, CP21L33, CP21L34,		
CP21L35, CP21L36, CP21L37, CP21L38,		
CP21L39, CP21L40, CP21L41, CP21L42,		
CP21L43, CP21L44, CP21L45, CP21L46,		
CP21L47, CP21L48, CP21L49, CP21L50,		(2022-07-31)
CP21L51, CP21L52, CP21L53, CP21L54,		
CP21L55, CP21L56, CP21L57, CP21L58,		
CP21L60, CP21L61, CP21L62, CP21L63,		
CP21L69, CP21L77, CP21L78		
CP21M01, CP21M02, CP21M03, CP21M04,	MAY 2022 AUG 2022 (2022-08-31)	AUG 2022
CP21M05, CP21M06, CP21M07, CP21M08,		
CP21M09, CP21M10, CP21M11, CP21M12,		
CP21M13, CP21M14, CP21M15, CP21M16,		
CP21M17, CP21M18, CP21M19, CP21M20,		
CP21M21, CP21M22, CP21M23, CP21M24,		(2022-08-31)
CP21M25, CP21M26, CP21M27, CP21M28,		
CP21M29, CP21M30, CP21M41, CP21M42,		
CP21M43, CP21M44, CP21M45, CP21M46,		
CP21M47, CP21M48, CP21M49, CP21M50		
CP22A01, CP22A02, CP22A03, CP22A04,		SEP 2022
CP22A05, CP22A06, CP22A07, CP22A08,	JUN 2022	(2022-09-30)
CP22A09, CP22A10, CP22A11, CP22A12,		(2022-03-30)



65 Clyde Road, Suite A, Somerset, NJ 08873 U.S.A. Tel: +1-732-873-4040 || Fax: +1-732-873-4043 || Email: info@accessbio.net

CP22A13, CP22A14, CP22A15, CP22A21,	
CP22A22, CP22A23, CP22A24, CP22A25,	
CP22A26, CP22A27, CP22A28, CP22A29,	
CP22A30, CP22A31, CP22A32, CP22A43,	
CP22A44, CP22A45, CP22A46, CP22A47,	
CP22A48, CP22A49, CP22A50, CP22A51,	
CP22A56, CP22A57, CP22A58, CP22A59,	
CP22A60, CP22A61, CP22A62, CP22A63,	
CP22A64, CP22A65, CP22A66, CP22A67,	
CP22A68, CP22A69, CP22A70, CP22A71,	
CP22A72, CP22A73, CP22A74, CP22A75,	
CP22A86, CP22A87, CP22A88, CP22A89,	
CP22A90, CP22A91, CP22A92, CP22A93,	
CP22A94, CP22A95, CP22A96, CP22A97,	
CP22A98, CP22A99, CP22A100	