

Concussion and Head Injury Acknowledgement

Indianola Public Schools

In compliance with Oklahoma Statute Section 24-155 of Title 70, this acknowledgement form is to confirm that you have read and understand the CONCUSSION FACT SHEET provided to you by Indianola Public Schools related to potential concussions and head injuries occurring during participation in athletics.

I, _____, as a student-athlete who participates in
(Please Print Student Athlete's Name)
Indianola Public School athletics and I, _____ as the
(Please Print Parent/Legal Guardian's Name)
parent/legal guardian, have read the information material provided to us by Indianola Public Schools related to concussions and head injuries occurring during participation in athletic programs and understand the content and warnings.

Signature of Student Athlete

Date

Signature of Parent/Legal Guardian

Date

This form should be completed annually prior to the athlete's first practice and/or competition and be kept on file for one year beyond the date of signature in the principal's office or the office designated by the principal.


Concussion Facts

Parents & Caregivers




What is a concussion?

When an athlete gets their "bell rung" or gets "lit up" they have suffered a concussion. Concussions are a type of *traumatic brain injury (TBI)*. When a child or adolescent sustains a concussion, their brain may bounce or twist inside the skull, sometimes stretching or damaging brain cells and causing chemical changes within the brain. This movement interrupts the brain's functioning and can impact your child physically, emotionally, cognitively, and behaviorally.



How do concussions happen?

Concussions are caused by a bump, blow, hit, or jolt to the head or body that moves the head and brain rapidly back and forth. Common causes are falls and being hit against or by another person or object. Your child's head does not have to be struck to cause a concussion - a body-to-body hit has the potential to cause a concussion.



Can concussion risk be reduced?

YES! There are ways to reduce your child's risk of a concussion. Talk to your child about practicing good sportsmanship and following coaches' instructions for safe game play. Make sure bicycle, athletic, and ATV helmets fit properly and are worn consistently. While a helmet doesn't prevent a concussion, it does protect your child's head from more severe head injuries. Make sure your child's school and sports organizations have established concussion policies and protocols; they should have procedures in place for coach training and returning to learn and play after a concussion.



Can my child keep playing after a concussion?

The brain needs time to heal after a concussion. A youth athlete who *continues to play* or who *returns to play too soon* - before the brain has finished healing - has a greater chance of getting another concussion. **A repeat concussion that occurs while the brain is still healing can be very serious and can affect a child for a lifetime.** It can even be fatal. If you suspect your child has sustained a concussion during a practice or a game, make sure they are **immediately** removed from play. Do **not** allow your child to return to play on the same day as the injury.



SIGNS AND SYMPTOMS

There are many signs and symptoms of a concussion. **Concussion symptoms may appear minutes, hours, or days after the initial injury.** Symptoms may be physical, emotional, behavioral, or cognitive (affect thinking). You may observe these signs in your child or your child may report symptoms to you.

Physical

- Headache or pressure in the head
- Dizziness, balance problems
- Nausea or vomiting
- Sensitivity to noise, ringing in ears
- Sensitivity to light, blurry or double vision
- Feels tired
- Tingling
- Does not "feel right"
- Seems dazed, stunned

Emotional/Behavioral

- Becomes irritable
- Becomes sad or depressed
- More emotional than usual
- Anxious or nervous
- Personality or behavioral changes, such as becoming impulsive

Cognitive

- Trouble thinking clearly
- Trouble concentrating
- Trouble remembering, can't recall events before or after the hit
- Feels sluggish, hazy, foggy, or groggy
- Feels "slowed down"
- Repeats questions or answers questions more slowly
- Confusion
- Forgets routine things

DANGER SIGNS

If one or more of these signs emerges after a hit to the head or body, **IMMEDIATELY** call 911 or take your child to the nearest emergency room.

- One pupil larger than the other
- Drowsy or cannot wake up
- Headache that gets worse and does not go away
- Slurred speech, weakness, numbness
- Decreased coordination
- Loss of consciousness
- Repeated vomiting or ongoing nausea
- Shaking or twitching (convulsions or seizures)
- Unusual behavior, increased confusion, restlessness, or agitation

Learn more: concussion.health.ok.gov | 405.271.3430

This publication was supported by Cooperative Agreement 5 NU17CE924843-04-00 funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services. This publication was issued by the Oklahoma State Department of Health (OSDH), an equal opportunity employer and provider. 6,000 copies were printed by Docutech at a cost of \$1,800. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries in compliance with section 3-114 of Title 65 of the Oklahoma Statutes and is available for download at www.documents.ok.gov. | www.health.ok.gov. July 2020



OKLAHOMA
State Department
of Health




RETURN TO PLAY:

BACK TO SPORTS AFTER A CONCUSSION



Before you begin:



An athlete's progression through the return to play protocol should be monitored by a designated return to play case manager, such as a coach, athletic trainer, or school nurse.



Each step should take a *minimum* of 24 hours; it should take at least one week to proceed through the full return to play protocol. This process can take several weeks or months, depending on the individual and the injury.



If concussion symptoms return at any step during the return to play process, the protocol must be stopped. The athlete may only resume return to play activities when they have been symptom-free for a *minimum* of 24 hours. Return to play progression must resume at the step *before* symptoms reemerged.

Example: An athlete going through return to play protocol has progressed to Step 5 (practice and contact) when concussion symptoms return. Return to play activities must be halted until the symptoms stop and remain absent for at least 24 hours. At that point, the return to play protocol resumes; however, the athlete restarts at Step 4 (heavy non-contact activity), the step before concussion symptoms reemerged.

WHEN IN DOUBT, SIT THEM OUT

Athletes should not begin the return to play protocol on the same day of the injury. A licensed health care professional must evaluate the athlete and provide written clearance for the athlete to return to activity. Continuing to play, or returning to play too soon, after a concussion increases the chances of sustaining another concussion. A repeat concussion that occurs while the brain is still healing from the first injury can be very serious and can affect an athlete for a lifetime. It can even be fatal.

RETURN TO PLAY PROTOCOL

STEP 1: BACK TO REGULAR ACTIVITIES



Goal: Complete normal activities and remain symptom-free for at least 24 hours



STEP 2: LIGHT AEROBIC ACTIVITY



Goal: Minimal increase in heart rate
Time: 5-10 minutes

Feels easy: walking \leq 2 mph, stretching exercises
NO weight lifting, resistance training, jumping, or hard running.



STEP 3: MODERATE ACTIVITY




Goal: Noticeable increase in heart and respiratory rates with limited body and head movement

Time: Less time than typical routine

Feels fairly easy to somewhat hard: brisk walking (15 min/mile)
NO head impact activities. NO helmet or other equipment use.



STEP 4: HEAVY NON-CONTACT ACTIVITY



Goal: High-intensity activity without contact

Time: Close to typical routine

Non-contact training drills in full uniform, weight lifting, resistance training, running, high-intensity stationary cycling.



STEP 5: PRACTICE AND CONTACT



Goal: Return to practice, full contact as applicable to sport



STEP 6: RETURN TO PLAY



Goal: Return to full game play, practice, and competition



Learn more: concussion.health.ok.gov | 405.271.3430

This publication was supported by Cooperative Agreement 5 NU17CE924843-04-00 funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services. This publication was issued by the Oklahoma State Department of Health (OSDH), an equal opportunity employer and provider. 6,000 copies were printed by Docutech at a cost of \$1,800. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries in compliance with section 3-114 of Title 65 of the Oklahoma Statutes and is available for download at



OKLAHOMA
State Department
of Health



RETURN TO LEARN PROTOCOL

OVERVIEW

Every student will experience a concussion differently. One student may spend an extended time in one return to learn phase, while another may not need a particular phase at all.



PHASE 1

No school

A licensed health care provider should provide written clearance for a student to return to school after a concussion. A concussion management team should be assembled and begin to develop a plan for the student.



PHASE 2

Half-day attendance with accommodations

The concussion management team leader should meet with the student and their parents to review information from the health care provider (e.g., current symptoms and recommended accommodations), concussion management team member roles and responsibilities, and the initial concussion management plan.



PHASE 3

Full-day attendance with accommodations

Monitor the student for worsening or reemerging symptoms during class. The concussion management team should be communicating on a regular basis to evaluate progress and collaborating to revise the concussion management plan as needed based on any changes in symptoms or symptom severity.



PHASE 4

Full-day attendance without symptoms

When the student can participate in all classes and has been symptom-free for at least 24 hours, they may begin the return to play protocol for physical activities at school (e.g., gym, PE classes, athletics participation).



PHASE 5

Full school and extracurricular involvement

For most students, accommodations for concussion recovery are temporary and informal. When recovery is prolonged, however, formal support services (e.g., an individualized education plan, a response to intervention protocol, or 504 plan) may be needed to support the student.

To learn more about supporting students returning to learn after a concussion, visit <https://concussion.health.ok.gov>

Contact us: concussion@health.ok.gov | 405.271.3430

This publication was supported by Cooperative Agreement 5 NU17CE924843-04-00 funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services. This publication was issued by the Oklahoma State Department of Health (OSDH), an equal opportunity employer and provider. 6,000 copies were printed by Docutech at a cost of \$1,800. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries in compliance with section 3-114 of Title 65 of the Oklahoma Statutes and is available for download at



OKLAHOMA
State Department
of Health



RETURN TO LEARN:

BACK TO CLASS AFTER A CONCUSSION

WHAT IS A CONCUSSION & HOW CAN IT IMPACT LEARNING?

A concussion is a type of traumatic brain injury (TBI) caused by a bump, blow, or jolt to the head or body that moves the head and brain rapidly back and forth, causing the brain to bounce or twist in the skull. Concussion symptoms can impact a student physically, cognitively, and emotionally. These symptoms may disrupt the student's ability to learn, concentrate, keep track of assignments, process and retain new information, tolerate light and noise, and appropriately regulate emotions and behaviors. School professionals play a vital role in creating a culture that values safety and open communication, encourages students to report symptoms, and supports students throughout the process of recovery. Teachers and other school staff can provide symptom-based classroom accommodations while the student's brain continues to heal from the concussion. Supports can be lifted as the brain heals and concussion symptoms no longer keep the student from full classroom participation.

After a concussion, it is as important to rest the brain as it is the body. Students will need an initial break, usually 2 to 3 days, from cognitive activities such as problem solving, concentrating or heavy thinking, learning new things, memorizing, reading, texting, computer or mobile device time, video games, and watching television. Upon clearance from their health care provider, students can gradually return to learning activities.

Providing appropriate support for a student returning to school after a concussion requires a collaborative team approach. Teachers, school counselors, school nurses, school administration, parents/guardians, the student, and the student's health care provider are examples of these team members. Continuous communication between students, caregivers, health care providers, and school staff is vital to ensure the student's individual needs are understood and consistently met by their support team throughout recovery.

CONCUSSION SIGNS TO WATCH FOR IN THE CLASSROOM

- Increased problems paying attention or concentrating
- Increased problems remembering or learning new information
- Longer time needed to complete tasks or assignments
- Difficulty organizing tasks or shifting between tasks
- Inappropriate or impulsive behavior during class
- Greater irritability or more emotional than usual
- Less ability to cope with stress
- Difficulties handling a stimulating school environment (lights, noise, etc.)
- Physical symptoms (headache, fatigue, nausea, dizziness)

EXAMPLES OF SCHOOL SUPPORTS BASED ON CONCUSSION SYMPTOMS



- Reduce assignments and homework to key tasks only and base grades on adjusted work.
- Provide extra time to work on assignments and take tests.
- Provide written instructions, study guides, and/or help for classwork.
- Limit tests to one per day.
- Allow students to demonstrate understanding of a concept orally instead of in writing.
- Provide class notes and/or allow students to use a computer or tape recorder to record classroom information.



- Allow time to visit the school nurse for treatment of headaches or other symptoms.
- Provide rest breaks.
- Provide extra time to go from class to class to avoid crowds.
- If students are bothered by light, allow sunglasses, blue light blocking glasses, or sitting in a less bright location (e.g., draw blinds, sit them away from windows).
- If students are bothered by noise, provide noise-reducing headphones and a quiet place to study, test, or spend lunch or recess.
- Do not substitute concentration activities for physical activity (e.g., do not assign reading instead of PE).



- Develop an emotional support plan (e.g., identify an adult with whom they can talk if feeling overwhelmed).
- Locate a quiet place students can go when feeling overwhelmed.
- Students may benefit from continued involvement in certain extracurricular activities, such as organizational or academic clubs, as approved by their health care provider.
- Arrange preferential seating, such as moving the student away from windows (e.g., bright light) or talkative peers, or closer to the teacher.

**BIOLOGICAL SEX AT BIRTH AFFIDAVIT
FOR STUDENTS UNDER THE AGE OF 18**

In accordance with 70 Okla. Stat. §27-106, prior to the beginning of each school year the parent or legal guardian of a student under the age of 18 competing on a school athletic team is required to sign an affidavit acknowledging the biological sex of the student at birth. By signing this affidavit the parent or legal guardian is affirming the biological sex of the child at birth in compliance with State Statute. If the student is 18 years of age or older, the student who competes on a school athletic team shall sign an affidavit acknowledging his or her biological sex at birth.

STATE OF OKLAHOMA §
 §
COUNTY OF _____ §

I, _____, the undersigned person, being first duly sworn, on oath, state that I am the parent or legal guardian of _____, who is enrolled as a student at _____ School, and who intends to compete on a school athletic team during the upcoming school year. I acknowledge that _____ was the biological sex of the student at birth.

I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct.

Date and Place

Signature