

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER:

1443483

DATE RECEIVED: 12/03/2022

REPORT DATE:

12/06/2022

SCOTT BULLOCK 520 THIRD STREET EAST HUNTINGTON, OR 97907

TEST LOCATION

520 THIRD STREET EAST

BAKER

HUNTINGTON, OR 97907

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

VIAL#	ROOM TESTED	DATE OPENED	DATE CAPPED	DATE ANALYZED	RADON LEVEL
5091588	BASEMENT FLOOR CAFETERIA	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 3:21 AM	0.7 pCi/L
5082629	BASEMENT FLOOR CAFETERIA	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 3:31 AM	0.8 pCi/L

AVERAGE RADON LEVEL (average result of two tests): 0.8 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at http://njradon.org/download/mitbas.pdf. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 8 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS NRPP CERT # 109347 RT NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028 PRO-LAB NEHA ID # 101461AL James E. McDonnell IV

Jomes & Mr Carell



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER:

1443478

DATE RECEIVED: 12/03/2022 REPORT DATE:

12/06/2022

SCOTT BULLOCK 520 THIRD STREET EAST HUNTINGTON, OR 97907

TEST LOCATION

520 THIRD STREET EAST

BAKER

HUNTINGTON, OR 97907

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

VIAL#	ROOM TESTED	DATE OPENED	DATE CAPPED	DATE ANALYZED	RADON LEVEL
4999473	1ST FLOOR LIBRARY	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 8:31 AM	< 0.3 pCi/L **
4999464	1ST FLOOR LIBRARY	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 8:41 AM	< 0.3 pCi/L **

AVERAGE RADON LEVEL (average result of two tests): 0.3 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at http://njradon.org/download/mitbas.pdf. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 8 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS NRPP CERT # 109347 RT NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028 PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV

Jomes & Gr Carell

^{**} One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1443504 DATE RECEIVED: 12/03/2022 REPORT DATE: 12/06/2022

TEST LOCATION

520 THIRD STREET EAST

OR

HUNTINGTON, OR 97907

SCOTT BULLOCK 520 THIRD STREET EAST HUNTINGTON, OR 97907

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL#</u>	ROOM TESTED	DATE OPENED	DATE CAPPED	DATE ANALYZED	RADON LEVEL
5258131	1ST FLOOR MUSIC CLASSROOM	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 6:21 AM	0.4 pCi/L
5258210	1ST FLOOR MUSIC CLASSROOM	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 6:31 AM	0.7 pCi/L

AVERAGE RADON LEVEL (average result of two tests): 0.6 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at http://njradon.org/download/mitbas.pdf. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 8 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS NRPP CERT # 109347 RT NRSB CERT # 18SS007 PRO-LAB NRSB # ARL0028 PRO-LAB NEHA ID # 101461AL James E. McDonnell IV

Jones & M. Corell



1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1443506-A1
DATE RECEIVED: 12/03/2022
REPORT DATE: 12/06/2022

TEST LOCATION

520 THIRD STREET EAST

OR

HUNTINGTON, OR 97907

SCOTT BULLOCK 520 THIRD STREET EAST HUNTINGTON, OR 97907

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

VIAL#	ROOM TESTED	DATE OPENED	DATE CAPPED	DATE ANALYZED	RADON LEVEL
5082555	1ST FLOOR GYMNASIUM	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 6:51 AM	2.1 pCi/L
5082705	1ST FLOOR GYMNASIUM	Nov 25, 2022 8:00 AM	Nov 28, 2022 7:00 AM	Dec 04, 2022 6:41 AM	2.2 pCi/L

AVERAGE RADON LEVEL (average result of two tests): 2.1 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at http://njradon.org/download/mitbas.pdf. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 8 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS NRPP CERT # 109347 RT NRSB CERT # 18SS007 PRO-LAB NRSB # ARL0028 PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV

Jones & M. Coull

^{*}This is an amended report to Test ID Number 1443506

^{*}A(n) at the end of Test ID indicates amended report number.