

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



CLASS A: Compressed gas.
WHMIS Class D-2: Material causing other toxic effects.

HCS Class: Irritating substance.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Section 1. Che	Section 1. Chemical Product and Company Identification			
Product Name/ Trade name	Light Scent, Ocean Breeze Scent	Code		024
Synonym	Air Freshener	CAS#		Not applicable.
Chemical Family	Not available.	Validation 1	Date	4/5/2006
Chemical Formula	Not applicable.	Print Date		4/5/2006
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Che	mtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.			
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		_	tective Clothing

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Liquified Petroleum Gas	68476-85-7	25-30	TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL) [United States]	Not available.
Petroleum Distillates	64741-65-7	5-10	Not available.	Not available.
Sodium Benzoate	532-32-1	5-10	Not available.	Not available.

Section 3. Hazards Identification		
Potential Acute Health Effects	This product is an eye irritant. May cause mild irritation to the skin.	
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. First Aid Measures		
Eye Contact	In case of contact with eyes, rinse immediately with plenty of water.	
Skin Contact	Wash gently and thoroughly the contaminated skin with running water and non-abrasive soap.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	Do not induce vomiting. NEVER give an unconscious person anything to ingest. Have conscious person drink several glasses of water or milk. Seek medical attention.	

6845-015-022

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	Use DRY chemicals, CO2, alcohol foam or water spray.	
Special Remarks on Fire Hazards	Water may be used to cool closed containers.	
Special Remarks on Explosion Hazards	Not available.	

Section 6. Accidental Release Measures		
Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.	
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Handling and Storage		
Precautions	Avoid contact with eyes.	
Incompatibility	oxidizing materials	
Storage	Keep away from heat. Keep out of reach of children. For Institutional and Commercial Use	

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
Eyes	s Safety glasses.
Body	No special protective clothing is required.
Respiratory	No special protective clothing is required.
Hands	Gloves.
Protective Clothing (Pictograms)	
Exposure Limits	Liquified Petroleum Gas TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL)
	Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties				
Physical State and Appearance	Gas. (Compressed gas.)	Odor	Pleasant.	
Molecular Weight	Not applicable.	Taste	Not available.	
рН	Not available.	Color	Clear (Light.)	
Boiling/Condensation Point	N/A			

6845-015-022

Melting/Freezing Point	Not available.
Critical Temperature	Not available.
Instability Temperature	Not available.
Specific Gravity	0.8427 (Water = 1)
Vapor Pressure	2582.54 mm of Hg (@ 20°C)
Vapor Density	>1 (Air = 1)
Volatility	Not available.
VOC	Not available.
Evaporation Rate	>1
Dispersion Properties	Not available.
Solubility	Miscible in water.
The Product is:	Non-flammable.
Auto-ignition Temperature	Not available.
Flash Points	CLOSED CUP: ((-20°F).(Propellant)) Concentrate >210 F
Flammable Limits	LOWER: 1% UPPER: 9.5%
Fire Hazards in Presence of Various Substances	No specific information is available in our database regarding the flammability of this product in presence of various materials.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Explosive in presence of open flames and sparks, of heat.

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	oxidizing materials
Hazardous Decomposition not available Products	

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	LD50: Not available. LC50: Not available.	
Acute Effects on Humans		
Eye	This product is an eye irritant.	
Ski	n Irritant. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.	
Inhalation Irritant. May cause headache, dizziness.		
Ingestio	Ingestion Aspiration hazard if swallowed- can enter lungs and cause chemical pneumonitis.	


6845-015-022

Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.	
Toxicity of the Products of Not available. Biodegradation		
Special Remarks on the Products of Biodegradation	No additional remark.	

Section 13. Disposal Considerations		
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.	
Waste Stream	Not available.	

DOT (U.S.A) (Pictograms) TDG Classification Not controlled under TDG (Canada). PIN UN, Proper Shipping Not applicable. Name, PG Maritime Transportation Special Provisions for Not applicable. Transport



Section 16. Other Information				
Validated by CRushton on 4/5/2006.	Verified by CRushton.			
	Printed 4/5/2006.			
Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607				
Notice to Reader To the best of our knowledge, the information contained herein is liability whatsoever for the accuracy or completeness of the information.	accurate. However, neither the above named supplier nor any of its subsidiaries assumes any ation contained herein.			

Light Scent, Ocean Breeze Scent

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with

caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Continued on Next Page

Validated on 4/5/2006.

Page: 5/5