RUTLAND PRODUCTS Stove and Grill Polish, Liquid Code 72, 73

149898 Part # 28513

POLISH, STOVE LIQUID, 8-OZ. 28513 6600000 RUTLAND PRODUCTS CO.

Buyer: Bernard W. Aubuchon Jr.

Search Again

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard,

29 CFR 1910.1200 Standard must be consulted for specific requirements.

U.S. DEPARTMENT of Labor

Occupational Safety and Health Adn

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY Stove and Grill Polish, Liquid Code 72, 73

Section I

Manufacturer's Name

RUTLAND PRODUCTS

Emergency Telephone

CHEMTREC 800-424-9300

Address

No. 7 CRABTREE RD.

Telephone Number

217-245-7963

Date Prepared

JACKSONVILLE, IL 62650 Information Feb 1996

Date Revised

ACGIH

Number

Oct 2000

Section II - Hazardous Ingredients/Identity Information

Chemical Identity

CAS No.

OSHA PEL

Other Limits

Recommended

% (optional)

Potassium Carbonate (2-amino-2-methyl-1-

584-08-7

TLV Not established

None Established

propanol)

124-68-5

Reactivity: 0

Section III - Physical/Chemical Characteristics

Boiling Point

Approximately 212°F

Flammability: 0

Specific Gravity (H20=1)

1.2

Vapor Pressure (mm Hg)

HMIS Rating - Health: 1

Not established

Melting Point

Not established

Vapor Density (Air=1)

Not established

Evaporation Rate (Butyl

Not established

Solubility in Water

Mixture partially soluble in water.

Black liquid wax emulsification. Appearance and Odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Water mixture, will

Flammable Limits

LEL N/A UEL N/A

Used) Extinguishing Media

not flash.

Carbon dioxide, dry chemical, foam.

Special Fire Fighting Procedures

The use of SCBA is recommended for fire fighters.

Unusual Fire and Explosion Hazards

Wax portion of mixture is combustible.

Section V - Reactivity Data

Stability

Stable

Conditions to Avoid

N/A

Incompatibility (Materials to Avoid)

Strong oxidizing agents.

Hazardous Decomposition or

If burned, will produce carbon dioxide, carbon monoxide, smoke, fumes.

Byproducts

Will Not Occur

Hazardous Polymerization Conditions to Avoid

N/A

Section VI - Health Hazard Data

Route (s) of Entry

Inhalation? No

Skin? Yes

Ingestion? Yes

Health Hazards (Acute and Chronic)

Skin:

Will stain skin

Eyes:

Contact will produce tearing and redness.

Ingestion:

May produce gastrointestinal upset.

Inhalation:

Product, if burned, will produce smoke and fumes, with odor of burning wax. May

irritate nasal passages, throat, respiratory system.

Carcinogenicity

NTP? No

IARC Monographs? No

OSHA Regulated? No

Signs and Symptoms of

Exposure

See health hazards.

Medical Conditions Generally Aggravated by Exposure If burning wax inhaled, may aggravate respiratory

conditions.

Emergency and First Aid Procedures

Ingestion

Consult physician

Skin: Eyes:

Wash with diluted chlorine bleach, then rinse with clear water. Wash with water for at least 15 minutes and consult eye doctor.

Inhalation

Of burned product; remove from vapors to fresh air.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Contain. Take up with absorbent material.

Waste Disposal Method

Incinerate in accord with local, state and federal

regulations.

Precautions to Be Taken in Handling and Storing

Store in cool place. Excessive heat may cause containers to

deform.

Other Precautions

Rotate stock.

Section VIII - Control Measures

Respiratory Protection

None needed for working with product.

Ventilation

Local Exhaust

Sufficient to evaporate water.

Special

If burned, sufficient smoke and fumes.

Mechanical (General)

N/A

Other

None

Protective Gloves
Eye Protection

Use rubber gloves to prevent staining of hands. Wear safety glasses to prevent eye contact.

Other Protective clothing or

Wear impermeable apron to prevent splashing on body.

Equipment

Work/Hygienic Practices

Good housekeeping.

The information presented herein is based either on data or opinion. Such data is, to the best of our knowledge, true and accurate. Such opinion is believed to be expert, and therefore generally reliable, but in some instances there are conflicts in expert opinion and in these instances we have relied on the opinion which, in our best judgment, appeared the most reasonable. All information herein is presented without guarantee or warranty and Rutland Products disclaims any liability incurred from the use thereof.