

July 29, 2022

Patricia Cerio
Oneida-Herkimer-Madison BOCES
4747 Middle Settlement Road
Supervisor of Safety Services
New Hartford, NY 13413

RE: Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Dear Patricia Cerio:

Enclosed are the analytical results for sample(s) received by the laboratory on July 15, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kimberley M. Mack
kimberley.mack@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Connor Utesch, Oneida-Herkimer-Madison BOCES



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Sample: B1 - MAIN ENTRANCE (L)		Lab ID: 70222478001	Collected: 07/14/22 08:56	Received: 07/15/22 17:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 16:51	7439-92-1	M1
Sample: B2 - MAIN ENTRANCE (R)		Lab ID: 70222478002	Collected: 07/14/22 08:56	Received: 07/15/22 17:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 16:57	7439-92-1	M1
Sample: B4 - CAFETERIA (L)		Lab ID: 70222478003	Collected: 07/14/22 09:00	Received: 07/15/22 17:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		07/22/22 17:01	7439-92-1	
Sample: B5 - CAFETERIA (R)		Lab ID: 70222478004	Collected: 07/14/22 09:00	Received: 07/15/22 17:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:02	7439-92-1	
Sample: B6 - RM 184		Lab ID: 70222478005	Collected: 07/14/22 09:02	Received: 07/15/22 17:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: B7 - HALLWAY NR 108 (L)		Lab ID: 70222478006	Collected: 07/14/22 09:05	Received: 07/15/22 17:00	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:05	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: B8 - HALLWAY NR 108 (R)		Lab ID: 70222478007	Collected: 07/14/22 09:08	Received: 07/15/22 17:00	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:06	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: B9 - RM 117		Lab ID: 70222478008	Collected: 07/14/22 09:09	Received: 07/15/22 17:00	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		07/22/22 17:07	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: B10 - RM 118		Lab ID: 70222478009	Collected: 07/14/22 09:10	Received: 07/15/22 17:00	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:11	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: B11 - RM 119		Lab ID: 70222478010	Collected: 07/14/22 09:11	Received: 07/15/22 17:00	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		07/22/22 17:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Sample: B12 - RM 120	Lab ID: 70222478011	Collected: 07/14/22 09:13	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:14	7439-92-1	

Sample: B13 - RM 121	Lab ID: 70222478012	Collected: 07/14/22 09:14	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		07/22/22 17:15	7439-92-1	

Sample: B14 - RM 122	Lab ID: 70222478013	Collected: 07/14/22 09:15	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:16	7439-92-1	

Sample: B16 - RM 124	Lab ID: 70222478015	Collected: 07/14/22 09:17	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		07/22/22 17:17	7439-92-1	

Sample: B17 - RM 125	Lab ID: 70222478016	Collected: 07/14/22 09:18	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Sample: B18 - RM 126	Lab ID: 70222478017	Collected: 07/14/22 09:20	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:20	7439-92-1	
Sample: B20 - RM 131	Lab ID: 70222478018	Collected: 07/14/22 09:24	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		07/22/22 17:31	7439-92-1	M1
Sample: B21 - RM 135	Lab ID: 70222478019	Collected: 07/14/22 09:25	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:35	7439-92-1	M1
Sample: B22 - RM 136	Lab ID: 70222478020	Collected: 07/14/22 09:26	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		07/22/22 17:39	7439-92-1	
Sample: LIBRARY	Lab ID: 70222478021	Collected: 07/14/22 09:28	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.5	ug/L	1.0	1		07/22/22 17:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Sample: B24 - RM 139	Lab ID: 70222478022	Collected: 07/14/22 09:30	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:44	7439-92-1	
Sample: B25 - RM 140	Lab ID: 70222478023	Collected: 07/14/22 09:36	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		07/22/22 17:45	7439-92-1	
Sample: B26 - RM 141	Lab ID: 70222478024	Collected: 07/14/22 09:37	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:47	7439-92-1	
Sample: B27 - RM 142	Lab ID: 70222478025	Collected: 07/14/22 09:38	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:48	7439-92-1	
Sample: B28 - RM 143	Lab ID: 70222478026	Collected: 07/14/22 09:39	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Sample: B29 - RM 144	Lab ID: 70222478027	Collected: 07/14/22 09:40	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:51	7439-92-1	

Sample: B30 - RM 145	Lab ID: 70222478028	Collected: 07/14/22 09:42	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:52	7439-92-1	

Sample: B31 - RM 147	Lab ID: 70222478029	Collected: 07/14/22 09:42	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:53	7439-92-1	

Sample: B32 - RM 148	Lab ID: 70222478030	Collected: 07/14/22 09:44	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:55	7439-92-1	

Sample: B33 - RM 151	Lab ID: 70222478031	Collected: 07/14/22 09:46	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 17:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

Sample: B34 - RM 152	Lab ID: 70222478032	Collected: 07/14/22 09:49	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:00	7439-92-1	

Sample: B38 - RM 153	Lab ID: 70222478033	Collected: 07/14/22 09:52	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:01	7439-92-1	

Sample: B39 - RM 154	Lab ID: 70222478034	Collected: 07/14/22 09:53	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:02	7439-92-1	

Sample: B35-HALLWAY OUTSIDE RM151(L)	Lab ID: 70222478035	Collected: 07/14/22 09:50	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:04	7439-92-1	

Sample: B36 - HALLWAY OUTSIDE RM151(R)	Lab ID: 70222478036	Collected: 07/14/22 09:51	Received: 07/15/22 17:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: B37 - HALLWAY OUTSIDE RM151 Lab ID: 70222478037 Collected: 07/14/22 09:51 Received: 07/15/22 17:00 Matrix: Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		07/22/22 18:06	7439-92-1	
Sample: B3 - MAIN ENTRANCE B Lab ID: 70222478038 Collected: 07/14/22 08:53 Received: 07/15/22 17:00 Matrix: Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		07/22/22 18:10	7439-92-1	M1
Sample: B19 - RM 127 Lab ID: 70222478039 Collected: 07/14/22 09:21 Received: 07/15/22 17:00 Matrix: Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	1.8	ug/L	1.0	1		07/22/22 18:16	7439-92-1	M1
Sample: B38 - FOUNTAIN OUTSIDE RM 162 Lab ID: 70222478040 Collected: 07/14/22 09:55 Received: 07/15/22 17:00 Matrix: Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		07/22/22 18:20	7439-92-1	
Sample: B39 - FOUNTAIN OUTSIDE RM 162 Lab ID: 70222478041 Collected: 07/14/22 09:56 Received: 07/15/22 17:00 Matrix: Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		07/22/22 18:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Sample: B40 - OUTSITE RM 162 (BOTTLE) **Lab ID: 70222478042** Collected: 07/14/22 09:57 Received: 07/15/22 17:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		07/22/22 18:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

QC Batch:	266092	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70222478001, 70222478002, 70222478003, 70222478004, 70222478005, 70222478006, 70222478007, 70222478008, 70222478009, 70222478010, 70222478011, 70222478012, 70222478013, 70222478015, 70222478016, 70222478017		

METHOD BLANK:	1344416	Matrix:	Water
Associated Lab Samples:	70222478001, 70222478002, 70222478003, 70222478004, 70222478005, 70222478006, 70222478007, 70222478008, 70222478009, 70222478010, 70222478011, 70222478012, 70222478013, 70222478015, 70222478016, 70222478017		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	07/22/22 16:49	

LABORATORY CONTROL SAMPLE:	1344417					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.9	98	85-115	

MATRIX SPIKE SAMPLE:	1344419						
Parameter	Units	70222478001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	71.5	143	70-130	M1

MATRIX SPIKE SAMPLE:	1344421						
Parameter	Units	70222478002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	77.7	155	70-130	M1

SAMPLE DUPLICATE:	1344418				
Parameter	Units	70222478001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1344420				
Parameter	Units	70222478002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

QC Batch:	266093	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70222478018, 70222478019, 70222478020, 70222478021, 70222478022, 70222478023, 70222478024, 70222478025, 70222478026, 70222478027, 70222478028, 70222478029, 70222478030, 70222478031, 70222478032, 70222478033, 70222478034, 70222478035, 70222478036, 70222478037		

METHOD BLANK:	1344422	Matrix:	Water
Associated Lab Samples:	70222478018, 70222478019, 70222478020, 70222478021, 70222478022, 70222478023, 70222478024, 70222478025, 70222478026, 70222478027, 70222478028, 70222478029, 70222478030, 70222478031, 70222478032, 70222478033, 70222478034, 70222478035, 70222478036, 70222478037		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	07/22/22 17:28	

LABORATORY CONTROL SAMPLE:	1344423					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.8	98	85-115	

MATRIX SPIKE SAMPLE:	1344425						
Parameter	Units	70222478018 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	50	23.1	44	70-130	M1

MATRIX SPIKE SAMPLE:	1344427						
Parameter	Units	70222478019 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	67.7	134	70-130	M1

SAMPLE DUPLICATE:	1344424					
Parameter	Units	70222478018 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	1.3	1.2	5		

SAMPLE DUPLICATE:	1344426					
Parameter	Units	70222478019 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ROME CSD - BELLAMY 7/14
Pace Project No.: 70222478

QC Batch: 266094 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70222478038, 70222478039, 70222478040, 70222478041, 70222478042

METHOD BLANK: 1344428 Matrix: Water
Associated Lab Samples: 70222478038, 70222478039, 70222478040, 70222478041, 70222478042

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	07/22/22 18:07	

LABORATORY CONTROL SAMPLE: 1344429

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE SAMPLE: 1344431

Parameter	Units	70222478038 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	79.0	158	70-130	M1

MATRIX SPIKE SAMPLE: 1344433

Parameter	Units	70222478039 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.8	50	68.5	133	70-130	M1

SAMPLE DUPLICATE: 1344430

Parameter	Units	70222478038 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1344432

Parameter	Units	70222478039 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.8	1.7	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ROME CSD - BELLAMY 7/14

Pace Project No.: 70222478

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70222478001	B1 - MAIN ENTRANCE (L)	EPA 200.8	266092		
70222478002	B2 - MAIN ENTRANCE (R)	EPA 200.8	266092		
70222478003	B4 - CAFETERIA (L)	EPA 200.8	266092		
70222478004	B5 - CAFETERIA (R)	EPA 200.8	266092		
70222478005	B6 - RM 184	EPA 200.8	266092		
70222478006	B7 - HALLWAY NR 108 (L)	EPA 200.8	266092		
70222478007	B8 - HALLWAY NR 108 (R)	EPA 200.8	266092		
70222478008	B9 - RM 117	EPA 200.8	266092		
70222478009	B10 - RM 118	EPA 200.8	266092		
70222478010	B11 - RM 119	EPA 200.8	266092		
70222478011	B12 - RM 120	EPA 200.8	266092		
70222478012	B13 - RM 121	EPA 200.8	266092		
70222478013	B14 - RM 122	EPA 200.8	266092		
70222478015	B16 - RM 124	EPA 200.8	266092		
70222478016	B17 - RM 125	EPA 200.8	266092		
70222478017	B18 - RM 126	EPA 200.8	266092		
70222478018	B20 - RM 131	EPA 200.8	266093		
70222478019	B21 - RM 135	EPA 200.8	266093		
70222478020	B22 - RM 136	EPA 200.8	266093		
70222478021	LIBRARY	EPA 200.8	266093		
70222478022	B24 - RM 139	EPA 200.8	266093		
70222478023	B25 - RM 140	EPA 200.8	266093		
70222478024	B26 - RM 141	EPA 200.8	266093		
70222478025	B27 - RM 142	EPA 200.8	266093		
70222478026	B28 - RM 143	EPA 200.8	266093		
70222478027	B29 - RM 144	EPA 200.8	266093		
70222478028	B30 - RM 145	EPA 200.8	266093		
70222478029	B31 - RM 147	EPA 200.8	266093		
70222478030	B32 - RM 148	EPA 200.8	266093		
70222478031	B33 - RM 151	EPA 200.8	266093		
70222478032	B34 - RM 152	EPA 200.8	266093		
70222478033	B38 - RM 153	EPA 200.8	266093		
70222478034	B39 - RM 154	EPA 200.8	266093		
70222478035	B35-HALLWAY OUTSIDE RM151(L)	EPA 200.8	266093		
70222478036	B36 - HALLWAY OUTSIDE RM151(R)	EPA 200.8	266093		
70222478037	B37 - HALLWAY OUTSIDE RM151	EPA 200.8	266093		
70222478038	B3 - MAIN ENTRANCE B	EPA 200.8	266094		
70222478039	B19 - RM 127	EPA 200.8	266094		
70222478040	B38 - FOUNTAIN OUTSIDE RM 162	EPA 200.8	266094		
70222478041	B39 - FOUNTAIN OUTSIDE RM 162	EPA 200.8	266094		
70222478042	B40 - OUTSITE RM 162 (BOTTLE)	EPA 200.8	266094		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 70222478



70222478

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section C

Required Client Information:
 Report To: Patty Cerio
 Company: OHM BOCES
 Address: 4747 Middle Settlement Rd, New Hartford, NY 13413
 NY, 13413
 Email: pccario@oneida-boces.org
 Phone: 3157938693 Fax
 Project Name: Rome CSD - Bellamy
 Project #: regular processing

Project Information:
 Attention: Patty Cerio
 Company Name: OHM BOCES
 Address: 4747 Middle Settlement Rd, New Hartford, NY 13413
 Pace Quote:
 Pace Project Manager: Kimberley Mack@Pacelabs.com
 Pace Profile #:
 State / Location: NY

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	PRESERVATIVES		ANALYSES TEST	Y/N	Requested Analysis Filtered (Y/N)	TEMP in C	Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)	
			START DATE	START TIME				END DATE	END TIME											HNO3
1	B1 - Main Entrance (L)	DW	7/14/22	8:56		DW G		X												
2	B2 Main Entrance @	DW	7/14/22	8:56		DW G		X												
3	B4 - Cafeteria (L)	DW	7/14/22	9:00		DW G		X												
4	B5 - Cafeteria @	DW	7/14/22	9:00		DW G		X												
5	B6 - Rm 184	DW	7/14/22	9:02		DW G		X												
6	B7 - Hallway NR 108 (L)	DW	7/14/22	9:05		DW G		X												
7	B8 - Hallway NR 108 @	DW	7/14/22	9:08		DW G		X												
8	B9 - Rm 117	DW	7/14/22	9:09		DW G		X												
9	B10 - Rm 118	DW	7/14/22	9:10		DW G		X												
10	B11 - Rm 119	DW	7/14/22	9:11		DW G		X												
11	B12 - Rm 120	DW	7/14/22	9:13		DW G		X												
12	B13 - Rm 121	DW	7/14/22	9:14		DW G		X												

ADDITIONAL COMMENTS

RELINQUISHED BY / AFFILIATION: *Patty Cerio* DATE: 7/15/22 TIME: 11:35

ACCEPTED BY / AFFILIATION: *Patty Cerio* DATE: 7/15/22 TIME: 11:35

RELINQUISHED BY / AFFILIATION: *Patty Cerio* DATE: 7/16/22 TIME: 17:00

ACCEPTED BY / AFFILIATION: *Patty Cerio* DATE: 7/16/22 TIME: 10:00

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: *Rich Holmes*
 SIGNATURE of SAMPLER: *Rich Holmes* DATE Signed: 7/15/22



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A	Section B	Section C
Required Client Information:	Required Project Information:	Invoice Information:
Company: OHM BOCES	Report To: Patty Cerio	Attention: Patty Cerio
Address: 4747 Middle Settlement Rd, New Hartford NY, 13413	Copy To:	Company Name: OHM BOCES
Email: pcerio@oneida-boces.org	Purchase Order #:	Address: 4747 Middle Settlement Rd, New Hartford, NY 13413
Phone: 3157938693	Project Name: Rome CSD - Bellamy	Pace Project Manager: Kimberley.Mack@Pacelabs.com
Requested Due Date: regular processing	Project #:	Pace Profile #:
		State / Location: NY
		Regulatory Agency:

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	Preservatives										Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)
			START	END				H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol	Other						
			DATE	TIME				Unpreserved												
1	B14 - Rm 122	DW	7/14/22	9:15	G			X												
2	B15 - Rm 123	DW	7/14/22	9:15	G			X												
3	B16 - Rm 124	DW	7/14/22	9:17	G			X												
4	B17 - Rm 125	DW	7/14/22	9:18	G			X												
5	B18 - Rm 126	DW	7/14/22	9:20	G			X												
6	B20 - Rm 131	DW	7/14/22	9:24	G			X												
7	B21 - Rm 135	DW	7/14/22	9:25	G			X												
8	B22 - Rm 136	DW	7/14/22	9:26	G			X												
9	Library	DW	7/14/22	9:28	G			X												
10	B24 - Rm 139	DW	7/14/22	9:30	G			X												
11	B25 - Rm 140	DW	7/14/22	9:36	G			X												
12	B26 - Rm 141	DW	7/14/22	9:37	G			X												

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION		DATE		TIME		DATE		TIME		SAMPLE CONDITIONS	
	SIGNATURE	DATE	SIGNATURE	DATE	SIGNATURE	DATE	SIGNATURE	DATE	SIGNATURE	DATE	SIGNATURE	DATE	TEMP in C	Received on
	<i>Patty Cerio</i>	7/15/22 11:35	<i>Kim M. Mack</i>	7/15/22 10:5A										
	<i>Kim M. Mack</i>	7/15/22 17:10	<i>Kim M. Mack</i>	7/16 10:00										

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER: <i>Rich Holmes</i>	DATE Signed: 7/15/22
SIGNATURE of SAMPLER: <i>[Signature]</i>	
Received on	Temp in C
Ice (Y/N)	
Custody Sealed (Y/N)	
Cooler (Y/N)	
Samples Intact (Y/N)	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:
 Company: OHM BOCES
 Address: 4747 Middle Settlement Rd, New Hartford NY, 13413
 Email: pcerio@oneida-boces.org
 Phone: 3157938693
 Requested Due Date: regular processing

Section B
Required Project Information:
 Report To: Patty Cerio
 Copy To:
 Project Name: Rome CSD - Bellamy
 Project #: regular processing

Section C
Invoice Information:
 Attention: Patty Cerio
 Company Name: OHM BOCES
 Address: 4747 Middle Settlement Rd, New Hartford, NY 13413
 Pace Quote:
 Pace Project Manager: Kimberley.Mack@Pacelabs.com
 Pace Profile #:
 Regulatory Agency
 State / Location NY

ITEM #	MATRIX	CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol	Other	Y/N	Requested Analysis: Filtered (Y/N)	TEMP in C	Received on	Ice (Y/N)	Custody	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)	
				START DATE	END DATE																				
1	DW	DW	G	7/14/22	9:38				X																
2	DW	WT	G	7/14/22	9:39				X																
3	DW	WT	G	7/14/22	9:40				X																
4	DW	WT	G	7/14/22	9:42				X																
5	DW	WT	G	7/14/22	9:42				X																
6	DW	WT	G	7/14/22	9:44				X																
7	DW	WT	G	7/14/22	9:46				X																
8	DW	WT	G	7/14/22	9:49				X																
9	DW	WT	G	7/14/22	9:52				X																
10	DW	WT	G	7/14/22	9:53				X																
11	DW	WT	G	7/14/22	9:50				X																
12	DW	WT	G	7/14/22	9:51				X																

ADDITIONAL COMMENTS
 Relinquished by / Affiliation: Dan DeFina
 Date: 7/15/22 11:35
 Accepted by / Affiliation: Dan DeFina
 Date: 7/15/22 11:35
 Relinquished by / Affiliation: Dan DeFina
 Date: 7/16/22 10:00
 Accepted by / Affiliation: Dan DeFina
 Date: 7/16/22 10:00

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Rich Holmes
 SIGNATURE of SAMPLER: *Rich Holmes*
 DATE Signed: 7/15/22



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	OHM BOCES	Report To:	Paty Cerio	Attention:	Paty Cerio
Address:	4747 Middle Settlement Rd, New Hartford	Copy To:		Company Name:	OHM BOCES
NY, 13413				Address:	4747 Middle Settlement Rd, New Hartford, NY 13413
Email:	pcerio@oneida-boces.org	Purchase Order #:		Face Quote:	
Phone:	3157938693	Project Name:	Rome CSD - Bellamy	Face Project Manager:	Kimberly Mack@Pacelabs.com
Requested Due Date:	regular processing	Project #:		State / Location:	NY
				Regulatory Agency	

ITEM #	MATRIX	CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMP. TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analyses Test	Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)		
				START	END									
				DATE	TIME	DATE	TIME	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other
1	B37 - Hallway outside Rm 151 (bottle filler)	DW	G	7/14/22	9:51			X						
2	B3 - Main Entrance B	DW	G	7/14/22	8:53			X						
3	B19 - Rm 127	DW	G	7/14/22	9:21			X						
4	B38 - Fountain outside Rm 162	DW	G	7/14/22	9:55			X						
5	B39 - Fountain outside Rm 162	DW	G	7/14/22	9:56			X						
6	B40 - Outside Rm 162 (bottle filler)	DW	G	7/14/22	9:57			X						
7		DW	G	7/14/22				X						
8		DW	G	7/14/22				X						
9		DW	G	7/14/22				X						
10		DW	G	7/14/22				X						
11		DW	G	7/14/22				X						
12		DW	G	7/14/22				X						

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>Paty Cerio</i>	7/15/22	11:35	<i>Paty Cerio</i>	7/15/22	11:35	Sealed (Y/N) Cooler (Y/N) Custody (Y/N) Received on ice (Y/N) Samples Intact (Y/N)
<i>Paty Cerio</i>	7/16/22	17:00	<i>Paty Cerio</i>	7/16/22	10:00	

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	<i>Rich Holmes</i>
SIGNATURE of SAMPLER:	<i>[Signature]</i>
DATE Signed:	7/15/22



Sample Condition Upon Receipt

WO# : 70222478

Client Name: OHM Boces

Project #

PM: KMM
CLIENT: OHM

Due Date: 07/25/22

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: 7774 0010 4433

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No N/A

Packing Material: Bubble Wrap Bubble Bags Ziploc None Other

Thermometer Used: ~~TH091~~ TH148 Correction Factor: + 0.1

Cooler Temperature(°C): 22.6 Cooler Temperature Corrected(°C): 22.7

Temp should be above freezing to 6.0°C

USDA Regulated Soil { N/A, water sample

Temperature Blank Present: Yes No

Type of Ice: Wet Blue None

Samples on ice, cooling process has begun
Date/Time 5035A kits placed in freezer

Date and Initials of person examining contents:

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

				COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		7.
Sufficient Volume: (Triple volume provided for)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		8. <u>Missing BIS-RM123</u>
Correct Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Containers Intact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		12.
-Includes date/time/ID, Matrix: <u>SL W/ OIL</u>				
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>HC281827</u>				Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).				
Per Method, VOA pH is checked after analysis				Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: KI starch test strips Lot #	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #				
SM 4500 CN samples checked for sulfide? Lead Acetate Strips Lot #	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	15. Positive for Sulfide? Y N
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):				

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution: