


ALLERGY/ANAPHYLAXIS ACTION PLAN



Student Name _____ D.O.B. _____ Teacher _____

School Nurse _____ Phone Number _____

Health Care Provider _____ Preferred Hospital _____

History of Asthma No Yes-Higher risk for severe reaction

ALLERGY: (check appropriate) To be completed by Health Care Provider

- Foods (list):
- Medications (list):
- Latex: Circle: Type I (anaphylaxis) Type IV (contact dermatitis)
- Stinging Insects (list):

RECOGNITION AND TREATMENT

Chart to be completed by Health Care Provider ONLY		Give CHECKED Medication	
If food ingested or contact w/ allergen occurs:		Epinephrine	Antihistamine
No symptoms noted <input type="checkbox"/> Observe for other symptoms			
Mouth	Itching, tingling, or swelling of lips, tongue, mouth		
Skin	Hives, itchy rash, swelling of the face or extremities		
Gut+	Nausea, abdominal cramps, vomiting, diarrhea		
Throat+	Tightening of throat, hoarseness, hacking cough		
Lung+	Shortness of breath, repetitive coughing, wheezing		
Heart+	Thready pulse, low BP, fainting, pale, blueness		
Neuro+	Disorientation, dizziness, loss of consciousness		
If reaction is progressing (several of the above areas affected), GIVE:			
<i>The severity of symptoms can quickly change. +Potentially life-threatening.</i>			

DOSAGE:

Epinephrine: Inject into outer thigh 0.3 mg OR 0.15 mg

Antihistamine: Liquid Diphenhydramine (Benadryl®) _____ ml. To be given by mouth *only if able to swallow.*

Other: _____

- This child has received instruction in the proper use of the Auto-injector: EpiPen® or Twinject® (circle one). It is my professional opinion that this student **SHOULD** be allowed to carry and use the auto-injector independently. The child knows when to request antihistamine and has been advised to inform a responsible adult if the auto-injector is self-administered.
- It is my professional opinion that this student **SHOULD NOT** carry an auto-injector.

Health Care Provider Signature _____ Phone: _____ Date _____

EMERGENCY CALLS

1. Call 911. State that an allergic reaction has been treated, and additional epinephrine may be needed.
2. Call parents/guardian to notify of reaction, treatment and student's health status.
3. Treat for shock. Prepare to do CPR.
4. Accompany student to ER if no parent/guardians are available.

Side 2: To Be Completed by Parent/Guardian, Student and School

Allergy/Anaphylaxis Act on Plan (continued) Student Name _____ D.O.B. _____

Each school will have 2 auto-injectors and liquid Diphenhydramine (Benadryl®) available during regular school hours. If your child participates in before or after school activities, your child will need to have an auto-injector on their person.

Parent/Guardian AUTHORIZATIONS

- I want this allergy plan implemented for my child; I want my child to carry an auto-injector and I agree to release the school district and school personnel from all claims of liability if my child suffers any adverse reactions from self-administration of an auto-injector.
- I want this plan implemented for my child and I do not want my child to self-administer epinephrine.

Your signature gives permission for the nurse to contact and receive additional information from your health care provider regarding the allergic condition(s) and the prescribed medication.

Parent/Guardian Signature: _____ Phone: _____ Date: _____

Student Agreement:

- I have been trained in the use of my auto-injector and allergy medication and understand the signs and symptoms for which they are given;
- I agree to carry my auto-injector with me at all times;
- I will notify a responsible adult (teacher, nurse, coach, noon duty, etc.) IMMEDIATELY when my auto-injector (epinephrine) is used;
- I will not share my medication with other students or leave my auto-injector unattended;
- I will not use my allergy medications for any other use than what it is prescribed for.

Student Signature: _____ Date _____

Approved by Nurse/Principal Signature: _____ Date _____

PREVENTION: Avoidance of allergen is crucial to prevent anaphylaxis.

Critical components to prevent life threatening reactions: Indicates activity completed by school staff

	Encourage the use of Medic-alert bracelets
	Notify nurse, teacher(s), front office and kitchen staff of known allergies
	Use non-latex gloves and eliminate powdered latex gloves in schools
	Ask parents to provide non-latex personal supplies for latex allergic students
	Post "Latex reduced environment" sign at entrance of building
	Encourage a no-peanut zone in the school cafeteria
	Other:

STAFF MEMBERS TRAINED

Name	Title	Location/Room #	Trained By

EMERGENCY CONTACTS

	Name	Home #	Work #	Cell #
Parent/Guardian				
Parent/Guardian				
Other:				
Other:				