Trimester One	Key Standards	Assessments	Suggested Materials
Aug-Oct.			
Strategies/Skills covered			
Module 1: Place Value and	5.NBT.1 Recognize that in a multi-digit number, a digit in	-Mid-Module Assessment	-iPad
Decimal Fraction	one place represents 10 times as much as it represents in	-Final Module assessment	-Math Journal
	the place to its right and 1/10 of what it represents in the	-Practice Set	-Math Manipulatives
	place to its left. 5.NBT.2 Explain patterns in the number	-Homework Set	-Class Web Page
	of zeros of the product when multiplying a number by	-MAP Fall Assessment	
Module 2: Multi-Digit Whole	powers of 10, and explain patterns in the placement of	-ScootPad	
Number and Decimal Fraction	the decimal point when a decimal is multiplied or divided		
Operations	by a power of 10. Use whole-number exponents to		
	denote powers of 10. 5.NBT.3 Read, write, and compare		
	decimals to thousandths. a. Read and write decimals to		
	thousandths using base-ten numerals, number names,		
	and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 10 \times 10^{-2}$		
	$1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$. b. Compare		
	two decimals to thousandths based on meanings of the		
	digits in each place, using >, =, and < symbols to record		
	the results of comparisons. 5.NBT.4 Use place value		
	understanding to round decimals to any place. Perform		
	operations with multi-digit whole numbers and with		
	decimals to hundredths.82 5.NBT.7 Add, subtract,		
	multiply, and divide decimals to hundredths, using		
	concrete models or drawings and strategies based on		
	place value, properties of operations, and/or the		
	relationship between addition and subtraction; relate the		
	strategy to a written method and explain the reasoning		
	used. Convert like measurement units within a given		
	measurement system.83 5.MD.1 Convert among		
	different-sized standard measurement units within a		
	given measurement system (e.g., convert 5 cm to 0.05		
	m), and use these conversions in solving multi-step, real		
	world problems. Write and interpret numerical		
	expressions.84 5.OA.1 Use parentheses, brackets, or		

braces in numerical expressions, and evaluate expressions with these symbols. 5.0A.2 With simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as 2 x (8 + 7). Recognize that 3 x (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 S.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. S.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.		<u>, </u>	
expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as 2 × (8 + 7). Recognize that 3 × (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	braces in numerical expressions, and evaluate		
interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as 2 × (8 + 7). Recognize that 3 × (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	expressions with these symbols. 5.OA.2 Write simple		
For example, express the calculation "add 8 and 7, then multiply by 2" as 2 × (8 + 7). Recognize that 3 × (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	expressions that record calculations with numbers, and		
multiply by 2" as 2 × (8 + 7). Recognize that 3 × (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of			
921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	For example, express the calculation "add 8 and 7, then		
having to calculate the indicated sum or product. Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	multiply by 2" as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 1)$		
Understand the place value system.85 5.NBT.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	921) is three times as large as 18932 + 921, without		
that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	having to calculate the indicated sum or product.		
represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	Understand the place value system.85 5.NBT.1 Recognize		
to its right and 1/10 of what it represents in the place to its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	that in a multi-digit number, a digit in one place		
its left. 5.NBT.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	represents 10 times as much as it represents in the place		
of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	to its right and 1/10 of what it represents in the place to		
10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of	its left. 5.NBT.2 Explain patterns in the number of zeros		
10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of			
of 10. Use whole-number exponents to denote powers of	10, and explain patterns in the placement of the decimal		
	point when a decimal is multiplied or divided by a power		
	of 10. Use whole-number exponents to denote powers of		
	10.		

Trimester Two OctFeb. Strategies/Skills covered	Key Standards	Assessments	Suggested Materials
Module 2: Multi-Digit Whole Number and Decimal Fraction Operations	5.NBT.5 Fluently multiply multi-digit whole numbers using the standard algorithm. 5.NBT.6 Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between	-Mid-Module Assessment -Final Module assessment -Practice Set -Homework Set -MAP Winter Assessment	iPad -Math Journal -Math Manipulatives -Class Web Page
Module 3: Addition and Subtraction of Fractions	multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models. 5.NBT.7 Add, subtract, multiply, and divide decimals to hundredths, using	-ScootPad	
Module 4: Multiplication and Division of Fractions and Decimal Fractions	concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used. 86 Convert like measurement units within a given measurement system. 5.MD.1 Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems.		
	Use equivalent fractions as a strategy to add and subtract fractions.87 5.NF.1 Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, 2/3 + 5/4 = 8/12 + 15/12 = 23/12. (In general, a/b + c/d = (ad + bc)/bd.) 5.NF.2 Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions		

and number sense of fractions to estimate mentally and assess the reasonableness of answers. For example, recognize an incorrect result 2/5 + 1/2 = 3/7, by observing that 3/7 < 1/2.

Apply and extend previous understandings of multiplication and division to multiply and divide fractions.89 5.NF.3 Interpret a fraction as division of the numerator by the denominator $(a/b = a \div b)$. Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size 3/4. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie? 5.NF.4 Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction. a. Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) = 8/15$. (In general, $(a/b) \times$ (c/d) = ac/bd.) Convert like measurement units within a given measurement system.90 5.MD.1 Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems.

Trimester Three	Key Standards	Assessments	Suggested
Mar-Jun	,		Materials
Strategies/Skills covered			
Module 4: Multiplication and	Write and interpret numerical expressions. 5.OA.1 Use	-Mid-Module Assessment	iPad
Division of	parentheses, brackets, or braces in numerical	-Final Module assessment	-Math Journal
Fractions and Decimal Fractions	expressions, and evaluate expressions with these	-Practice Set	-Math
	symbols. 5.OA.2 Write simple expressions that record	-Homework Set	Manipulatives
Module 5: Addition and	calculations with numbers, and interpret numerical	-MAP Spring Assessment	-Class Web
Multiplication with Volume and	expressions without evaluating them. For example,	-ScootPad	Page
Area	express the calculation "add 8 and 7, then multiply by		
	2" as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 921)$ is		
	three times as large as 18932 + 921, without having to		
	calculate the indicated sum or product. Perform		
	operations with multi-digit whole numbers and with		
	decimals to hundredths.88 5.NBT.7 Add, subtract,		
	multiply, and divide decimals to hundredths, using		
	concrete models or drawings and strategies based on		
	place value, properties of operations, and/or the		
	relationship between addition and subtraction; relate		
	the strategy to a written method and explain the		
	reasoning used 5.NF.5 Interpret multiplication as		
	scaling (resizing), by: a. Comparing the size of a		
	product to the size of one factor on the basis of the		
	size of the other factor, without performing the		
	indicated multiplication. b. Explaining why multiplying		
	a given number by a fraction greater than 1 results in a		
	product greater than the given number (recognizing		
	multiplication by whole numbers greater than 1 as a		
	familiar case); explaining why multiplying a given		
	number by a fraction less than 1 results in a product		
	smaller than the given number; and relating the		
	principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to		
	the effect of multiplying a/b by 1. 5.NF.6 Solve real		
	world problems involving multiplication of fractions		
	and mixed numbers, e.g., by using visual fraction		
	models or equations to represent the problem. 5.NF.7		
	Apply and extend previous understandings of division		
	to divide unit fractions by whole numbers and whole		
	numbers by unit fractions. (Students able to multiply		
	fractions in general can develop strategies to divide		

fractions in general, by reasoning about the relationship between multiplication and division. But division of a fraction by a fraction is not a requirement at this grade.) a. Interpret division of a unit fraction by a non-zero whole number, and compute such quotients. For example, create a story context for (1/3)÷ 4, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$. b. Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for 4 ÷ (1/5), and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $4 \div (1/5) = 20$ because $20 \times$ (1/5) = 4. c. Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. For example, how much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 1/3-cup servings are in 2 cups of raisins Convert like measurement units within a given measurement system.90 5.MD.1 Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems. Represent and interpret data. 5.MD.2 Make a line plot to display a data set of measurements in fractions of a unit (1/2, 1/4, 1/8). Use operations on fractions for this grade to solve problems involving information presented in line plots. For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally. Apply and extend previous understandings of multiplication and division to multiply and divide fractions.91 5.NF.4 Apply and extend previous understandings of multiplication to multiply a fraction or whole number

by a fraction. b. Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas. Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition. 5.MD.3 Recognize volume as an attribute of solid figures and understand concepts of volume measurement. a. A cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume, and can be used to measure volume. b. A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units. 5.MD.4 Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units. 5.MD.5 Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume. a. Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication. b. Apply the formulas $V = I \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real world and mathematical problems. c. Recognize volume as additive. Find volumes of solid figures composed of two nonoverlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems. Classify two-dimensional figures into categories based on their properties. 5.G.3 Understand that attributes belonging to a category of two-dimensional figures also belong to

all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles. 5.G.4 Classify two-dimensional figures in a hierarchy based on properties.	
--	--