


ADDENDUM #1

March 29, 2018

TRANSMITTED VIA EMAIL: 3 pages

TO: ALL PLAN HOLDERS AND POTENTIAL BIDDERS
FROM: TIFFANY McCANTS, PURCHASING OFFICER 
SUBJECT: RELOCATION OF MOBILE UNIT FROM CANE CREEK MIDDLE SCHOOL TO
W.W. ESTES ELEMENTARY SCHOOL
(RFP# 15-18)

The following specifications and drawings are hereby made a part of the original documents. Bidders shall acknowledge receipt of this addendum by notation in the space provided on the Proposal Form.

Addendum #1
RFP# 15-18



ADDENDUM to RFP# 15-18
Relocation of mobile unit from Cane Creek Middle School to W.W. Estes Elementary

Include Alternate #1:

- Replace two (2) Exterior doors, door jams and hardware on DDW mobile unit

Specs:

- 3-0 x 6-8 16Ga Steel frame
2 piece slip frame w/2-1/2" faces & header, Prep for (3) 4-1/2" STD WT hinges (premier 6-8 locations) reinforced for rim panic strike and closer. **door opening size to be 36" x 80" to accept stock premier 6-8 door
- 3/0 x 6/8 HM door
Galvanized w/polystyrene core
- Cut and install MVK & glass
L-FRA 100 5" x 35" frame
3-3/4" x 33-3/4" x 1/4" tempered glass

- Von Duprin 22EO-36 exit device
- Von Duprin 230L lever trim (less mortise Cyl)
- GMS M114 SC 26D ST A2-6 1-1/4"
Mortise Cyl Schlage C-keyway x KA pairs x 26D
- LCN 4111 door closers
- NPG 425E 36" x 5" x 1/2" threshold x alum finish
- NPG C607A36 AL sweep
Alum mill finish x black brush
- Weather stripping kit with black silicone and alum mill finish