WATERFORD HIGH SCHOOL PARKING LOT UPGRADE

121 South Reinway Avenue Waterford, California 95386

Waterford Unified School District

VICINITY MAP PROJECT TEAM SCOPE OF WORK APPLICABLE CODES WORK SHALL CONFORM TO THE FOLLOWING AND ALL OTHER APPLICABLE CODES AND WATERFORD UNIFIED SCHOOL DISTRICT 219 NORTH REINWAY AVE, BLDG 2 WATERFORD, CA 95386 PHONE: (209) 874-4125 CONTACT: JOHN STOUT PREPARE AND FILL CRACKS IN EXISTING PAVING. 2016 CALIFORNIA FIRE CODE, PART 9, TITLE 24 C.C.R. RE-STRIPE STALLS, CURBS, ACCESSIBLE PARKING, CROSS WALKS AND OTHER TITLE 19 C.C.R., PUBLIC SAFETY, STATE FIRE MARSHAL REGULATIONS **PROJECT** CHAPTER 4. PART 1. TITLE 24. C.C.R., ADMINISTRATIVE REQUIREMENTS 8. CFC CHAPTER 33 - FIRE SAFETY DURING CONSTRUCTION AND DEMOLITION THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS THAT THE WORK OF THE ALTERATION, REHABILITATION, OR RECONSTRUCTION IS TO BE IN ACCORDANCE WITH TITLE 24, CALIFORNIA BUILDING CODE OR REGULATIONS. SHOULD ANY EXISTING CONDITIONS BE DISCOVERED WHICH IS NOT COVERED BY THE CONTRACT DOCUMENTS WHEREIN THE FINISHED WORK WILL NOT COMPLY WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS, A CONSTRUCTION CHANGE DOCUMENT, OR SEPARATE SET OF PLANS AND SPECIFICATIONS, DETAILING AND SPECIFYING THE REQUIRED REPAIR WORK SHALL BE SUBMITTED TO AND APPROVED BY DSA BEFORE PROCEEDING WITH THE REPAIR WORK. **ABBREVIATIONS** SYMBOLS LEGEND GENERAL NOTES SHEET INDEX CENTERLINE JOINT SEE INDIVIDUAL SHEETS FOR ADDITIONAL SHEET SPECIFIC SYMBOLS/ LEGENDS CONTRACTOR SHALL FIELD VERIFY DIMENSIONS AND EXISTING CONDITIONS AT THE SITE AND SHALL REPORT ANY TITLE SHEET DIAMETER OR ROUND NOT INDICATED HERE - NOT ALL SYMBOLS/LEGENDS WILL APPLY. DISCREPANCIES IN WRITING TO THE ARCHITECT BY THE MEANS OF AN REQUEST FOR INFORMATION (RFI) OR AS MARKER BOARD POUND OR NUMBER PART OF THE APPLICABLE SHOP DRAWING/SUBMITTAL. MANHOLE **EXISTING** OVERALL SITE PLAN METAL SPECIFIC ITEMS NOTED TO BE VERIFIED OR FIELD VERIFIED ARE REQUIRED TO BE VERIFIED PRIOR TO ORDERING ASPHALT CONCRETE ACCESSIBLE MATERIALS OR PROCEEDING WITH THE WORK. **ENLARGED PARTIAL SITE PLAN - NORTH** SECTION NUMBER NOT IN CONTRACT ABOVE FINISH FLOOR NO. or # NUMBER SECTION CONTRACTOR IS RESPONSIBLE FOR INCIDENTAL WORK NECESSARY TO COMPLETE THE INSTALLATION OF NEW ALUMINUM N.T.S. NOT TO SCALE **ENLARGED PARTIAL SITE PLAN - SOUTH** WORK. THIS INCLUDES, BUT IS NOT LIMITED TO, THE REMOVAL AND/OR REINSTALLATION OF EXISTING ITEMS, OF -SHEET NUMBER ASPH PORTIONS OF THE EXISTING CONSTRUCTION WHETHER SHOWN OR NOT. ON CENTER OUTSIDE DIAMETER (DIM.) BUILDING O.F.C.I. OWNER FURNISHED 4. THE CONTRACTOR IS RESPONSIBLE TO HAVE EMERGENCY SHUT-OFF PROCEDURES IN PLACE PRIOR TO START OF BOTTOM CONTR. INSTAL. - DETAIL NUMBER CONSTRUCTION. EACH PRIME SHALL FAMILIARIZE THEMSELVES WITH SHUT-OFF VALVE LOCATIONS ON SITE AND OWNER FURNISHED **DETAIL** HAVE PROPER TOOLS READILY AND AVAILABLE TO OPERATE VALVES. DWNER INSTAL. - SHEET NUMBER CHALK BOARD OVER FLOW SCUPPER CONDENSATE DRAIN OPENING WORK, MATERIAL, METHODS, ETC. SHALL CONFORM TO GOVERNING BUILDING CODES, REGULATIONS AND CORNER GUARD ORIENTED STRAND BOARD CONSTRUCTION JOINT DEMOLITION KEYNOTE CEILING CONFLICT(S) WITH THESE PLANS AND EXISTING CONDITIONS SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF CONCRETE MASONRY UNIT PL.LAM. PLASTIC LAMINATE THE ARCHITECT PLYWD. PLYWOOD CONCRETE PREPARATION **NEW WORK** WORK SHALL BE IN COMPLETE CONFORMANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS **CONTINUOUS** PRESSED METAL KEYNOTE CONTRACTOR FURNISHED CONTRACTOR INSTALLED PIPE PENTRATION OR AS OTHERWISE OUTLINED IN THE SPECIFICATIONS. **PARTITION** PIPE VENT WHERE INCLUDED IN THESE DRAWINGS, "KEYNOTES" DENOTE NEW WORK TO BE PERFORMED UNDER THIS MATCH LINE **DEMONSTRATION** RISER/RADIUS CONTRACT AND ARE IDENTIFIED TO THE RIGHT OF EACH SHEET, U.O.N. THE "KEYNOTE" NUMBER MAY OR MAY NOT DRINKING FOUNTAIN ROOF DRAIN REFERENCE THE SPECIFICATION SECTION RELATED TO THE WORK DESIGNATED BY THE "KEYNOTE". "NOTES" **ROOF EXHAUST FAN** DIAMETER DENOTE EXISTING ITEMS FOR REFERENCE ONLY AND ARE ALSO IDENTIFIED TO THE RIGHT OF EACH SHEET. IF DIMENSION REQUIRED WORK POINT OR USED, "GENERAL SHEET NOTES" DENOTE DESCRIPTIONS OF ADDITIONAL NEW WORK SPECIFIC TO THE SHEET **DOWNSPOUT ROOF HATCH** CONTROL POINT RAIN WATER LEADER CONTAINING THE "GENERAL SHEET NOTE". DWG. DRAWING DIMENSION MARKS * * SOLID CORE USE OF ANY MATERIAL CONTAINING ASBESTOS IS PROHIBITED. EXHAUST FAN STORAGE **EXPANSION JOINT** SPECIFICATION 10. DETAILS, MATERIALS, AND FINISHES ARE TYPICAL FOR SIMILAR CONDITIONS UNLESS NOTED OTHERWISE. EMERG. EMERGENCY STAINLESS STEEL **REVISION** STANDARD **ELEVATION** 11. THE TERM "TYPICAL" (TYP) SHALL BE CONSTRUED TO MEAN APPLYING TO LIKE KIND OR SIMILAR CONDITIONS IN THE E.W.C. ELECTRIC WATER COOLER STRUCTURAL AREAS DESIGNATED FOR WORK SCOPE (I.E. WITHIN THE BOUNDARIES OF THIS PROJECT). FLOOR DRAIN SYMMETRICAL TO BE REMOVED 12. DEMOLISHED ITEMS SHALL BE REMOVED FROM THE SITE AND DISPOSED OF PROPERLY UNLESS NOTED TO BE FIRE EXTINGUISHER FIRE HOSE CABINET SALVAGED BACK TO OWNER. TOP OF CURB FIN. TOP OF CONCRETE FACE OF CONCRETE FACE OF FINISH TOP OF PLATE FACE OF STUDS TELEVISION FACE OF WALL T.O.W. TOP OF WALL FIBERGLASS REINFORCED TYP. TYPICAL U.O.N. UNLESS OTHERWISE NOTED FIELD VERIFY UNIT VENTILATOR

GALVANIZED

HOLLOW CORE

HOLLOW METAL

HVAC UNIT

HGT./HT. HEIGHT

VENT HOOD

WOOD

W.V. WATER VALVE

WITHOUT

WATER CLOSET

W.W.F. WELDED WIRE FABRIC

W C WD

VENT THROUGH ROOF

REVISIONS DESCRIPTION DATE: JOB NO.: TITLE SHEET SHEET NO.





