


# SHERIDAN SCHOOL DISTRICT BOARD MEETING MARCH 13, 2017

---

## INFORMATIONAL UPDATE




LEWIS  
ARCHITECTS  
ENGINEERS



ELLIOTT • MCMORRAN • VADEN  
RAGSDALE • WOODWARD • INCORPORATED  
501.223.9302 • FAX 501.223.9909 • [WWW.LEMVRW.COM](http://WWW.LEMVRW.COM)






ADDITION, RENOVATIONS & RE-ROOF  
INTERMEDIATE SCHOOL  
SHERIDAN SCHOOL DISTRICT  
SHERIDAN, ARKANSAS

DATE: 14 FEB. 2017  
PROJECT NO: 16076  
DRAWN BY: M/P  
REVISION:


A0.1  
X OF X

LEWIS ARCHITECTS ENGINEERS  
ELLIOTT • MCMORRAN • VADEN  
RAGSDALE • WOODWARD • INCORPORATED  
801.223.8302 • FAX 801.223.8808 • WWW.LEWMVW.COM




FLOORING PLAN - AREA B

A8.2 SCALE 1/8" = 1'-0"



LEGEND



KEY PLAN  
SHERIDAN INTERMEDIATE SCHOOL

ADDITION, RENOVATIONS & RE-ROOF  
INTERMEDIATE SCHOOL  
SHERIDAN SCHOOL DISTRICT  
SHERIDAN, ARKANSAS




DATE: 14 FEB. 2017  
PROJECT NO.: 16076  
DRAWN BY: CS  
REVISION:

A8.2  
17 OF 21

ELLIOTT • MCMORRAN • VADEN  
RAGSDALE • WOODWARD • INCORPORATED  
ARCHITECTS  
ENGINEERS  
501.223.8902 • FAX 501.223.8908 • WWW.LEWISVADEN.COM






3  
A0.1

SECTION - HOME BLEACHERS

SCALE: 1/4" = 1'-0"



2 FLOOR PLAN - HOME BLEACHER ADDITION  
A0.1 SCALE: 1/8"=1'-0"


HOME ADDITION	
BENCH SEATING	369 SEATS
ACCESSIBLE SEATING	6 SEATS
TOTAL SEATING	375 SEATS

## GENERAL NOTES





1. ALL BIDDERS SHALL FIELD VERIFY EXISTING SITE CONDITIONS SO AS TO BE FAMILIAR WITH PROJECT PRIOR TO BIDDING WORK INCLUDED IN THIS CONTRACT. ANY DISCREPANCIES SHALL BE ADDRESSED PRIOR TO BIDDING.
2. CONTRACTOR TO VERIFY AND MARK ALL EXISTING UTILITIES PRIOR TO ANY DEMOLITION OR NEW CONSTRUCTION WORK COMMENCES.
3. ALL WORK SHALL BE COORDINATED WITH THE OWNER SO AS NOT TO INTERFERE WITH SCHOOL ACTIVITIES.

## DEMOLITION NOTES


1. THE CONTRACTOR IS RESPONSIBLE FOR THE DEMOLITION, REMOVAL, AND DISPOSING IN A LOCATION APPROVED BY THE GOVERNING AUTHORITIES, OF PAST, NOW, WALLS, CHIMNEYS, ETC., AND FOR THAT THE IMPROVED SITE SHOWS ALL THE EXISTING PLANS CAN BE CONSTRUCTED.
2. THE CONTRACTOR IS RESPONSIBLE FOR REMOVING ALL DEBRIS FROM THE SITE AND DISPOSING OF THE DEBRIS IN A LAIRAL MANNER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED FOR DEMOLITION AND DISPOSAL.
3. ELECTRICAL, TELEPHONE, CABLE, WATER, FIBER OPTIC CABLE, AND GAS LINES NEEDING TO BE REMOVED OR RELOCATED SHALL BE IDENTIFIED WITH THE CONTRACTOR'S REPRESENTATIVE. ACCURATE TIME SHALL BE PROVIDED FOR RELOCATION AND CLOSE COORDINATION WITH THE UTILITY COMPANIES IS NECESSARY. THE CONTRACTOR SHALL PAY CLOSE ATTENTION TO EXISTING UTILITIES ALONG THE ROAD RIGHT-OF-WAY DURING CONSTRUCTION.
4. ACCESS SHALL BE MAINTAINED FOR THE SURROUNDING PROPERTIES AT ALL TIMES DURING DEMOLITION. DAMAGE TO EXISTING SCHOOL GROUND/PARKING LOTS SHALL BE REPAIRED.




1 HOME BLEACHER ADDITIONS-FENCING  
A0.1 NO SCALE




7 TYPICAL CONCRETE WALK EDGE  
SCALE: NOT TO SCALE




8 TYPICAL CONCRETE WALK JOINT DETAILS  
SCALE: NOT TO SCALE




9 SECTION - VISITOR BLEACHER ADDITION  
SCALE: 1/4"=1'-0"












10 FLOOR PLAN - VISITOR BLEACHER ADDITION  
SCALE: 1/8"=1'-0"



11 DOOR SCHEDULE  
A1.1 SCALE: 1/4" = 1'-0"



10 WINDOW SCHEDULE  
A1.1 SCALE: 1/4" = 1'-0"



- KEYED CONSTRUCTION NOTES:**
1. INSTALL NEW CARPET/RUBBER BASE TILE IN AREA. NOTE LOCATIONS OF WRECK TO BE REMOVED FROM CARPET.
  2. INSTALL NEW MILLWORK THIS LOCATION. REFER TO A1.2 FOR ELEVATIONS AND DETAILS REGARDING MILLWORK.
  3. PATCH/REPAIR HOLES AND REMOVE PATCH ANY PROTRUSIONS IN WALLS WITH NEW CONSTRUCTION. WHERE NEW CONSTRUCTION OCCURS NEW TO AREA. NEW CONSTRUCTION. PROTECT, MATCH, ADJACENT FINISHES WITH NEW CONSTRUCTION WORK.
  4. INSTALL NEW WALL THIS LOCATION. LG METAL STUD FRAMING TO LATH & CEILING. WITH 5/8" GYP SOFT BOARDS. COORDINATE PLACEMENT OF WALL WITH EXISTING HVAC/JOIST RINGS. TAPE/JOINT SHEETROCK. PAINT AND INSTALL FINISH WALL THROUGHOUT ENTIRE OFFICE.

- KEYED DEMOLITION NOTES:**
1. REMOVE PLASTER OVER AND EXPOSE BRICK OR CMU WALL. REMOVE PATCH/REPAIR ANY HOLES OR PROTRUSIONS. PREP TO RECEIVE PAINT.
  2. REMOVE DOOR AND FRAME. RE IN WITH SMOCK. PAINT TO MATCH ADJACENT EXISTING WALLS.
  3. REMOVE EXISTING MILLWORK.
  4. DEMO PORTION OF EXISTING BLOCK WALL FOR INSTALLATION OF NEW DOOR.
  5. REMOVE EXISTING TRACKS/SLIDER WINDOW AND PREP EXISTING FOLLOWING METAL FRAME FOR NEW SLIDER WINDOW. TRACK TO BE FILL WITH CEMENT.
  6. REMOVE ALL PLUMB FACETS SINKS, SINKS, SINKS, BREAKERS WALL TO EXPOSE PAINT. PATCH/REPAIR/REMOVE ANY HOLES, PROTRUSIONS, OR CRACKS.
  7. REMOVE WALLS IN THIS CORNER SHOWN DAMAGED. REMOVE EXISTING FLOORING. PATCH/REPAIR ANY HOLES/PROTRUSIONS TO PREP FLOOR TO RECEIVE NEW FLOORING MATERIAL.



CEILING COLOR

E18  
SW 7009

Pearly White



COUNTER LAMINATE



OFFICE SOLID SURFACE



CEILING TILE

WALL FIELD COLOR

Idly Gray

WALL ACCENT COLOR

Acornwood




CABINET LAMINATE



BATHROOM SOLID SURFACE

WALL ACCENT COLOR

WALL ACCENT COLOR



Traditional Wall Base  
63 Burnt Umber B  
ColorMatch®  
800.899.8916  
www.tarkettna.com  
**Johnsonite**

RUBBER BASE

TYPICAL CARPET TILE



## TYPICAL FINISHES FOR DISTRICT



POLISHED CONCRETE