

**ANALYTICAL REPORT**

Job Number: 420-104761-1

SDG Number: Tuxedo UFSD - George Mason Elementary

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw

*Meredith Ruthven*

---

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

05/31/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

**Envirotest Laboratories, Inc.**

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 [www.envirotestlaboratories.com](http://www.envirotestlaboratories.com)

## METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-104761-1  
SDG Number: Tuxedo UFSD - George Mason Elementary

Description	Lab Location	Method	Preparation Method
<b>Matrix: Water</b>			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

### Lab References:

EnvTest = EnviroTest

### Method References:

EPA = US Environmental Protection Agency

## METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-104761-1  
SDG Number: Tuxedo UFSD - George Mason Elementary

<b>Method</b>	<b>Analyst</b>	<b>Analyst ID</b>
EPA 200.8 Rev.5.4	Sirico, Derek	DS

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-104761-1  
SDG Number: Tuxedo UFSD - George Mason Elementary

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Client Matrix</b>	<b>Date/Time Sampled</b>	<b>Date/Time Received</b>
420-104761-1	GGM - Room 205 Fountain	Drinking Water	05/24/2016 0630	05/24/2016 1145

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-104761-1  
Sdg Number: Tuxedo UFSD - George Mason Elementary

Client Sample ID: GGM - Room 205 Fountain  
Lab Sample ID: 420-104761-1

Date Sampled: 05/24/2016 0630  
Date Received: 05/24/2016 1145  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/27/2016 0058	
Prep Method: 200			Date Prepared:	05/26/2016 1200	
Pb	18.0 g	ug/L	1.00	1.00	1.0

## DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:  
Sdg Number: Tuxedo UFSD - George Mason Elementary

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards

## Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Tuxedo UFSD - George Mason Elementary

---

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

Lab Name: EnviroTest Laboratories  
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT NO. PROJECT LOCATION MATRIX TYPE REQUIRED ANALYSES

CLIENT PHONE: 845-781-4887 CLIENT FAX: ENVIRONMENTAL ANALYSES

CLIENT NAME: Orange-Ulster BOCES

CLIENT ADDRESS: 3 Gibson Road, Goshen, NY 10924

CLIENT CONTACTING THIS WORKS (if applicable):

DATE: 5/24/2016 TIME: 0630GM - Room 206 Fountain

COMPOSITE (C) OR GRAB (G) INDICATE: G

AQUEOUS (WATER): D

D (Drinking Water) or W (Waste Water) Indicate: D

SOLID OR SEMISOLID: D

OTHER Specify: NUMBER OF CONTAINERS SUBMITTED

RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>G. DeGraw</i>	5/24/16	1145	<i>G. DeGraw</i>	5/24/16	0630	<i>G. DeGraw</i>	5/24/16	0630

COOLERS: 23.80C

LABORATORY REMARKS: ICE (Y/N) PH: C1.2 Revisited by: *J. Blumenthal*

DATE: 5/24/16 TIME: 1145 CUSTODY INTACT: YES

COOLANT TEMP (C): 23.80C

RECEIVED BY: (SIGNATURE) DATE: 5/24/16 TIME: 1145



## LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-104761-1

SDG Number: Tuxedo UFSD - George Mason Elementary

Login Number: 104761

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	23.8 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require specific sample temperature. AE 5/24/16
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	