## Asthma Treatment Plan

)) The Pediatric/Adult Asthma Coalition of New Jersey






(Please Print)	. ,	"Your Pathway to Asthma Contro Original PACKU approved Plan available www.pacnj.org	of New Jersey	9 W BENIGH BERVI	
Name		Date of Birth	Effective Date		
Doctor	Parent/Guardian (if	applicable)	Emergency Contact		
Phone	Phone		Phone		
HEALTHY        You have all of these	to be used with	spacers.	d dose inhalers (MDI)	7 7	
Breathing is good No cough or wheeze Sleep through the night Can work, exercise, and play  And/or Peak flow above	Advair® 100, 250, 50 Advair® HFA 45, 115 Asmanex® Twisthalet Flovent® 44, 110, 22 Flovent® Diskus® 50 Pulmicort Flexhaler® Pulmicort Resputes® Qvar® 40, 80 Singulair 4, 5, 10 mg	HOW MUCH to 1000	wice a day ons a day twice a day wice a day ons once or twice a day zed once or twice a day twice a day	Check all items that trigger patient's asthma:  Chalk dust Cigarette Smok & second hand smoke Colds/Flu Dust mites, dust, stuffed animals, carpet Exercise Mold	
Remember to rinse your mouth after taking inhaled medicine  If exercise triggers your asthma, take this medicine minutes before exercise				- 1 00tb 100011tb .	
CAUTION	Continue daily medicine(s) and add fast-acting medicine(s).				
Exposure to known trigg     Cough     Mild wheeze     Tight chest     Coughing at night     Other:	MEDICINE  HOW MUCH to take and HOW OFTEN to take it  Accuneb® 0.63, 1.25 mg 1 unit nebulized every 4 hours as needed  Albuterol 1.25, 2.5 mg 1 unit nebulized every 4 hours as needed  Albuterol □ Pro-Air □ Proventil® .2 puffs MDI every 4 hours as needed  Ventolin® □ Maxair □ Xopenex® .2 puffs MDI every 4 hours as needed  Xopenex® 0.31, 0.63, 1.25 mg1 unit nebulized every 4 hours as needed  Increase the dose of, or add:			cut grass, pollen Strong odors, perfumes, clean- ing products, scented product: Sudden tempera ture change Wood Smoke	
And/or Peak flow from to	If fast-acting medicine is needed more than 2 times a week, except before exercise, then call your doctor.		Other:		
Your asthma is getting worse fast:  Fast-acting medicine did n help within 15-20 minutes  Breathing is hard and fast  Nose opens wide  Ribs show  Trouble walking and talking  Lips blue • Fingernails blue	Asthma can be a  Accuneb® 0.63, 1.25  Albuterol 1.25, 2.5 mg  Albuterol Pro-Air  Ventolin® Maxair  Xopenex® 0.31, 0.63,	nedicines NOW  life-threatening if mg1 unit nebulize g1 unit nebulize Proventil® .2 puffs MDI ev Xopenex® 2 puffs MDI ev 1.25 mg1 unit nebulize	Iness. Do not wait! d every 20 minutes d every 20 minutes ery 20 minutes ery 20 minutes	This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.	
Though this document has been harded whelly or in part by the holder of the proper method while State Emirarmental Protection Agency under Agreements 188284101—4 with SUPESSARIO1—16 the American Luny Association (Mere Alexen, it has not provide the dynamic parts and the discount of the American State (18 American State) (18	LY:  apable and has been instructed in  d of self-administering of the inhale  ed above in accordance with NJ Law  at approved to self-medicate.			DATE	

EFFECTIVE MARCH 2008 Permission to reproduce blank form Approved by the New Jersey Thoracic Society

☐ This student is <u>not</u> approved to self-medicate.

Make a copy for patient and for physician file. For children under 18, send original to school nurse or child care provider.



"Your Pathway to Asthma Control" Original PACNJ approved Plan available at www.pacnj.org

## **Asthma Treatment Plan Patient/Parent Instructions**



The PACNJ Asthma Treatment Plan is designed to help everyone understand the steps necessary for the individual patient to achieve the goal of controlled asthma.

1. Patients/Parents/Guardians: Before taking this form to your Health Care Provider:

Complete the top left section with:

· Patient's name

- Parent/Guardian's name & phone number
  - · An Emergency Contact person's name & phone number
- · Patient's doctor's name & phone number

## 2. Your Health Care Provider will:

· Patient's date of birth

Complete the following areas:

- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and circle how much and how often to take it
- Your Health Gare Provider may check "OTHER" and:
  - Write in asthma medications not listed on the form
  - Write in additional medications that will control your asthma

when he will a what this tree when it were

- Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for you or your child to follow
- 3. Patients/Parents/Guardians & Health Care Providers together:

Discuss and then complete the following areas:

- · Patient's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
- · Patient's asthma triggers on the right side of the form
- For Minors Only section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- 4. Parents/Guardians: After completing the form with your Health Care Provider:
  - · Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
  - · Keep a copy easily available at home to help manage your child's asthma
  - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

This Asthma Treatment Plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs. Not all asthma medications are listed and the generic names are not listed.

The use of this Website/PACNJ Asthma Treatment Plan and its content is at your own risk. The content is provided on an "as is" basis. The American Lung Association of the Mid-Atlantic (ALAM-A), the Pediatric/Adult Asthma Coalition of New Jersey and all affiliates disclaim all warranties, express or implied, statutory or otherwise, including but not limited to the implied warranties or merchantability, non-infringement of third parties' rights, and fitness for a particular purpose.

ALAM-A makes no representations or warranties about the accuracy, reliability, completeness, currency, or timeliness of the content. ALAM-A makes no warranty, representation or guaranty that the information will be uninterrupted or error free or that any defects can be corrected.

In no event shall ALAM-A be liable for any damages (including, without limitation, incidental and consequential damages, personal injury/wrongful death, lost profits, or damages resulting from data or business interruption) resulting from the use or inability to use the content of this Asthma Treatment Plan whether based on warranty, contract, tort or any other legal theory, and whether or not ALAM-A is advised of the possibility of such damages. ALAM-A and its affiliates are not liable for any claim, whatsoever, caused by your use or misuse of the Asthma Treatment Plan, nor of this website.

The Pediatric/Adult Ashma Coalition of New Jersey, sponsored by the American Lung Association of New Jersey, and this publication are supported by a grant from the New Jersey Department of Health and Senior Services (NJDHSS), with Lunds provided by the U.S. Centers for Disease Control and Prevention (USCDCP) under Cooperative Agreement 5U59EH000206-2. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the NJDHSS or the USCDCP. Although this document has been funded wholly or in part by the United States Environmental Protection Agency under Agreements X497256707-1, X498284401-3 and X497250908-0 to the American Lung Association of New Jersey, it has not gone through the Agency's publications review process and therefore, may not necessarily reflect the views of the Agency and no official endorsement should be inferred. Information in this publication is not intended to diagnose health problems or take the place of medical advice. For asthma or any medical condition, seek medical advice from your child's or your health care professional.

