


Guide to Immunization Requirements in Oklahoma: 2019-20 School Year



All children two months of age and older must present an immunization record or file for an exemption before they are allowed to attend childcare or school in Oklahoma. Please read the bullets below for essential information.

Age/Grade	Required immunizations with cumulative doses required		Recommended immunizations
Childcare <i>Up to date for age</i>	4 DTaP (diphtheria, tetanus, pertussis) 1-4 PCV (pneumococcal) ◆ 1-4 Hib (<i>Haemophilus influenzae</i> type B) ◆ 1 MMR (measles, mumps rubella) 1 Varicella (chickenpox)	3 IPV (polio) 2 Hep A (hepatitis A) 3 Hep B (hepatitis B)	Seasonal influenza (flu)
Preschool/Pre-K	4 DTaP (diphtheria, tetanus, pertussis) 1 MMR (measles, mumps rubella) 1 Varicella (chickenpox)	3 IPV (polio) 2 Hep A (hepatitis A) 3 Hep B (hepatitis B)	Seasonal influenza (flu) 2 nd varicella at 4 years old Polio on or after 4 th birthday
Kindergarten-6th	5 DTaP (diphtheria, tetanus, pertussis) ★ 2 MMR (measles, mumps rubella) 1 Varicella (chickenpox)	4 IPV (polio) ◀ 2 Hep A (hepatitis A) 3 Hep B (hepatitis B)	Seasonal influenza (flu) 2 nd varicella at 4 years old Polio on or after 4 th birthday
7th-12th	1 Tdap (tetanus, diphtheria, pertussis) 5 DTaP (diphtheria, tetanus, pertussis) ★ 2 MMR (measles, mumps rubella) 1 Varicella (chickenpox)	4 IPV (polio) ◀ 2 Hep A (hepatitis A) 3 Hep B ■ (hepatitis B)	Seasonal influenza (flu) 2-3 HPV (human papillomavirus) 1-2 MCV4 (meningococcal ACWY) 2-3 Men B (meningococcal serotype B)

- The current childhood immunization schedule may be found at <https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html>.
- Doses administered 4 days or less, before the minimum intervals or ages, are counted as valid doses. This does not apply to the 28 day minimum interval between doses of live vaccine not administered on the same day.
- If a parent reports that their child had chickenpox disease, the child is not required to receive varicella vaccine. Record that the child had the disease.
- The first doses of measles, mumps and rubella (MMR), varicella, and hepatitis A vaccines must be administered on or after the child's first birthday (or within 4 days before the birthday) or they must be repeated.
- It is not necessary to restart the series of any vaccine if a dose was given late or if a dose is past due. Longer than recommended intervals between doses do not affect final immunity.
- Children may be allowed to attend childcare and school if they have received at least one dose of all the required vaccines due for their age or grade and the next doses are not yet due, but they must complete the remaining doses of vaccine on schedule. These children are "in the process" of receiving immunizations.
- Children attending licensed childcare facilities must be up-to-date for their age for the vaccines listed in the "Childcare" column.
- Hib and PCV vaccines are not required for students in pre-school, pre-kindergarten, or kindergarten programs operated by schools unless the facility is a licensed child care facility. Hib and PCV vaccines are required for children attending licensed child care facilities.
- ★ If the 4th dose of DTaP is administered on or after the child's 4th birthday, then the 5th dose of DTaP is not required.
- ◆ The number of doses of PCV and/or Hib may range from 1 to 4 depending on the age of the child when the first dose was given and type of Hib vaccine used.
- ◀ If the 3rd dose of IPV is administered on or after the child's 4th birthday and at least six months from the previous dose, then the 4th dose of IPV is not required.
- Students 11 through 15 years of age who have not received Hep B vaccine may receive a 2 dose series of Merck® Adult Hepatitis B vaccine to comply with this requirement. All other children (younger or older) must receive 3 doses of pediatric hepatitis B vaccine.