

Student Screening

Before leaving for school, please do the following screening. If your child has any of the following symptoms, it indicates a possible illness that may decrease the student's ability to learn and put them at risk for spreading illness to others.

MARK ALL THAT APPLY

Symptoms

- ☐ Temperature 100.4 degrees Fahrenheit or feels feverish
- ☐ Sore throat
- ☐ New uncontrolled cough that causes difficulty breathing (for students with chronic allergic/asthmatic cough, a change in their cough from baseline)
- ☐ Diarrhea, vomiting, or abdominal pain
- ☐ New onset of severe headache, especially with a fever

Close Contact/Potential Exposure

In the past 14 days has your child:

- ☐ Had close contact (within 6 feet of an infected person for at least 15 minutes) with a person with confirmed COVID-19; OR
- ☐ Had close contact (within 6 feet of an infected person for at least 15 minutes) with person under quarantine for possible exposure to COVID-19; OR
- ☐ Had international travel or have been on a cruise

If the answer is **YES** to any of the **symptom** questions, keep your child(ren) home from school.

If the answer is **YES** to any symptoms question and **YES** to any close contact/potential exposure question or live in an area with high levels of COVID-19 in the community (Risk Level 1-3 found at www.mistartmap.info), call the school as soon as possible to let them know the reason your child(ren) won't be there today. Call your healthcare provider right away. If you don't have one or cannot be seen, go to www.mi.gov/coronavirustest or call 2-1-1 to find a location to have your child(ren) tested for COVID-19.

If the answer is **YES** to any of the symptom questions, but **NO** to any close contact/potential exposure questions, your student may return based on the guidance for their symptoms (see "[Managing Communicable Diseases in Schools](#)"):

- Fever: at least 24 hours have passed with no fever, without the use of fever-reducing medications
- Sore throat: improvement (if strep throat: do not return until at least 2 doses of antibiotic have been taken)
- Cough/Shortness of breath: improvement
- Diarrhea, vomiting, abdominal pain: no diarrhea or vomiting for 24 hours
- Severe headache: improvement

DISCLAIMER: This screening tool is subject to change based on the latest information on COVID-19.

Source: Centers for Disease Control and Prevention; [Screening K-12 Students for Symptoms of COVID-19: Limitations and Considerations](#)