Teacher: CORE Living Environment Year: 2010-11
Course: Living Environment Month: All Months

S LAB SKILLS/INSTRUMENTS: SCIENTIFIC scientific ex

scientific methodology, including designing controlled experiments and using scientific inquiry in laboratory

n	METHOD	/EXPERIMEN	experiments and using scientific inquiry in laboratory						
p t e	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards	
m b e r	_	Experimental Design: Scientific Method, Measurement, Tools	visually. List in writing the steps of the scientific method. Given a question/problem, construct in writing a valid hypothesis. Visually differentiate an observation from an inference. Design in writing a controlled experiment. Identify in writing the IV, DV and Controls in an experiment Measure manually mass, volume, and distance metrically. Convert manually among metrics units. Organize data manually or	Ruler Stereoscope Triple- Beam Balance Volume Assumption Bias Conclusion Control Controlled Experiment Data Dependent Variable Evidence Experiment Hypothesis Independent Variable Inference Model Observation				LE.1.2.2.a- Development of a research plan involves researching background information and understanding the major concepts in the area being investigated. Recommendations for methodologies, use of technologies, proper equipment, and safety precautions should also be included. LE.1.2.3-Develop and present proposals including formal hypothesis to test explanations, ie.e, predict what should be observed under specific conditions if the explanation is true. LE.1.2.3.a-Hypothesis are	
			2130ti omoung in	~ 510111110			<u> </u>	J Poulosis are	

the form of a	Literacy	predictions based
table/graph.		upon both
Demonstrate		research and
manually the		observation.
proper use of	a	LE.1.2.3.b-
microscope.		Hypothesis are
Organize visu	ıally	widely used in
the classificat		science for
of organisms		determining what
based on trait	s.	data to collect and
		as a guide for
		interpreting the
		data.
		LE.1.2.3.c-
		Development of a
		research plan for
		testing a
		hypothesis
		requires planning
		to avoid bias (e.g.,
		repeated trials,
		large sample size,
		and objective
		data-collection
		techniques).
		LE.1.2.4-Carry
		out a research
		plan for testing
		explanations,
		including
		selecting and
		developing
		techniques,
		acquiring and
		building
		apparatus, and
		recording
		observations as
		necessary.
		LE.1.3.1-Use
		various methods
		of representing
		and organizing
		observations (e.g.,
		diagrams, tables,
		charts, graphs,

				equations,
				matrices) and
				insightfully
				interpret the
				organized data.
				LE.1.3.1.a-
				Interpretation of
				data leads to
				development of
				additional
				hypothesis, the
				formulation of
				generalizations, or
				explanations of
				natural
				phenomena.
				LE.1.3.3-Assess
				correspondence
				between the
				predicted result
				contained in the
				hypothesis and
				actual result, and
				reach a conclusion
				as to whether the
				explanation on
				which the
				prediction was
				based is
				supported.
				LE.1.3.4-Based
				on the results of
				the test and
				through public
				discussion, revise
				the explanation
				and contemplate
				additional
				research.
				LE.1.3.4.a-
				Hypothesis are
				valuable, even if
				they turn out not
				to be true, because
				they may lead to
				further

				investigation.
				LE.1.3.4.b-Claims
				should be
				questioned if the
				data are based on
				samples that are
				very small,
				biased, or
				inadequately
				controlled or if
				the conclusions
				are based on the
				faulty,
				incomplete, or
				misleading use of
				numbers.
				LE.1.3.4.c-Claims
				should be
				questioned if fact
				and opinion are
				intermingled, if
				adequate evidence
				is not cited, or if
				the conclusions do
				not follow
				logically from the
				evidence given.
				LE.1.3.5-Develop
				a written report
				for public scrutiny
				that describes the
				proposed
				explanation,
				including a
				literature review,
				the research
				carried out, its
				result, and
				suggestions for
				further research.
				LE.1.3.5.a-One
				assumption of
				science is that
				other individuals
				could arrive at the
				same explanation

	if they had access
	to similar
	evidence.
	Scientists make
	the results of their
	investigations
	public; they
	should describe
	the investigations
	in ways that
	enable others to
	repeat the
	investigations. LE.1.3.5.b-
	Scientists use pee
	review to evaluate
	the results of
	scientific
	investigations and
	the explanations
	proposed by other
	scientists. They
	analyze the
	experimental
	procedures,
	examine the
	evidence, identify
	faulty reasoning,
	point out
	statements that go
	beyond the
	evidence, and
	suggest
	alternative
	explanations for
	the same
	observations.

O CHARACTERISITCS OF LIFE FUNCTIONS I * ~

Introduction of characteristics that all living things share and life functions

	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
e r				Respiration Repair Regulation				LE.4.1.2.e- The organs and systems

Describe in	Excretion	of the body
writing each	Growth	help to
of 8 life	Nutrition	provide all
fuctions.	Transport	the cells
	Synthesis	with their
	Reproduction	basic needs.
	metabolism	The cells of
		the body are
		of different
		kinds and
		are grouped
		in ways that
		enhance
		how they
		function
		together.
,	,	

CHARACTERISTICS OF LIFE FUNCTIONS II * structure and function of organic and inorganic molecules

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Organic: Carbohydrates, Proteins, Lipids, Nucleic Acids Organic: Carbon & Hydrogen Bonds Inorganic: Absence of Carbon/Hydrogen Bonds	inorganic molecules. Identify in writing the building blocks of each type of	Inorganic Element Compound Molecule Amino Acid Simple Sugar Glucose Starch Carbohydrate				LE.4.1.2.h-Many organic and inorganic substances dissolved in cells allow necessary chemical reactions to take place in order to maintain life. Large organic food molecules such as proteins and starches must initially be broken down (digested to amino acids and simple

			sugars
			respectively),
			in order to
			enter cells.
			Once
			nutrients
			enter a cell,
			the cell will
			use them as
			building
			blocks in the
			synthesis of
			compounds
			necessary for
			life.
			LE.4.5.1.c-In
			all
			organisms,
			organic
			compounds
			can be used
			to assemble
			other
			molecules
			such as
			proteins,
			DNA, starch,
			and fats. The
			chemical
			energy stored
			in bonds can
			be used as a
			l l
			source of
			energy for
			life
			processes.

CHARACTERISTICS OF LIFE FUNCTIONS III * ~ cell structure and function

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Organelles:		-				LE.4.1.2.f-
		writing the	Molecule				Cells have
	Structure &	functions	Ribosome				particular
	Function	cell	Vacuole				structures that
	Cell	organelles.	Mitochondria				perform

Structure Cell	e: Compare using a t- chart the similarities and differences of plant and animal cell organells. Locate visually organelles in a cell. Label in writing the			specific jobs. These structures perform the actual work of the cell. Just as systems are coordinated and work together, cell parts must also be coordinated and work together. LE.4.1.2.g-
	parts of the cell membrane. State in writing the functions of the cell membrane.			Each cell is covered by a membrane that performs a number of mportant functions for the cell. These include: separation from its putside environment,
				controlling while molecules enter and leave the cell, and recognition of chemical signals. The process of diffusion and active transport
			i 1 1 2	are important in the movement of materials in and out of cells. LE.4.1.2.i-

				Inside the cell
				a variety of
				specialized
				structures,
				formed from
				many different
				molecules,
				carry out the
				transport of
				materials
				(cytoplasm),
				extraction of
				energy from
				nutrients
				(mitochondria),
				protein
				building
				(ribosomes),
				waste disposal
				(cell
				membrane),
				storage
				(vacuole), and information
				storage
				(nucleus). LE.4.1.2.j-
				Receptor
				molecules play
				an important role in the
				interactions
				between cells.
				Two primary
				agents of
				cellular
				communication
				are hormones
				and chemicals
				produced by
				nerve cells. If
				nerve or
				hormone
				signals are
				blocked,
				cellular

							communication is disrupted
							and the
							organism's
							stability is
							affected.
							LE.4.1.3-
							Explain how a
							one-celled
							organism is
							able to
							function
							despite lacking
							the levels of
							organization
							present in more
							complex
							organisms.
							LE.4.1.3.a-The
							structures
							present in
							some single-
							celled
							organisms act
							in a manner
							similar to the
							tissues and
							systems found
							in multicellular
							organisms,
							thus enabling
							them to
							perform all of
							the life
							processes
							needed to
							maintain
							homeostasis.
CHARAC	TERISTICS C	E LIFE FUN	ICTIONS IV * ~	nassive and a	octive transpo	nrt .	

CHARACTERISTICS OF LIFE FUNCTIONS IV * ~ passive and active transport

- 11	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
		Transport: Passive	Compare	Active				LE.4.1.2.g-
		Transport: Active	manually the	Transport				Each cell is
			characteristics	Passive				covered by a

of dialysis	Transport	membrane
tubing and	Diffusion	that performs
the cell	Osmosis	a number of
membrane.	Concentration	important
Identify	Gradient	functions for
substances	Equilibrium	the cell.
visually using		These
indicators.		include:
Discriminate		separation
visually		from its
between		outside
passive and		environment,
active		controlling
transport.		while
Predict in		molecules
writing the		enter and
effect of a		leave the
change in		cell, and
concentration		recognition
of a solute on		of chemical
a cell.		signals. The
		process of
		diffusion and
		active
		transport are
		important in
		the
		movement of
		materials in
		and out of
		cells.
		LE.4.1.2.h-
		Many
		organic and
		inorganic
		substances
		dissolved in
		cells allow
		necessary
		chemical
		reactions to
		take place in
		order to
		maintain life.
		Large
		organic food

\Box	l I				
					molecules
					such as
					proteins and
					starches must
					initially be
					broken down
					(digested to
					amino acids
					and simple
					sugars
					respectively),
					in order to
					enter cells.
					Once
					nutrients
					enter a cell,
					the cell will
					use them as
					building
					blocks in the
					synthesis of
					compounds
					necessary for
					life.
N	CHADACTEDIC	TICS OF LIFE FUNCTION	DNS V * ~ body systems str	mature and function	,

N CHARACTERISTICS OF LIFE FUNCTIONS V * ~ body systems structure and function

v e	 Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
m b e r	Body Systems: Levels of Organization Body Systems: Functions and Malfunctions	visually the organs in each human body system.	Organelles Cells Tissues Organs Organ Systems Organisms immunity				LE.4.1.2.a-Important levels of organization for structure and function include organelles, cells, tissues, organs, organ systems, and whole organisms. LE.4.1.2.b-Humans are complex organisms.

		They require
		multiple
		systems for
		digestion,
		respiration,
		reproduction,
		circulation,
		excretion,
		movement,
		coordination,
		and
		immunity.
		The systems
		interact to
		perform the
		life functions.
		LE.4.1.2.c-
		The
		components
		of the human
		body, from
		organ systems to cell
		organelles, interact to
		maintain a
		balanced
		internal
		environment.
		То
		successfully
		accomplish
		this,
		organisms
		possess a
		diversity of
		control
		mechanisms
		that detect
		deviations
		and make
		corrective
		actions.
		LE.4.1.2.d-If
		there is a
		disruption in

				any human
				system, there
				may be a
				corresponding
				imbalance in
				homeostasis.
				LE.4.1.2.e-
				The organs
				and systems
				of the body
				help to
				provide all
				the cells with
				their basic
				needs. The
				cells of the
				body are of
				different
				kinds and are
				grouped in
				ways that
				enhance how
				they function
				together. LE.4.1.2-
				Describe and
				explain the
				structures and
				functions of
				the human
				body at
				different
				organizational
				levels (e.g.,
				systems,
				tissues, cells,
				and
				organelles).
				LE.4.5.3-
				Relate
				processes at
				the system
				level to the
				cellular level
				in order to
II I	1			explain

	dynamic equilibrium in multicelled organisms.
--	--

CHARACTERISTICS OF LIFE FUNCTIONS VI * ~

analysis of similarities and differences between single and multicellular organisms

1011011	0110 11		mannen	diai organisii	10		
Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Body Systems: Organelles with Analagous Functions	Compare in writing organ systems/organs to organelles. Analogize in writing structures within single and multicellular organisms.					LE.4.1.3.a- The structures present in some single-celled organisms act in a manner similar to the tissues and systems found in multicellular organisms, thus enabling them to perform all of the life processes needed to maintain homeostasis.

HOMEOSTASIS I * ~ biochemical processes including cellular respiration and photosynthesis

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Biochemical	Identify in	Biochemical				LE.4.5.1.a-The
	Process:	writing the raw	Process				energy for life
	Photosysthesis	materials and	Photosynthesis				comes
	Biochemical	products of	Cellular				primarily from
	Process:	photosynthesis.	Respiration				the Sun.
	Cellular	Identify in	Enzyme				Photosynthesis
	Respiration	writing the raw	Catalyst				provides a vital
	Biochemical	materials and	ATP				connection

Process: Enzymes cellular respiration. Relate in writing the interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Whitochondria Chloroplast Pigment Chromatography Choromatography Specificity Specificity LE.4.5.1.b- Plant cells and some one-celled organisms contain chloroplasts, the site of photosynthesis The process of photosynthesis uses solar energy to combine the inorganic molecules graphically the relationship between the various factors that affect enzyme reaction rate.					
Relate in writing the interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Pigment Chromatography (Chlorophyll Systems, Systems, Systems, Systems, Specificity Plant cells and some one-celled organisms contain chloroplasts, the site of photosynthesis The process of photosynthesis uses solar energy to combine the inorganic molecules and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of	Process:	products of	Mitochondria		between the
Relate in writing the interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Pigment Chlorophyll Specificity Specificity of Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Pigment Chlorophyll systems. LE 4.5.1.b- Plant cells and some one-celled organisms contain chloroplasts, the site of photosynthesis The process of photosynthesis uses solar energy to combine the inorganic molecules and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE 4.5.1.c-In all organisms, organic compounds can be used to as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of	Enzymes	cellular	Chloroplast		Sun and the
Relate in writing the interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Chromatography C		respiration.	1 -		energy needs
the interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Chlorophyll Specificity Chlorophyll Specificity Specificity Specificity Chlorophyll Specificity LE.4.5.1.b- Plant cells and some one-celled organisms contain chloroplasts, the site of photosynthesis uses solar the site of photosynthesis uses solar energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1			00
interdependence of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Specificity I.E.4.5.1.b- Plant cells and some one- celled organisms contain chloroplasts, the site of photosynthesis The process of photosynthesis The process of photosynthesis and celler relationship between the various factors that affect enzyme reaction rate. Specificity Plant cells and some one- celled organisms contain chloroplasts, the site of photosynthesis The process o					
of photosysthesis and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Plant cells and some one-celled organisms contain chloroplasts, the site of photosynthesis uses solar to photosynthesis uses solar opportunities of the lock and key energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					1 -
and celluar respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Some one-celled organisms contain chloroplasts, the site of photosynthesis. The process of photosynthesis uses solar energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic that affect enzyme reaction rate.			Specificity		
respiration. Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. rate. celled organisms contain chloroplasts, the site of photosynthesis The process of photosynthesis uses solar energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c.In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1			
Identify visually the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Identify visually the reaction rate. Identify visually the reaction rate. Identify visually the relationship between the various factors that affect enzyme reaction rate. Interpret and visually the relationship between the various factors that affect enzyme reaction rate. Interpret and visually the relationship between the various factors that affect enzyme reaction rate. Interpret and visually the relationship between the various factors that affect enzyme reaction rate. Interpret and visually the relationship between the various factors that affect enzyme reaction rate. Interpret and visually the relationship between the various factors and variety and variet					
the pigments present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. the pigments contain chloroplasts, the site of photosynthesis The process of photosynthesis uses solar energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-ln all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1 -			
present in a leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. See a compounds compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		-			•
leaf via chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret enzyme reaction enzyme reaction enzyme reaction rate. Interpret enzyme reaction enzym		1 10			
chromatography. Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Description The process of photosynthesis uses solar energy to combine the inorganic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules and release oxygen to the environment. LE.4.5.1.c-In all organisms o		*			
Describe in writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. The process of photosynthesis uses solar energy to combine the inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
writing the importance of the lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c.In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					1-
importance of the lock and key model for model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. Interpret graphically the relationship between the various factors that affect enzyme reaction and release oxygen to the environment. Interpret interpret graphically the relationship between the various factors that affect enzyme reaction enzyme reaction and release oxygen to the environment. Interpret interpret graphically the relationship between the various factors that affect enzyme reaction enzyme reaction enzyme reactions and release oxygen to the environment. Interpret graphically the relationship between the various factors that affect enzyme reaction enzyme rea					
lock and key model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. graphically the relationship between the various factors that affect enzyme reaction rate. graphically the relationship between the various factors that affect enzyme reaction rate. graphically the relationship and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
model for enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
enzymes/proteins. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. inorganic molecules carbon dioxide and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1			
Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the relationship between the various factors that affect enzyme reaction rate. Interpret graphically the energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
graphically the relationship between the various factors that affect enzyme reaction rate. Compounds Compound					-
relationship between the various factors that affect enzyme reaction rate. and water into energy-rich organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1 -			
between the various factors that affect enzyme reaction rate. and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
various factors that affect enzyme reaction rate. organic compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		1			
that affect enzyme reaction rate. compounds (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
enzyme reaction rate. (e.g., glucose) and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					_
rate. and release oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
oxygen to the environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		•			1
environment. LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of		rate.			
LE.4.5.1.c-In all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					• •
all organisms, organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
organic compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
compounds can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					1 0
can be used to assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
assemble other molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
molecules such as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
as proteins, DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
DNA, starch, and fats. The chemical energy stored in bonds can be used as a source of					
and fats. The chemical energy stored in bonds can be used as a source of					•
chemical energy stored in bonds can be used as a source of					
energy stored in bonds can be used as a source of					
in bonds can be used as a source of					
be used as a source of					
source of					
energy for life					
					energy for life

			processes.
			LE.4.5.1.d-In
			all organisms,
			the energy
			stored in
			organic
			molecules may
			be released
			during cellular
			respiration.
			This energy is
			temporarily
			stored in ATP
			molecules. In
			many
			organisms, the
			process of
			cellular
			respiration is
			concluded in
			mitochondria,
			in which ATP
			is produced
			more
			efficiently,
			oxygen is used,
			and carbon
			dioxide and
			water are
			released as
			wastes.
			LE.4.5.1.e-The
			energy from
			ATP is used by
			the organism
			to obtain,
			transform, and
			transport
			materials, and
			to eliminate
			wastes.
			LE.4.5.1.f-
			Biochemical
			processes, both
			breakdown and
			synthesis, are

				made possible
				by a large set
				of biological
				catalysts called
				enzymes.
				Enzymes can
				affect the rates
				of chemical
				change. The
				rate at which
				enzymes work
				can be
				influenced by
				internal
				environmental
				factors such as
				pH and
				temperature.
				LE.4.5.1.g-
				Enzymes and other
				molecules,
				such as
				hormones,
				receptor
				molecules, and
				antibodies,
				have specific
				shapes that
				influence both
				how they
				function and
				how they
				interact with
				other
				molecules.
				LE.4.5.1-
				Explain the
				basic
				biochemical
				processes in
				living
				organisms and their
				importance in
				maintaining
				mamammg

	1				1		1	1
								dynamic equilibrium.
D e	HOMEOS	ΓASIS II * ~ f	eedback mechanisn	ns including p	ositive and n	egative fe	edback	
c e	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
m b e r			Explain verbally and graphically why temperature regulation is an example of the dynamic equilibrium. Construct a diagram in writing that illustrates how feedback mechanisms maintain homeostasis (glucagon/insulin). Identify and writing how guard cells and stomates regulate gas exchange and water balance in plants. Locate kinesthetically a 20 second pulse rate and describe how to calulate average pulse rate mathematically.	Balance Pancreas Insulin Glucagon Diabetes				LE.4.1.2.c-The components of the human body, from organ systems to cell organelles, interact to maintain a balanced internal environment. To successfully accomplish this, organisms possess a diversity of control mechanisms that detect deviations and make corrective actions. LE.4.1.2.j-Receptor molecules play an important role in the interactions between cells. Two primary agents of cellular communication are hormones and chemicals produced by

				nerve cells. If
				nerve or
				hormone
				signals are
				blocked,
				cellular
				communication
				is disrupted
				and the
				organism's
				stability is affected.
				LE.4.5.3.a-
				Dynamic
				equilibrium
				results from
				detection of
				and response to
				stimuli.
				Organisms
				detect and
				respond to
				change in a
				variety of ways
				both at the
				cellular level
				and at the
				organismal
				level. LE.4.5.3.b-
				Feedback
				mechanisms
				have evolved
				that maintain
				homeostasis.
				Examples
				include the
				changes in
				heart rate or
				respiratory rate
				in response to
				increased
				activity in
				muscle cells,
				the
				maintenance of

olood sugar	h				
evels by					
nsulin from					
he pancreas,					
and the					
hanges in	c				
penings in the					
eaves of plants					
y guard cells					
o regulate					
vater loss and					
gas exchange.	g				
vat	v				_

HOMEOSTASIS III * ~ failures of homeostasis

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Disease:		Pathogen				LE.4.5.2.a-
	Pathogens		Antibody				Homeostasis
	and		Microbe				in an
	Immunity		Antigen				organism is
	Mechanisms		Virus				constantly
	of Disease		Bacteria				threatened.
			Antibiotic				Failure to
			Vaccination				respond
			Immunity				effectively
			Rejection				can result in
			Transplantation				disease or
			Donor				death.
			Recipient				LE.4.5.2.b-
			Diagnosis				Viruses,
			Treatment				bacteria,
			Prognosis				fungi, and
			AIDS/HIV				other
			Autoimmune				parasites may
			Fungi				infect plants
			Parasite				and animals
			Host				and interfere
			White Blood				with normal
			Cell				life functions.
			Interferon				LE.4.5.2.c-
			Allergy				The immune
			Disease				system
			Histamine				protects
			Inflamation				against
			Specific				antigens

	Immunity	associated
	Non Specific	with
	Immunity	pathogenic
		organisms or
		foreign
		substances
		and some
		cancer cells.
		LE.4.5.2.d-
		Some white
		blood cells
		engulf
		invaders.
		Others
		produce
		antibodies
		that attack
		them or mark
		them for
		killing. Some
		specialized
		white blood
		cells will
		remain, able
		to fight off
		subsequent
		invaders of
		the same
		kind.
		LE.4.5.2.e-
		Vaccinations
		use weakened
		microbes (or
		parts of them)
		to stimulate
		the immune
		system to
		react. This
		reaction
		prepares the
		body to fight
		subsequent
		invasions by
		the same
		microbes.
		LE.4.5.2.f-

				Some viral
				diseases, such
				as AIDS,
				damage the
				immune
				system,
				leaving the
				body unable
				to deal with
				multiple
				infectious
				agents and
				cancerous
				cells.
				LE.4.5.2.g-
				Some allergic
				reactions are
				caused by the
				bodyÕs
				immune
				responses to
				usually harmless
				environmental
				substances.
				Sometimes
				the immune
				system may
				attack some
				of the
				bodyÕs own
				cells or
				transplanted
				organs.
				LE.4.5.2.h-
				Disease may
				also be caused
				by
				inheritance,
				toxic
				substances,
				poor nutrition,
				organ
				malfunction,
				and some
<u> </u>				personal

				behavior.
				Some effects
				show up right
				away; others
				may not show
				up for many
				years.
				LE.4.5.2.i-
				Gene
				mutations in a
				cell can result
				in
				uncontrolled
				cell division,
				called cancer.
				Exposure of
				cells to
				certain
				chemicals and
				radiation
				increases
				mutations and
				thus increases
				the chance of
				cancer.
				LE.4.5.2.j-
				Biological
				research
				generates
				knowledge
				used to design
				ways of
				diagnosing,
				preventing,
				treating,
				controlling, or
				curing
				diseases of
				plants and
				animals.
				LE.4.5.2-
				Explain
				disease as a
				failure of
				homeostasis.
<u> </u>				monneostasis.

J	GENETIC	CS I* ~ classical genetics						
a n	Essential	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
u	Questions	Content	DKIIIS	v ocabular y	Assessments	Lessons	Resources	Standards
a r y		Mendelian Genetics: Punnett Squares/Probability and Pedigree		Homozygous Heterozygous Hybrid Pure Genotype Phenotype Allele Gene Chromosome Pedigree Punnett Square Dominent Recessive Probability Karyotyping				LE.4.2.1.b- Every organism requires a set of coded instructions for specifying its traits. For offspring to resemble their parents, there must be a reliable way to transfer information from one generation to the next. Heredity is the passage of these instructions from one generation to another. LE.4.2.1.c- Hereditary information is contained in genes, located in the chromosomes of each cell. An inherited trait of an individual can be determined by one or by
	<u> </u>							by one or by

T.							
							ny genes, la single
							e can
							uence
							re than
							trait. A
							nan cell
							tains
						mai	
							usands of
							erent
							es in its
							leus.
							4.2.1.e-In
							ually
							roducing
							anisms,
							new
						ind	ividual
						rece	eives half
						of t	he genetic
							ormation
							m its
							ther (via
							eff) and
							f from its
							ner (via
							sperm).
							ually
							duced
							spring
						ofte	
							emble, but
							not
							ntical to,
							er of their
				<u> </u>		pare	ents.
GENETI	CS II * ~ dna sti	ructure and re	eplication				
			1				

Ssential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	DNA:		DNA				LE.4.2.1.f-In
	Structure		Replication				all organisms,
	DNA:		Template				the coded

Replication	Nucleotide	instructions
	Subunit	for specifying
	Replicate	the
	Complementary	characteristic
	Hydrogen	of the
	Bonds	organism are
	Double Strand	carried in
	Single Strand	DNA, a large
	Phosphate	molecule
	Backbone	formed from
	Bases	subunits
	Double Helix	arranged in a
		sequence with
		bases of four
		kinds
		(represented
		by A, G, C,
		and T). The
		chemical and
		structural
		properties of
		DNA are the
		basis for how
		the genetic
		information
		that underlies
		heredity is
		both encoded
		in genes (as a
		string of
		molecular
		LE.4.2.1-
		Explan how
		the structure
		and
		replication of
		genetic
		materal result
		in offspring
		that resemble
		their parents.

F GENETICS III * ~ transcription and translation

Essential Questions Content Skills Vocabulary Assessments Lessons Resources Standards

u	Protein	Transcription	LE.4.2.1.g-
a	Synthesis:	Translation	Cells store
r	Transcription	Ribosome	and use
у∥	Protein	RNA	coded
	Synthesis:	mRNA	information.
	Translation	tRNA	The genetic
	Protein	codon	information
	Synthesis:	anti-codon	stored in
	Mutations	amino acid	DNA is used
		protein	to direct the
		expression	synthesis of
		mutation	the
		deletion	thousands of
		inversion	proteins that
		addition	each cell
		substituion	requires.
		enzyme	LE.4.2.1.i-
			The work of
			a cell is
			carried out
			by the many
			different
			types of
			molecules it
			assembles,
			mostly
			proteins.
			Protein
			molecules
			are long,
			usually
			folded
			chains made
			from 20
			different
			kinds of
			amino acids
			in a specific
			sequence.
			This
			sequence
			influences
			the shape of
			the protein.
			The shape of
			the protein,
			me protein,

				in turn,
				determines
				its function.
				LE.4.2.1.a-
				Genes are
				inherited,
				but their
				expression
				can be
				modified by
				interactions
				with the environment.
				LE.4.2.1.h-
				Genes are
				segments of
				DNA
				molecules.
				Any
				alteration of
				the DNA
				sequence is a
				mutation.
				Usually, an
				altered gene
				will be
				passed on to every cell
				that develops
				from it.
				LE.4.2.1.j-
				Offspring
				resemble
				their parents
				because they
				inherit
				similar genes
				that code for
				the
				production
				of proteins
				that form
				similar structures
				and perform
				similar
 <u> </u>				SIIIIIai

functions.

GENETICS IV * ~ gene technology

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Genetic Engineering		biotechnology selective breeding/artificial selection gene splicing restriction enzyme recombinant DNA stem cell differentiation cloning				LE.4.2.2- Explain how the technolog of genetic engineering allows humans to alter genetic makeup of organisms. LE.4.2.2.a-Fo thousands of years new varieties of cultivated plants and domestic animals have resulted from selective breeding for particular traits. LE.4.2.2.b-Ir recent years new varieties of farm plant and animals have been engineered by manipulating their genetic instructions t produce new characteristic LE.4.2.2.c-Different enzymes can be used to cu copy, and

			move
			segments of
			DNA.
			Characteristics
			produced by
			the segments
			of DNA may
			be expressed
			when these
			segments are inserted into
			new
			organisms,
			such as
			bacteria.
			LE.4.2.2.d-
			Inserting,
			deleting, or
			substituting
			DNA
			segments can
			alter genes.
			An altered
			gene may be
			passed on to
			every cell that develops from
			it.
			LE.4.2.2.e-
			Knowledge of
			genetics is
			making
			possible new
			fields of
			health care;
			for example,
			finding genes
			which may
			have
			mutations that
			can cause
			disease will aid in the
			development of
			preventative
			Proventative

measures to fight disease. Substances, such as hormones and enzymes, from genetically engineered organisms may reduce the cost and side effects of replacing missing body chemicals.

REPRODUCTION I * ~ asexual

Essential Cont	itent	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
Repr Veg Prop Asex Repr	exual production: getative pagation exual production: oning tosis		Asexual Reproduction Vegatitive Propagation Mitosis Identical Cloning Budding Cutting Bianary Fission Bulbs Runners Grafting				LE.4.4.1.b-Some organisms reproduce asexually with all the genetic information coming from one parent. Other organisms reproduce sexually with half the genetic information typically contributed by each parent. Cloning is the production of identical

1	1							1		
									enetic	
								C	opies.	
									E.4.4	
									The zy	
									nay di	
									y mito	osis
								I .	nd	
								I .	iffere	
								I .	o form	
									pecial	izec
									ells,	
									issues	
								C	rgans	of
									nultice	
									rganis	
									E.4.2	
									n asex	
									eprodi	
									rganis	
									ll the	
									ome f	rom
									ingle	
									arent.	
									Asexua	
									roduc	
									ffspri	
									ormal	
									enetic	
									dentic	
 1			1			I		Į L.	he par	em.

REPRODUCTION II * ~ sexual

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Meiosis		Sex Cell				LE.4.2.1.e-
			Sperm				In sexually
			Egg				reproducing
			Zygote				organisms,
			Reduction				the new
			Division				individual
			Gamete				receives half
			Crossing Over				of the
			Recombination				genetic
							information

				from its
				mother (via
				the eff) and
				half from its
				father (via
				the sperm).
				Sexually
				produced
				offspring
				often
				resemble,
				but are not
				identical to,
				either of
				their
				parents.
				LE.4.4.1.b-
				Some
				organisms
				reproduce
				asexually
				with all the
				genetic
				information
				coming
				from one
				parent.
				Other
				organisms
				reproduce
				sexually
				with half the
				genetic
				information
				typically
				contributed
				by each
				parent.
				Cloning is
				the
				production
				of identical
				genetic
				copies.
				LE.4.4.1.c-
				The
		<u> </u>		

				processes of
				meiosis and
				fertilization
				are key to
				sexual
				reproduction
				in a wide
				variety of
				organisms.
				The process
				of meiosis
				results in the
				production
				of eggs and
				sperm
				which each
				contain half
				of the
				genetic
				information.
				During
				fertilization,
				gametes
				unite to
				form a
				zygote,
				which
				contains the
				complete
				genetic
				information
				for the
				offspring.
M	DEDD ODLIGHTON III *	1		

M REPRODUCTION III * ~ humans

c	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
h		Male		Zygote				LE.4.4.1-Explain how
		Reproduction:		Embryo				organisms, including
		structures and		Fetus				humans, reproduce
		functions		Differentiation				their own kind.
		Female		Penis				LE.4.4.1.a-
		Reproduction:		Vagina				Reproduction and
		structures and		Testes				development are
		functions		Ovary				necessary for the

1 1		
Pregnancy and Development Reproductive Technology	Oviduct Uterus Birth Canal Placenta Amniotic Sac Umbilical Cord Estrogen Testosterone Progesterone Menstrual Cycle Amniocentesis Invitro Fertilization Surrogate Reproductive Glands Urinary Bladder Prostate Vas Deferens Epidydmis	continuation of any species. LE.4.4.1.e-Human reproduction and development are influenced by factors such as gene expression, hormones, and the environment. The reproductive cycle in both males and females is regulated by hormones such as testosterone, estrogen, and progesterone. LE.4.4.1.f-The structures and functions of the human female reproductive system, as in almost all other mammals, are designed to produce gametes in ovaries, allow for internal fertilization, support the internal development of the embryo and fetus in the uterus, and provide essential materials through the placenta, and nutrition through milk for the newborn. LE.4.4.1.g-The structures and functions of the human male
		LE.4.4.1.g-The structures and functions of the
	Development Reproductive	Development Reproductive Technology Amniotic Sac Umbilical Cord Estrogen Testosterone Progesterone Menstrual Cycle Amniocentesis Invitro Fertilization Surrogate Reproductive Glands Urinary Bladder Prostate Vas Deferens

			of these gametes for
			fertilization.
			LE.4.4.1.h-In humans
			the embryonic
			development of
			essential organs
			occurs in early stages
			of pregnancy. The
			embryo may
			encounter risks from
			faults in its genes and
			from its motherÕs
			exposure to
			environmental factors
			such as inadequate
			diet, use of
			alcohol/drugs/tobacco
			other toxins, or
			infections throughout
			her pregnancy.
			LE.4.2.1.k-The many
			body cells in an
			individual can be very
			different from one
			another, even though
			they all descended
			from a single cell and
			thus have essentially
			identical genetic
			instructions. This is
			because different part
			of these
			instructionsare used in
			different types of
			cells, and are
			influenced by the
			cell's environment and
			past history.
			past mstory.

EVOLUTION 1* ~ evidence of evolution

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
Questions	Geologic Time		geologic time fossil				LE.4.3.1.e- Natural
	Fossil Record		fossil record				selection and

	Comparative	comparative	its
	Anatomy	embryology	evolutionary
	Comparative	comparative	consequences
	Embryology	anatomy	provide a
	Comparative	comparative	scientific
	Biochemistry	biochemistry	explanation
	Bioenemistry	brochemistry	for the fossil
			record of
			ancient life-
			forms, as well
			as for the
			molecular and
			structural
			similarities
			observed
			among the diverse
			species of
			living
			organisms.
			LE.4.3.1.j-
			Billions of
			years ago, life
			on Earth is
			thought by
			many
			scientists to
			have begun as
			simple,
			single-celled
			organisms.
			About a
			billion years
			ago,
			increasingly
			complex
			multi-cellular
			organisms
			began to
			evolve.
			LE.4.3.1.k-
			Evolution
			does not
			necessitate
			long-term
			progress in
_	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

				some set
				direction.
				Evolutionary
				changes
				appear to be
				like the
				growth of a
				bush: Some
				branches
				survive from
				the beginning with little or
				no change,
				many die out
				altogether,
				and others
				branch
				repeatedly,
				sometimes
				giving rise to
				more
				complex
				organisms.
				LE.4.3.1.1-
				Extinction of
				a species
				occurs when
				the
				environment
				changes and
				the adaptive
				characteristics
				of a species
				are
				insufficient to
				allow its
				survival.
				Fossils
				indicate that
				many
				organisms
				that lived
				long ago are
				extinct.
				Extinction of
				species is

						common; most of the species that have lived on Earth no longer exist.
A	EVOLUTIO	N II* . maahar	sias of avaluti	ion		

A	L OLC II	ON II* ~ med	hanics of e	volution				
p r i	Essential Questions	Content	Skills	Vocabulary	Assessments Le	essons	Resources	Standards
		Natural Selection		natural selection mutation variation adaptation adaptive value extinction theory overproduction competition chance selecting agent geographic isolation reproductive isolation				LE.4.3.1- Explain the mechanisms and patterns of evolution. LE.4.3.1.a- The basic theory of biological evolution states that the Earth's present-day species developed from earlier, distinctly different species. LE.4.3.1.b- New inheritable characteristics can result from new combinations of existing genes or from mutations of genes in reproductive cells. LE.4.3.1.c- Mutation and the sorting

				and
				recombining
				of genes
				during
				meiosis and
				fertilization
				result in a
				great variety
				of possible
				gene
				combinations.
				LE.4.3.1.d-
				Mutations
				occur as
				random
				chance
				events. Gene
				mutations can
				also be caused
				by such
				agents as
				radiation and
				chemicals.
				When they
				occur in sex
				cells, the
				mutations can
				be passed on
				to offspring;
				if they occur
				in other cells,
				they can be
				passed on to
				other body
				cells only.
				LE.4.3.1.e-
				Natural
				selection and
				its
				evolutionary
				consequences
				provide a
				scientific
				explanation
				for the fossil
				record of

ancient life forms, as well as for the molecular and structural similarities observed among the diverse species of living organisms. L.E.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to survive and					
as for the molecular and structural similarities observed among the diverse species of living organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring due				 	ancient life-
as for the molecular and structural similarities observed among the diverse species of living organisms. LE.4.3.1.f Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					forms, as well
structural similarities observed among the diverse species of living organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to environment of those offspring better able to environment of those offspring better able to better able to better able to environment of those offspring better able to b					
similarities observed among the diverse species of living organisms. LE.4.3.1.1 Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers. (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					molecular and
similarities observed among the diverse species of living organisms. LE.4.3.1.1 Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers. (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					structural
observed among the diverse species of living organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
among the diverse species of living organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
diverse species of living organisms. LE.4.3.1.f Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
species of living organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
living organisms. LE 4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
organisms. LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
LE.4.3.1.f- Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
Species evolve over time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					LE.4.3.1.f-
evolve over time. Evolution is the Consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
time. Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
Evolution is the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
the consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
consequence of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
of the interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
interactions of (1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
(1) the potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
potential for a species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
species to increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
increase its numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
numbers, (2) the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
the genetic variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
variability of offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
offspring due to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					variability of
to mutation and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					offspring due
and recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
recombination of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
of genes, (3) a finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
finite supply of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
of the resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
resources required for life, and (4) the ensuing selection by the environment of those offspring better able to					
required for life, and (4) the ensuing selection by the environment of those offspring better able to					
life, and (4) the ensuing selection by the environment of those offspring better able to					
the ensuing selection by the environment of those offspring better able to					
selection by the environment of those offspring better able to					
the environment of those offspring better able to					
environment of those offspring better able to					
of those offspring better able to					
offspring better able to					
better able to					
survive and					
	_				survive and

				leave
				offspring.
				LE.4.3.1.g-
				Some
				characteristics
				give
				individuals an
				advantage
				over others in
				surviving and
				reproducing,
				and the
				advantaged
				offspring, in
				turn, are more
				likely than
				others to
				survive and
				reproduce.
				The
				proportion of
				individuals
				that have
				advantageous characteristics
				will increase.
				LE.4.3.1.h-
				The variation
				of organisms
				within a
				species
				increases the
				likelihood
				that at least
				some
				members of
				the species
				will survive
				under
				changed
				environmental
				conditions.
				LE.4.3.1.i-
				Behaviors
				have evolved
[through

			natural
			selection. The
			broad patterns
			of behavior
			exhibited by
			organisms are
			those that
			have resulted
			in greater
			reproductive
			success.
			LE.4.3.1.j-
			Billions of
			years ago, life on Earth is
			thought by
			many
			scientists to
			have begun as
			simple,
			single-celled
			organisms. About a
			billion years
			ago,
			increasingly complex
			multi-cellular
			organisms
			began to
			evolve.
			LE.4.3.1.k-
			Evolution
			does not
			necessitate
			long-term
			progress in some set
			direction.
			Evolutionary
			changes
			appear to be
			like the
			growth of a
			bush: Some
			branches

I I	I	I	I	
				survive from
				the beginning
				with little or
				no change,
				many die out
				altogether,
				and others
				branch
				repeatedly,
				sometimes
				giving rise to
				more complex
				organisms.
				LE.4.3.1.1-
				Extinction of
				a species
				occurs when
				the
				environment
				changes and
				the adaptive
				characteristics
				of a species
				are
				insufficient to
				allow its
				survival.
				Fossils
				indicate that
				many
				organisms
				that lived long
				ago are
				extinct.
				Extinction of
				species is
				common;
				most of the
				species that
				have lived on
				Earth no
				longer exist.
ECOLOGY I * ~				

Vocabulary Assessments Lessons

Skills

Content

Essential

Standards

Resources

hains ood Webs nergy yramids	food web food chain energy pyramid		LE.4.1.1.a- Populations can be categorized by
ood Webs nergy yramids	energy pyramid		
nergy yramids	pyramid		he categorized by
yramids			
			the function they
	omnivore		serve. Food webs
	herbivore		identify the
	carnivore		relationships
l l	scavenger		among producers
	decomposer		consumers, and
l li	predator		decomposers
l l	prey		carrying out
I	L		either autotropic
			or heterotropic
			nutrition.
	producer		LE.4.6.1.a-
			Energy flows
			through
			ecosystems in
			one direction,
			typically from the
			Sun, through
			photosynthetic
			organisms
			including green
			plants and algae, to herbivores to
			carnivores and
			decomposers.
			LE.4.6.1.c-The
			chemical
			elements, such as
			carbon,
			hydrogen,
			nitrogen, and
			oxygen, that
			make up the
			molecules of
			living things pass
			through food
			webs and are
			combined and
			recombined in
			different ways.
			At each link in a
]	prey parasite niche consumer producer	parasite niche consumer

				food web, some
				energy is stored
				in newly made
				structures but
				much is
				dissipated into
				the environment
				as heat.
				LE.4.6.1.d-The
				number of
				organisms any
				habitat can
				support (carrying
				capacity) is
				limited by the
				available energy,
				water, oxygen,
				and minerals, and
				by the ability of
				ecosystems to
				recycle the
				residue of dead
				organisms
				through the
				activities of
				bacteria and
				fungi.
				LE.4.6.3.a-The
				interrelationships
				and
				interdependencies
				of organisms
				affect the
				development of
				stable
				ecosystems.
I	 			

ECOLOGY II * ~ environmental limits

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Carrying Capacity Biotic/Abiotic		carrying capacity habitat				LE.4.6.1.d-The number of organisms any
	Environmental Niches		abiotic biotic				habitat can support (carrying capacity)

ecosystem	is limited by the
environment	available energy,
niche	water, oxygen, and
predator	minerals, and by
parasite	the ability of
limiting	ecosystems to
factor	recycle the residue
host	of dead organisms
	through the
	activities of
	bacteria and fungi.
	LE.4.6.1.e-In any
	particular
	environment, the
	growth and
	survival of
	organisms depend
	on the physical
	conditions
	including light
	intensity,
	temperature range,
	mineral
	availability,
	soil/rock type, and
	relative acidity
	(pH).
	LE.4.6.1.f-Living
	organisms have the
	capacity to produce
	populations of
	unlimited size, but
	environments and
	resources are finite.
	This has profound
	effects on the
	interactions among
	organisms.
	LE.4.6.1.g-
	Relationships
	between organisms
	may be negative,
	neutral, or positive.
	Some organisms
	may interact with
	one another in
	one anomer in

			several ways. They
			may be in a
			producer/consumer,
			predator/prey, or
			parasite/host
			relationship; or one
			organism may
			cause disease in,
			scavenge, or
			decompose
			another.
			LE.4.6.2-Explain
			the importance of
			preserving diversity
			of species and
			habitats.
			LE.4.6.2.a-As a
			result of
			evolutionary
			processes, there is a
			diversity of
			organisms and
			roles in
			ecosystems. This
			diversity of species
			increases the
			chance that at least
			some will survive
			in the face of large
			environmental
			changes.
			Biodiversity
			increases the
			stability of the
			ecosystem.
			LE.4.6.1-Explain
			factors that limit
			growth of
			growth of individuals and

ECOLOGY III * ~ energy flow and material cycles

- 11	Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
		Carbon/Oxygen		Energy				LE.4.6.1.c-

	-	.,	l	m
Cycle	1	ramid		The chemical
Nitrogen (ecomposer		elements, such
		ycle		as carbon,
	Pr Pr	notosynthesis		hydrogen,
				nitrogen, and
				oxygen, that
				make up the
				molecules of
				living things
				pass through
				food webs and
				are combined
				and
				recombined in
				different
				ways. At each
				link in a food
				web, some
				energy is
				stored in
				newly made
				structures but
				much is
				dissipated into
				the
				environment
				as heat.
				LE.4.6.1.d-
				The number of
				organisms any
				habitat can
				support
				(carrying
				capacity) is
				limited by the
				available
				energy, water,
				oxygen, and
				minerals, and
				by the ability
				of ecosystems
				to recycle the
				residue of
				dead
				organisms
				through the
			ı	

				activities of
				bacteria and
				fungi.
				LE.4.6.1.b-
				The atoms an
				molecules on
				the Earth
				cycle among
				the living and
				nonliving
				components
				the biosphere
				For example
				carbon
				dioxide and
				water
				molecules
				used in
				photosynthes
				to form
				energy-rich
				organic
				compounds
				are returned
				the
				environment
				when the
				energy in
				these
				compounds
				eventually
				released by
				cells.
				Continual
				input of
				energy from
				sunlight kee
				the process
				going. This
				concept may
				be illustrated
				with an ener
				pyramid.
1			1	

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Biodiversity		Biodiversity				LE.4.1.1.d-The
	Ecosystem		Stability				interdependence
	Stability		Dynamic				of organisms in
	Potential		Equilibrium				an established
	Resources		Medicine				ecosystem often
							results in
							approximate
							stability over
							hundreds and
							thousands of
							years. For
							example, as one
							population
							increases, it is
							held in check by
							one or more
							environmental
							factors or another
							species.
							LE.4.1.1.e-
							Ecosystems, like
							many other
							complex systems,
							tend to show
							cyclic changes around a state of
							approximate
							equilibrium. LE.4.1.1.f-Every
							population is
							linked, directly or
							indirectly, with
							many others in an
							ecosystem.
							Disruptions in the
							numbers and
							types of species
							and
							environmental
							changes can upset
							ecosystem
							stability.
							LE.4.6.1.f-Living

	nisms have
the c	apacity to
prod	
	lations of
	nited size,
	nvironments
	resources are
	e. This has
	ound effects
on th	
	actions
amor	
	nisms.
	.6.2.a-As a
resul	
	utionary
	esses, there
	liversity of
	nisms and
roles	
	ystems. This
	rsity of
	ies increases
	hance that at
	some will
	ive in the
	of large
	ronmental
chan	
	iversity
	eases the
	lity of the
	ystem.
	.6.2.b-
	iversity also
	res the
	ability of a
	variety of
	tic material
	may lead to
futur	
	cultural or
medi	
	overies with
	ficant value
	mankind. As
LO Hu	municing. As

				diversity is lost,
				potential sources
				of these materials
				may be lost with
				it.
				LE.4.6.3.a-The
				interrelationships
				and
				interdependencies
				of organisms
				affect the
				development of stable
				ecosystems. LE.4.6.3.c-A
				stable ecosystem
				can be altered,
				either rapidly or
				slowly, through
				the activities of
				organisms
				(including
				humans), or
				through climatic
				changes or
				natural disasters.
				The altered
				ecosystem can
				usually recover
				through gradual
				changes back to a
				point of longterm
				stability
				LE.4.7.1.a-The
				Earth has finite
				resources;
				increasing human
				consumption of
				resources places
				stress on the
				natural processes
				that renew some
				resources and
				deplete those
				resources that
				cannot be
1		'		

				renewed.
				LE.4.7.2.b-When
				humans alter
				ecosystems either
				by adding or
				removing specific
				organisms,
				serious
				consequences
				may result. For
				example, planting
				large expanses of
				one crop reduces
				the biodiversity
				of the area.
				LE.4.1.1-Explan
				how diversity of
				populations
				within ecosystes
				relates to the
				stability of
				ecosystems.
				LE.4.1.1.b-An
				ecosystem is
				shaped by the
				nonliving
				environment as
				well as its
				interacting
				species. The
				world contains a
				wide diversity of
				physical
				conditions, which
				creates a variety of environments.
				LE.4.1.1.c-In all
				environments,
				organisms
				compete for vital
				resources. The
				linked and
				changing
				interactions of
				populations and
<u> </u>				the environment

					compose the total ecosystem.						
$\overline{M} _{F}$	M FCOLOGY V * ~ changes in the environment										

M ECOLOGY V * ~ changes in the environment

٦	•
τ	7
J	

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Ecological Succesion: Land Ecological Succession: Water		Ecological Succession Stability Biodiversity Modify				LE.4.6.1.e-In any particular environment, the growth and survival of organisms depend on the physical conditions including light intensity, temperature range, mineral availability, soil/rock type, and relative acidity (pH). LE.4.6.3.a-The interrelationships and interdependencies of organisms affect the development of stable ecosystems. LE.4.6.3.b-Through ecological succession, all ecosystems progress through a sequence of changes during which one ecological community modifies the environment,

		making it more suitable for another community. These long-term gradual changes result in the community reaching a point of stability that can last for hundreds or thousands of years. LE.4.6.3.c-A stable ecosystem can be altered, either rapidly or slowly, through the activities of organisms (including humans), or through climatic changes or natural disasters. The altered
		the activities of
		ecosystem can
		usually recover
		through gradual
		changes back to
		point of longtern
		stability LE.4.6.3-Explai
		how the living
		and nonliving
		environments
		change over tim
		and respond to
		disturbance.

HUMAN IMPACT * ~ human influences on the environment

Essential Questions	Content	Skills	Vocabulary	Assessments	Lessons	Resources	Standards
	Renewable and		Renewable				LE.4.7.1-

I.			
	Non Renewable	Resources	Describe the
	Resources	Non renewable	range of
	Direct	Resources	interrelationships
	Harvesting	Direct	of humans with
	Habitat	Harvesting	the living and
	Destruction	Harvesting	nonliving
	Imported	Imported	environment.
	Species	Species	LE.4.7.1.a-The
	Industrialization:	Industrialization	Earth has finite
	Pollution	Pollution	resources;
	Global Warming	Global	increasing
	Ozone Depletion	Warming	human
	Trade Offs	Ozone	consumption of
	Trade STIS	Depletion	resources places
		Trade off	stress on the
		Acid Rain	natural processes
		Land use	that renew some
		Deforestation Deformation	resources and
		Technology	deplete those
		Nuclear Fuel	resources that
		Toxic Waste	cannot be
		Fossil Fuel	renewed.
			LE.4.7.1.b-
		Smog Greenhouse	Natural
		Effect	ecosystems
		CFCs	provide an array
		Reduce	of basic
		Reuse	processes that
		Recycle	affect humans.
			Those processes
			include but are
			not limited to:
			maintenance of
			the quality of the
			atmosphere,
			generation of
			soils, control of
			the water cycle,
			removal of
			wastes, energy
			flow, and
			recycling of
			nutrients.
			Humans are
			changing many
			of these basic

				processes and
				the changes may
				be detrimental.
				LE.4.7.1.c-
				Human beings
				are part of the
				EarthÕs
				ecosystems.
				Human activities
				can, deliberately
				or inadvertently,
				alter the
				equilibrium in
				ecosystems.
				Humans modify
				ecosystems as a result of
				population
				growth,
				consumption,
				and technology.
				Human
				destruction of
				habitats through
				direct harvesting,
				pollution,
				atmospheric
				changes, and
				other factors is
				threatening
				current global
				stability, and if
				not addressed,
				ecosystems may
				be irreversibly
				affected.
				LE.4.7.2-Explain
				the impact of
				technological
				development and
				growth in the
				human
				population on
				the living and
				nonliving
				environment.

			I	E.4.7.2.a-
				Human activities
				hat degrade
				cosystems
				esult in a loss of
			d	liversity of the
			1:	iving and
			n	onliving
			e	nvironment. For
				xample, the
				nfluence of
				umans on other
				rganisms
				ccurs through
				and use and
				ollution. Land
				se decreases the
				pace and
				esources vailable to other
				pecies, and ollution
				hanges the
				hemical
				omposition of
				ir, soil, and
				vater.
			I	E.4.7.2.b-When
			h	umans alter
			e	cosystems
				ither by adding
				r removing
				pecific
				organisms,
				erious
				onsequences
				nay result. For
				xample,
				lanting large
				xpanses of one
				rop reduces the biodiversity of
				he area.
				E.4.7.2.c-
				ndustrialization
				orings an
 <u> </u>		 	-	85 4

				increased
				demand for and
				use of energy
				and other
				resources
				including fossil
				and nuclear
				fuels. This usage
				can have positive
				and negative
				effects on
				humans and
				ecosystems.
				LE.4.7.3-Explain
				how individual
				choices and
				societal actions
				can contribute to
				improving the
				environment.
				LE.4.7.3.a-
				Societies must
				decide on
				proposals which
				involve the
				introduction of
				new
				technologies.
				Individuals need
				to make
				decisions which
				will assess risks,
				costs, benefits,
				and trade-offs.
				LE.4.7.3.b-The
				decisions of one
				generation both
				provide and limit
				the range of
				possibilities
				open to the next
				generation.
)